

(a) TLB: Four sets, 16 entries, four-way set associative

VPN	PPN	Valid	VPN	PPN	Valid
00	28	1	08	13	1
01		0	09	17	1
02	33	1	0A	09	1
03	02	1	0B	-	0
04		0	0C	-	0
05	16	1	0D	2D	1
06	1	0	0E	11	1
07	_	0	0F	0D	1

(b) Page table: Only the first 16 PTEs are shown

Physical address

11	10	9	8	7	6	5	4	3	2	1	0	
←	← PPN —				→ ← P			PO —				
	ldx	Tag	Valid		Blk 0	Blk ¹	1 B	lk 2	Blk 3			
	0	19	1		99	11		23	11	1		
	1	15	0		_	_		_	_	1		
	2	1B	1		00	02		04	08]		
	3	36	0		_	_		_]		
	4	32	1		43	6D		8F	09]		
	5	0D	1		36	72		F0	1D			
	6	31	0		_	_			_			
	7	16	1		11	C2		DF	03			
	8	24	1		ЗА	00		51	89			
	9	2D	0		_	_		_	_			
	Α	2D	1		93	15		DA	3B			
	В	0B	0		_	_			_			
	С	12	0		_	_		_	_			
	D	16	1		04	96		34	15			

(c) Cache: Sixteen sets, 4-byte blocks, direct mapped

83

0

77

13

14

Ε

Figure 9.20 TLB, page table, and cache for small memory system. All values in the TLB, page table, and cache are in hexadecimal notation.

1B

D3