

Domain and range

We often define a function by an equation in which the variables x and y represent real numbers, and where “ y ” (just the variable y) is all by itself on one side of the equation, and an expression that contains no variable other than x is on the other side. An example of an equation like that is $y = x^2$.

Think of the domain of a function as all the real numbers you can plug in for x without causing the function to be undefined. Things to look out for are values of x that would cause a fraction's denominator to equal 0 and values that would force a negative number under a square root sign.

The range of a function is then the real numbers that would result for y from plugging in the real numbers in the domain for x . In other words, the domain is all x -values or inputs of a function, and the range is all y -values or outputs of a function.

There are a few functions we'll use a lot that have domain restrictions:

$$y = \frac{1}{x} \quad x \text{ cannot equal } 0$$

$$y = \sqrt{x} \quad x \text{ must be nonnegative (either positive or } 0)$$

Example

Describe the domain of the function.

$$y = x + \frac{2}{x}$$



In this function, x cannot be equal to 0, because that value causes the denominator of the fraction to equal 0. Because setting x equal to 0 is the only way to make this function undefined, its domain is all real numbers except 0.

We can also define a function by a set of coordinates (x, y) of points in the Cartesian coordinate system. In this case, the domain of the function consists of the x -coordinates of all the points, and the range consists of the y -coordinates of all the points.

Let's look at an example where the function is defined by a set of coordinates of points in the Cartesian coordinate system.

Example

What are the domain and range of the function?

$$(-2, 4), (1, 3), (2, 5), (4, 3)$$

The domain consists of all the x -coordinates. Remember that inside each set of parentheses, the x -coordinate is the first number and the y -coordinate is the second number.

$$\text{Domain: } -2, 1, 2, 4$$

The range consists of all the y -coordinates.



Range: 4, 3, 5, 3

We don't need to list numbers more than once, and we'd prefer to arrange the numbers in ascending order, so we can give the range as follows:

Range: 3, 4, 5

Let's try another example of domain and range.

Example

What are the domain and range of the function?

$$y = \frac{6}{x}$$

In this example we have x in the denominator, which means we're dividing by x . We need to remember that we can't divide by 0, but x could be any number except 0. So the domain is all real numbers except 0.

If y is any real number other than 0, there is some nonzero real number x such that

$$y = \frac{6}{x}$$

To see this, multiply both sides of this equation by x/y .



$$y \left(\frac{x}{y} \right) = \left(\frac{6}{x} \right) \left(\frac{x}{y} \right)$$

$$x = \frac{6}{y}$$

So for any nonzero real number y , we divide 6 by y to get a nonzero real number x for which $y = 6/x$.

However, there is no nonzero real number x such that

$$0 = \frac{6}{x}$$

To see this, multiply both sides of this equation by x .

$$0(x) = \left(\frac{6}{x} \right) (x)$$

$$0 = 6$$

This gives us the false equation $0 = 6$.

Combining these results, we find that the range of this function is all real numbers except 0.

