

Differentiating Polynomials

If you had a function that gave you the height of an object, it would be handy to be able to figure out a function that gave you the velocity at which it was rising or falling. The process of converting the position function into a velocity function is known as *differentiation* or *finding the derivative*.

There are a bunch of rules for finding a derivative, but differentiating polynomials only requires three:

- The derivative of a sum is equal to the sum of the derivatives.
- The derivative of a constant is zero.
- The derivative of a nonconstant monomial at^b (a and b are constant numbers, t is time) is abt^{b-1}

So, for example, if I tell you that the height in meters of quadcopter at second t is given by $2t^3 - 5t^2 + 9t + 200$. You could tell me that its vertical velocity is $6t^2 - 10t + 9$

Exercise 1 Differentiation of polynomials

Differentiate the following polynomials.

Working Space

Answer on Page 3

Notice that the degree of the derivative is one less than the degree of the original polynomial. (Unless, of course, the degree of the original is already zero.)

Now, if you know that a position is given by a polynomial, you can differentiate it to find the object's velocity at any time.

The same trick works for acceleration: Let's say you know a function that gives an object's velocity. To find its acceleration at any time, you take the derivative of the velocity function.

Exercise 2 Differentiation of polynomials in Python

Write a function that returns the derivative of a polynomial in `poly.py`. It should look like this:

Working Space

```
def derivative_of_polynomial(pn):  
    ...Your code here...
```

When you test it in `test.py`, it should look like this:

```
# 3x**3 + 2x + 5  
p1 = [5.0, 2.0, 0.0, 3.0]  
d1 = poly.derivative_of_polynomial(p1)  
# d1 should be 9x**2 + 2  
print("Derivative of", poly.polynomial_to_string(p1),"is", poly.polynomial_to_string(d1))  
  
# Check constant polynomials  
p2 = [-9.0]  
d2 = poly.derivative_of_polynomial(p2)  
# d2 should be 0.0  
print("Derivative of", poly.polynomial_to_string(p2),"is", poly.polynomial_to_string(d2))
```

Answer on Page 3

This is a draft chapter from the Kontinua Project. Please see our website (<https://kontinua.org/>) for more details.

Answers to Exercises

Answer to Exercise 1 (on page 1)

Answer to Exercise 2 (on page 2)

```
def derivative_of_polynomial(pn):  
  
    # What is the degree of the resulting polynomial?  
    original_degree = len(pn) - 1  
    if original_degree > 0:  
        degree_of_derivative = original_degree - 1  
    else:  
        degree_of_derivative = 0  
  
    # We can ignore the constant term (skip the first coefficient)  
    current_degree = 1  
    result = []  
  
    # Differentiate each monomial  
    while current_degree < len(pn):  
        coefficient = pn[current_degree]  
        result.append(coefficient * current_degree)  
        current_degree = current_degree + 1  
  
    # No terms? Make it the zero polynomial  
    if len(result) == 0:  
        result.append(0.0)  
  
    return result
```




INDEX

differentiation
polynomials, 1