
Ch2. Time series graphics

2.4 Seasonal plots

OTexts.org/fpp3/


Rob J Hyndman George Athanasopoulos

FORECASTING PRINCIPLES AND PRACTICE



Seasonal plots

```
a10 |> gg_season(Cost, labels = "both") +
  labs(y = "$ million", title = "Seasonal plot: antidiabetic drug sales")
```




Seasonal plots


- Data plotted against the individual "seasons" in which the data were observed. (In this case a "season" is a month.)
- Something like a time plot except that the data from each season are overlapped.
- Enables the underlying seasonal pattern to be seen more clearly, and also allows any substantial departures from the seasonal pattern to be easily identified.
- In R: gg_season()

Quarterly Australian Beer Production

```
beer <- aus_production |>
  select(Quarter, Beer) |>
  filter(year(Quarter) >= 1992)
beer |> autoplot(Beer)
```



Quarterly Australian Beer Production



vic_elec

```
# A tsibble: 52,608 x 5 [30m] <Australia/Melbourne>
##
     Time
                         Demand Temperature Date
                                                       Holiday
                          <dbl>
##
     <dttm>
                                      <dbl> <date>
                                                        <lgl>
##
    1 2012-01-01 00:00:00 4383.
                                       21.4 2012-01-01 TRUE
   2 2012-01-01 00:30:00 4263.
                                       21.0 2012-01-01 TRUE
##
##
   3 2012-01-01 01:00:00 4049.
                                       20.7 2012-01-01 TRUE
##
   4 2012-01-01 01:30:00
                          3878.
                                       20.6 2012-01-01 TRUE
   5 2012-01-01 02:00:00
                          4036
                                       20.4 2012-01-01 TRUE
##
##
   6 2012-01-01 02:30:00
                          3866.
                                       20.2 2012-01-01 TRUE
##
   7 2012-01-01 03:00:00
                          3694.
                                       20.1 2012-01-01 TRUE
##
   8 2012-01-01 03:30:00
                          3562
                                       19.6 2012-01-01 TRUE
   9 2012-01-01 04:00:00 3433
                                       19.1 2012-01-01 TRUE
##
  10 2012-01-01 04:30:00
                          3359.
                                       19.0 2012-01-01 TRUE
  # ... with 52,598 more rows
```

