

Problem Set - 8

Spring 2018

MATHEMATICS-II (MA10002)

1. (a) Find the jacobian of the following transformations T .

(i) $T : x + y = u, y = uv$. Find $J = \frac{\partial(x, y)}{\partial(u, v)}$.

(ii) $T : x = 2u + 3v, y = 2u - 3v$. Find $J = \frac{\partial(x, y)}{\partial(u, v)}$.

(iii) $T : x + y + z = u, x + y = uv, x = uvw$. Find $J = \frac{\partial(x, y, z)}{\partial(u, v, w)}$.

(iv) $T : x = r \cos \phi \sin \theta, y = r \sin \phi \sin \theta, z = r \cos \theta$. Find $J = \frac{\partial(x, y, z)}{\partial(r, \theta, \phi)}$.

- (b) Evaluate the double integrations using change of variable.

(i) Evaluate $\iint_R \sqrt{x^2 + y^2} dx dy$, the field of integration being R , the region in xy plane bounded by the circle $x^2 + y^2 = 1$ and $x^2 + y^2 = 4$. [Hint: $x = r \cos \theta, y = r \sin \theta$.]

(ii) Using the transformation $x + y = u, y = uv$, show that $\iint_E e^{\frac{y}{x+y}} dx dy = \frac{1}{2}(e - 1)$ where E is the triangle bounded by $x = 0, y = 0, x + y = 1$.

(iii) Evaluate $\iint_R (x + y) dA$, where R is the trapezoidal region with vertices given by $(0, 0), (5, 0), (\frac{5}{2}, \frac{5}{2})$ and $(\frac{5}{2}, -\frac{5}{2})$ using the transformation $x = 2u + 3v$ and $y = 2u - 3v$.

- (c) Evaluate

$$\iint_R \frac{\sqrt{a^2 b^2 - b^2 x^2 - a^2 y^2}}{\sqrt{a^2 b^2 + b^2 x^2 + a^2 y^2}} dx dy,$$

the field of integration being R , the positive quadrant of the ellipse $\frac{x^2}{a^2} + \frac{y^2}{b^2} = 1$. [Hint: change ellipse to a circle using $x = au, y = bv$.]

2. Show that $\iint_E y dx dy = \frac{1}{3}a^3 - \frac{a^2}{2}k + \frac{b}{4}k^2 + \frac{1}{6}k^3$ where $k = -\frac{b}{2} + \sqrt{a^2 + \frac{b^2}{4}}$ and E is the region in the first quadrant bounded by x -axis, the curves $x^2 + y^2 = a^2, y^2 = bx$.

3. Find the value of the following triple integrals.

a) $\iiint_R (x + y + z) dx dy dz$ where $R : 0 \leq x \leq 1, 1 \leq y \leq 2, 2 \leq z \leq 3$.

b) $\int_0^{\log 2} \int_0^x \int_0^{x+\log y} e^{x+y+z} dz dy dx$.

4. Compute $\iiint \frac{dxdydz}{(1+x+y+z)^3}$ if the region of integration is bounded by the co-ordinate planes and the plane $x+y+z=1$.
5. Evaluate $\iiint x^2yz \, dxdydz$ throughout the volume bounded by the planes $x=0$, $y=0$, $z=0$ and $\frac{x}{a} + \frac{y}{b} + \frac{z}{c} = 1$, by using $x=av$, $y=bv$, $z=cw$.
6. Using spherical co-ordinate evaluate $\iiint (x^2+y^2+z^2) \, dxdydz$ enclosed by the sphere $x^2+y^2+z^2=1$.
7. Evaluate $\iiint_R y \, dV$ where R is the region lies below the plane $z=x+1$ above the xy -plane and between the cylinders $x^2+y^2=1$ and $x^2+y^2=4$.
8. Find the surface area of the cylinder $x^2+z^2=4$ inside the cylinder $x^2+y^2=4$.
9. Find the surface area of the sphere $x^2+y^2+z^2=9$ lying inside the cylinder $x^2+y^2=3y$.
10. Find the surface area of the section of the cylinder $x^2+y^2=a^2$ made by the plane $x+y+z=a$.
11. Find the volume of the solid bounded by the parabolic $y^2+z^2=4x$ and the plane $x=5$.
12. Calculate the volume of the solid bounded by the following surfaces

$$z=0, x^2+y^2=1, x+y+z=3.$$

13. Find the volume bounded by the cylinder $x^2+y^2=4$ and the planes $y+z=4$ and $z=0$.

***** END *****