

Databases Project – Spring 2019

Team No: 32

Names: Sophie Ammann, Samuel Chassot, Daniel Filipe Nunes Silva

Contents

| | |
|---------------------------------|----|
| Contents..... | 1 |
| Deliverable 1..... | 2 |
| Assumptions..... | 2 |
| Entity Relationship Schema..... | 3 |
| Schema Overview..... | 5 |
| Zoomed Schema..... | 6 |
| Relational Schema..... | 10 |
| DDL..... | 11 |
| General Comments..... | 15 |

Deliverable 1

Assumptions

We use MySQL syntax for this project.

The weak entities (`House_properties`, `Economic_properties`, `Administrative_properties` and `Review_scores`) are linked to `Listing` and exist if and only if the listing exists: they have to be created/deleted when a `Listing` is created/deleted (ON DELETE CASCADE). The attributes of `Review_scores` can be *null* if the `Listing` is new and was not yet evaluated. Storing information of the listings grouped by theme in different tables should provide us some efficiency advantage for further queries.

Both `Listing` and `Neighbourhood` are linked to a city, therefore we have decided to relate a `Listing` to a `Neighbourhood`, that is itself linked to a `City`. We assumed it would avoid having the same information twice (*is in a City - relation*).


The `Review` is written by exactly one `Reviewer` and for exactly one `Listing`. If a `Reviewer` unsubscribes of the Airbnb platform, we have decided that the `Review` shall still exist. Also, if a `Listing` disappears, we suppose that the `Review` still exists.

We suppose that `City` in this database has a unique name inside their country. Hence we can use `city_name` and `country_code` as primary key.


Entity Relationship Schema


| Entities | Description |
|---------------------------|---|
| Listing | Represents a listing in an AirBnb service. |
| Host | Person that hosts a listing. |
| Neighbourhood | Part of a city. |
| City | City. |
| House_properties | Properties of the accommodation. |
| Economic_properties | Costs related to the rent of the accommodation. |
| Administrative_properties | Rules related to the rent of the accommodation. |
| Review | Review in the Airbnb system of a listing. |
| Reviewer | Person who writes a review about a listing. |
| Review_scores | Scores related to a listing of a review in different domains. |
| Calender | Availabilites of a listing. |
| Location | Location on a map of a listing. |


| Entity | Relation | Entity | Constraints |
|-----------------|----------|---------------------------|--|
| a Listing | has | House_properties | one-to-one relationship (Listing's weak entity) |
| a Listing | has | Economic_properties | one-to-one relationship (Listing's weak entity) |
| a Listing | has | Administrative_properties | one-to-one relationship (Listing's weak entity) |
| a Listing | has | Review_scores | one-to-one relationship (Listing's weak entity) |
| a Host | owns | a Listing | each listing has exactly one host |
| a Listing | occupies | a Calendar | a listing has availabilities in time. Each date has the corresponding listing's availability |
| a Review | reviews | a Listing | a review reviews exactly one listing |
| a Reviewer | writes | a Review | a review has exactly one reviewer |
| a Listing | is in | a Neighbourhood | a listing is in exactly one neighbourhood |
| a Listing | is in | a City | a listing is in exactly one city |
| a Neighbourhood | is in | a City | a neighborhood is in exactly one city |



Zoomed Schema







DIAS: Data-Intensive Applications and Systems Laboratory


School of Computer and Communication Sciences

Ecole Polytechnique Fédérale de Lausanne

Building BC, Station 14

CH-1015 Lausanne

URL: <http://dias.epfl.ch/>



Relational Schema

| Table | Refers to | Relates with |
|---------------------------|------------------------------------|--------------------------------------|
| Listing | Listing (entity) | Host_id (owns) |
| Host | Host (entity) | |
| Neighbourhood | Neighbourhood (entity) | City (is in) |
| House_properties | House_properties (entity) | Listing (has) |
| Economic_properties | Economic_properties (entity) | Listing (has) |
| Administrative_properties | Administrative_properties (entity) | Listing (has) |
| Review_scores | Review_scores (entity) | Listing (has) |
| Review | Review (entity) | Reviewer (writes), Listing (reviews) |
| Reviewer | Reviewer (entity) | |
| Calender | Calender (entity) | Listing (occupies) |
| City | City (entity) | |
| Location | (relation) | Listing, Neighbourhood, City (is in) |

DDL

```
1 CREATE DATABASE Airbnb;
2
3 -----Entities-----
4
5 CREATE TABLE Listing (
6
7     -----attributes-----
8     listing_id INT,
9     listing_url VARCHAR(50),
10    listing_name VARCHAR(50),
11    listing_summary TINYTEXT,
12    listing_space TINYTEXT,
13    listing_description TEXT,
14    listing_notes TEXT,
15    listing_transit TEXT,
16    listing_access TEXT,
17    listing_interaction TEXT,
18    listing_picture_url VARCHAR(50),
19    listing_neighbourhood_overview TEXT,
20
21    -----relation attributes----
22    host_id INT NOT NULL,
23
24    -----keys-----
25    PRIMARY KEY(id),
26    FOREIGN KEY(host_id) REFERENCES Host(host_id)
27 );
28
29 CREATE TABLE Host (
30
31     -----attributes-----
32     host_id INT,
33     host_url VARCHAR(50),
34     host_name VARCHAR(50),
35     host_since DATE,
36     host_about TINYTEXT,
37     host_response_time TIME,
38     host_response_rate FLOAT,
39     host_thumbnail_url VARCHAR(50),
40     host_picture_url VARCHAR(50),
41     host_verifications TEXT,
42
43     -----relation attributes----
44     neighbourhood_name VARCHAR(50),
45     city_name VARCHAR(50),
46
47     -----keys-----
48     PRIMARY KEY(host_id),
49     FOREIGN KEY(neighbourhood_name, city_name) REFERENCES Neighbourhood(neighbourhood_name, city_name)
50 );
51
52 CREATE TABLE Neighbourhood (
53
54     -----attributes-----
55     neighbourhood_name VARCHAR(50),
56
```

```
55     neighbourhood_name VARCHAR(50),
56
57     -----relation attributes-----
58     city_name    VARCHAR(50),
59     country_code INT,
60
61     -----keys-----
62     PRIMARY KEY(neighbourhood_name, city_name)
63     FOREIGN KEY(city_name, country_code) REFERENCES City(city_name, country_code) ON DELETE CASCADE
64 );
65
66 CREATE TABLE House_properties (
67
68     -----attributes-----
69     property_type VARCHAR(50),
70     room_type     VARCHAR(50),
71     accommodates  TINYINT,
72     bathrooms    TINYINT,
73     bedrooms     TINYINT,
74     beds         TINYINT,
75     bed_type     VARCHAR(50),
76     amenities    TEXT,
77     square_feet  SMALLINT,
78
79     -----relation attributes-----
80     listing_id INT,
81
82     -----keys-----
83     PRIMARY KEY(listing_id),
84     FOREIGN KEY(listing_id) REFERENCES Listing(listing_id) ON DELETE CASCADE
85 );
86
87 CREATE TABLE Economic_properties (
88
89     -----attributes-----
90     price           FLOAT,
91     weekly_price    FLOAT,
92     monthly_price   FLOAT,
93     security_deposit FLOAT,
94     cleaning_fee    FLOAT,
95     guests_included TINYINT,
96     extra_people    FLOAT,
97
98     -----relation attributes-----
99     listing_id INT,
100
101     -----keys-----
102     PRIMARY KEY(listing_id),
103     FOREIGN KEY(listing_id) REFERENCES Listing(listing_id) ON DELETE CASCADE
104 );
105
106 CREATE TABLE Administrative_properties (
107
108     -----attributes-----
109     rules           TEXT,
110     minimum_nights INT,
```

```
110     minimum_nights INT,
111     maximum_nights INT,
112     is_business_travel_ready BIT,
113     cancellation_policy TEXT,
114     require_guest_profile_picture BIT,
115     require_guest_phone_verification BIT,
116
117     -----relation attributes-----
118     listing_id INT,
119
120     -----keys-----
121     PRIMARY KEY(listing_id),
122     FOREIGN KEY(listing_id) REFERENCES Listing(listing_id) ON DELETE CASCADE
123 );
124
125 CREATE TABLE Review_scores (
126
127     -----attributes-----
128     review_scores_rating FLOAT,
129     review_scores_accuracy FLOAT,
130     review_scores_cleanliness FLOAT,
131     review_scores_checkin FLOAT,
132     review_scores_communication FLOAT,
133     review_scores_location FLOAT,
134     review_scores_value FLOAT,
135
136     -----relation attributes-----
137     listing_id INT,
138
139     -----keys-----
140     PRIMARY KEY(listing_id),
141     FOREIGN KEY(listing_id) REFERENCES Listing(listing_id) ON DELETE CASCADE
142 );
143
144 CREATE TABLE Review (
145
146     -----attributes-----
147     review_id INT,
148     review_date DATE,
149     review_comments TEXT,
150
151     -----relation attributes-----
152     reviewer_id INT,
153     listing_id INT,
154
155     -----keys-----
156     PRIMARY KEY(review_id),
157     FOREIGN KEY(reviewer_id) REFERENCES Reviewer(reviewer_id),
158     FOREIGN KEY(listing_id) REFERENCES Listing(listing_id)
159 );
160
161 CREATE TABLE Reviewer (
162
163     -----attributes-----
164     reviewer_id INT,
165     reviewer_name VARCHAR(50)
```

```
164 reviewer_id INT,
165 reviewer_name VARCHAR(50),
166 -----relation attributes----
167
168 -----keys-----
169 PRIMARY KEY(reviewer_id)
170 );
171
172
173 CREATE TABLE Calendar (
174
175 -----attributes-----
176 calendar_date DATE,
177 calendar_available BIT,
178 calendar_price FLOAT,
179
180 -----relation attributes----
181 listing_id INT,
182
183 -----keys-----
184 PRIMARY KEY(listing_id, date),
185 FOREIGN KEY(listing_id) REFERENCES Listing(listing_id)
186 );
187
188 CREATE TABLE City (
189
190 -----attributes-----
191 city_name VARCHAR(50),
192 country_code TINYINT,
193 country VARCHAR(50),
194
195 -----relation attributes----
196
197 -----keys-----
198 PRIMARY KEY(city_name, country_code)
199 );
200
201 -----Relations-----
202
203 CREATE TABLE Location (
204
205 -----attributes-----
206 latitude FLOAT,
207 longitude FLOAT,
208
209 -----relation attributes----
210 listing_id INT,
211 neighbourhood_name VARCHAR(50),
212 city_name VARCHAR(50),
213
214 -----keys-----
215 PRIMARY KEY(listing_id),
216 FOREIGN KEY(listing_id) REFERENCES Listing(listing_id) ON CASCADE DELETE,
217 FOREIGN KEY(neighbourhood_name, city_name) REFERENCES Neighbourhood(neighbourhood_name, city_name) ON CASCADE DELETE
218 );
219
```

DIAS: Data-Intensive Applications and Systems Laboratory

School of Computer and Communication Sciences

Ecole Polytechnique Fédérale de Lausanne

Building BC, Station 14

CH-1015 Lausanne

URL: <http://dias.epfl.ch/>



General Comments

For this first work, we thought it was important to work the three together to understand the database correctly. We designed the basis of the ER model, and modified it until the three of us were satisfied. Then we split the work (SQL commands, report, creation of ER model).