

EE 771 : Recent Topics in Analytical Signal Processing

Assignment 1

Arka Sadhu - 140070011

February 16, 2018

Q1

1a

Eigen Vectors ordered by Eigen Values

0.378	0.449	0.000	0.000	-0.280	0.752	-0.111
0.378	0.637	0.000	0.000	0.569	-0.355	0.027
0.378	0.128	0.000	0.000	-0.711	-0.484	0.316
0.378	-0.231	0.000	0.000	-0.083	-0.211	-0.868
0.378	-0.328	0.365	0.816	0.168	0.099	0.212
0.378	-0.328	-0.815	-0.408	0.168	0.099	0.212
0.378	-0.328	0.450	-0.408	0.168	0.099	0.212

1b

Coordinates of f in the above basis

[4.536 2.240 1.180 1.633 1.242 2.653 1.506]

1c




Figure 1: Number of Zero Crossing in the Eigen Vectors

In vector form for easier representation the number of zero crossing are:

[0. 1. 2. 1. 3. 2. 3.]

1d

Original Graph Signal f in vector form :

$f = [3. \ 1. \ 2. \ 2. \ 1. \ 1.]$ Low Pass Graph Signal f after retaining only the four eigen vectors corresponding to the smallest four eigen values.

$f_L = [1.924 \ 2.012 \ 1.774 \ 1.606 \ 2.361 \ 0.930 \ 1.392]$

We note that in the reconstructed signal which is basically the original signal passed through a low pass filter in the graph fourier domain has lesser variation than that in the original signal since we removed the components along high frequency eigen vectors.

Q2




Figure 2: Zero Crossing for Eigen Vectors of Laplacian Matrix for ER graph. Here x-axis is the index of the eigenvector in increasing order or eigenvalue. y-axis is the number of zero crossing in the corresponding eigen vector

Observation:

- First we note that the number of zero crossing is 0 for the first eigenvector as contains the same value in all its indices and corresponds to the 0 eigen value.
- Next we note that there is rapid increase in the number of zero crossing in the first few eigen vectors. This is consistent with the corresponding observation in usual digital signal processing that higher indices correspond to higher frequency.
- We also note that the number of zero crossing fluctuates between consecutive eigen vectors but is consistently above a minimum threshold and below some maximum threshold. This seems to suggest some form of saturation of the highest frequency being achieved in some sense and doesn't have an analog in the usual DSP sense.

Q3




Figure 3: Plot of EigenValues sorted vs the index for the Normalized Laplacian

Comments:

- It is noted that the eigenvalues of the normalized Laplacian are bounded in the range $[0, 2]$.
- It appears that the initial increase in eigen value is quite steep, and after some fixed index increases in a linear fashion with a constant slope.

Q4

Q5

EigenVectors =

$$\begin{bmatrix} 0.408 & 0.210 & -0.577 & 0.577 & 0.218 & 0.408 \\ 0.408 & -0.571 & 0.289 & -0.289 & -0.572 & 0.408 \\ 0.408 & 0.361 & 0.289 & -0.289 & 0.354 & 0.408 \\ 0.408 & 0.571 & -0.289 & -0.289 & -0.572 & -0.408 \\ 0.408 & -0.361 & -0.289 & -0.289 & 0.354 & -0.408 \\ 0.408 & -0.210 & 0.577 & 0.577 & 0.218 & -0.408 \end{bmatrix}$$

And the corresponding Eigen Values: *EigenValues* =
 $[0.0 \ 0.5 \ 0.5 \ 1.5 \ 1.5 \ 2.0]$