OpenTURNS Developer Training: the platform overview

Trainer : Régis LEBRUN Airbus regis.lebrun@airbus.com

Developers training



Platform overview

Introduction

Objectives

The objectives of this course is to give a broad overview of the OpenTURNS project and the resulting platform. We will cover the following points:


- The history of the project,
- The global organization of the platform,
- The multi-layer view of the library,
- The several usages of the platform.

History

2005-2019: 14 years of partnership

- 2005 Conception
- 2007 First release the 10th of May 2007. Python bindings.
- 2009 Multithreaded wrappers, polynomial chaos expansion.
- 2010 First windows port, parallelization.
- 2011 Sparse chaos implementation.
- 2012 v1.0, Stochastic processes
- 2013 Bayesian updating, matplotlib viewer
- 2014 Kriging, native windows support
- 2015 Vectorial kriging, HMat support
- 2016 Karhunen-Loeve process decomposition, NLopt bindings
- 2017 Canonical format low-rank tensor approximation, field functions
- 2018 Domains arithmetic, asymptotic Sobol' estimators, new simulation algorithms

The platform at a glance, developer's view



The platform at a glance, developer's view

The big parts

- The core of the OpenTURNS platform is a C++ library, made of about 500 classes of various size. The library has a multi-layered architecture that is materialized by both the namespace hierarchy and the source tree.
- The main user interface is the python module, automatically generated from the C++ library using the wrapping software SWIG. It allows for a usage of OptnTURNS through python scripts of any level of complexity.
- The library relies on relatively few dependencies and most of them are optional.
- A service of modules is provided in order to extend the capabilities of the platform from the outside.
- Several GUIs have already been built on top of the C++ library or the Python module.

The C++ library

A multilayered library

The two main layers in the C++ library are the Base layer and the Uncertainty layer.

- Base layer: it contains all the classes not related to the probabilistic concepts. It
 covers the elementary data types (vectors as NumericalPoint, samples as
 NumericalSamples), the concept of models (NumericalMathFunction), the linear
 algebra (Matrix, Tensor) and the general interest classes (memory management,
 resource management);
- Uncertainty layer: it contains all the classes that deal with probabilistic concepts.
 It covers the probabilistic modelling (Distribution, RandomVector), the stochastic algorithms (MonteCarlo, FORM), the statistical estimation (DistributionFactory), the statistical testing (FittingTest)

A class in the Uncertainty layer can use any class in the Base or the Uncertainty layer. A class in the Base layer can ONLY USE classes in the Base layer.

The C++ library

A monolythic library?

The C++ library is provided as a unique object file (libOT.so) created using the libtool technology. As such, it is a monolythic library (of about 8Mo stripped), but internally it is made of numerous sub-libraries, one for each folder in the source tree. A future objective is to modularize this library in order to spped-up both the compilation time and the loading time.

A parallel library

Some of the most time-consuming algorithms have been parallelized using the Thread Building Block technology (INTEL), a C++ library that allows for a parallelization of C++ code in a shared memory model. One of the objectives of OpenTURNS is the ability to execute external simulation softwares on large simulation models for a large amount of independent data sets. As such, OpenTURNS provides basic functionalities to distribute the executions of these simulations on a multiprocessors(cores) infrastructure using the low-level pthread technology or the TBBs.

The python module

Interfacing python and C++ libraries: SWIG

In order to provide a convenient interface to the user, the C++ library can be manipulated as a set of Python modules (18) that are organized through a hierarchy, on top of which stands the openturns module. The binding of the library is done almost automatically by SWIG (Simplified Wrapper Interface Generator) through a set of SWIG interface files.

An additional significant work has been made in order to ease the interation between the OpenTURNS objects and the native Python objects.

A unique feature of the Python interface is the ability to wrap a Python function into an OpenTURNS concept of mathematical function, namely the NumericalMathFunction, using a specific class: the OpenTURNSPythonFunction.

Using this mechanism, it is possible to adress virtually all the scenarios of coupling with an external simulation software.

The target OSes

A linux platform that works on windows

The historic platform of OpenTURNS is linux. The first stage of developments have been made on 32 bits Intel Linux platforms (debian, mandriva), then the (minor) adaptations have been made in order to run on 64 bits Intel platforms as well. Currently, the platform works on the following platforms:

- Debian 32 bits / 64 bits (Hetch to current);
- Mandriva 32 bits / 64 bits (2005 to current);
- Windows 32 bits / 64 bits (XP, Vista, seven).

The development platform remains Linux, the Windows version is obtain by cross compilation under Linux (using the mingw tools). A native Windows version is planed.

Compilation infrastructure

Two alternative compilation infrastructures are present: the historic one (autotools + libtools) and the newcommer (CMake). For now, only the first infrastructure is running smoothly. It covers:

- The detection and configuration aspects of the platform;
- The dependency management of the sources;
- The generation of parallel makefiles;
- The regression tests;
- The library packaging.

The use of the autotools also greatly simplify the Linux packaging (.deb, .rpm). The CMake infrastructure is still in a beta state, but should greatly improve the configuration and compilation steps, and provide a way to compile the Windows version using Microsoft compilers, in order to easily reuse the C++ library in native Windows projects.

Versioning system

The versioning system used for the development of the whole platform is Subversion (SVN), on top of which stands a TRAC website.

- Apache Subversion is a software versioning and a revision control system issued from the Apache project. It is used for both the sources of the platform and the documentation, as well as for the development of modules.
- Trac is an open source, web-based project management and bug-tracking tool.
 Trac allows hyperlinking information between a bug database, revision control and wiki content. It also serves as a web interface to several revision control systems including Subversion.

Repositories

Three repositories are used for the development of the platform, its documentation and its modules. This choice has been made for the following reasons:

- The time scale is not the same for these three activities;
- The teams are different partly in term of people, but mainly in term of expertise.

Platform repository

This repository is in charge of both the C++ library source code and the python interface. It has the following organization, which is quite standard:

- A trunk that stores the source code of the upcoming version of the platform. The
 rule is to have only source code that pass with success all the tests embedded
 with both the library and the python module.
- Several development branches, dedicated to contributors or to specific developments. There are curently 6 active branches.
- A branch for the tags with one entry for each release candidate or official releases. 17 releases have been tagged so far.

The usage of this infrastructure is described in the Contribution Guide, one of the several documents that come with the platform. In particular, a specific role is assigned to an integrator, in charge of the merges from the different branches into the trunk.

Documentation repository

This repository is in charge of the whole documentation of the platform (10 different documents). It has been separated from the main repository by the middle of 2009 in order to allow for more frequent updates of the documentation with respect to the whole platform. It shares the same structure as the main repository:

- A trunk that stores the source code of the upcoming version of the documentation. The rule is to have only LaTeX source code able to generate the PDF version of all the documents.
- Several documentation branches, dedicated to contributors. There are currently 3
 active branches.
- A branch for the tags with one entry for each release of the documentation. 4 releases have been tagged since july 2009.


The usage of this infrastructure is the same as for the main repository.

Modules repository


This repository is dedicated to the development of extra functionalities that have not yet been integrated into the main library, due to the lack of maturity of their dependencies for example. This repository is organized in a different way than the previous repositories:

- There is a branch for each module
- Within these branches, the same organization as the main repository is proposed but the developers are free to organize the things the way they want.
 Nevertheless, the commitment to the standard organization should ease the future integration into the mainstream development.
- For now, there are 2 active modules and one template.


Trac interface: the timeline




Trac interface: the source navigator



Trac interface: the bug tracking (1/2)



Trac interface: the bug tracking (2/2)



Conclusion

- A quite mature project: 6 full years of development
- A structured (rigid ;-)?) development process
- A working infrastructure to help the developer in his/her hard job!