



## Fast2Test









& peace of mind.

We're not the only ones **happy** about Fast2test Practice Materials ...

62316+ customers in 100+ countries use Fast2test Self Test Engine. Meet our customers.

## https://www.fast2test.com

Everything you need to prepare, learn & pass your certification exam easily.

Exam : MCPA-Level-1

**Title**: MuleSoft Certified Platform

Architect - Level 1

Vendor : MuleSoft

Version : DEMO

**NO.1** What is the most performant out-of-the-box solution in Anypoint Platform to track transaction state in an asynchronously executing long-running process implemented as a Mule application deployed to multiple CloudHub workers?

- **A.** Persistent Object Store
- **B.** File-based storage
- C. java.util.WeakHashMap
- D. Redis distributed cache

Answer: A

- **NO.2** What is true about API implementations when dealing with legal regulations that require all data processing to be performed within a certain jurisdiction (such as in the USA or the EU)?
- **A.** They must ensure ALL data is encrypted both in transit and at rest
- **B.** They must te deployed to Anypoint Platform runtime planes that are managed by Anypoint Platform control planes, with both planes in the same Jurisdiction
- **C.** They must use a Jurisdiction-local external messaging system such as Active MQ rather than Anypoint MQ
- **D.** They must avoid using the Object Store as it depends on services deployed ONLY to the US East region

Answer: B

**NO.3** What is a best practice when building System APIs?

- **A.** Expose to API clients all technical details of the API implementation's interaction wifch the backend system
- **B.** Model all API resources and methods to closely mimic the operations of the backend system
- **C.** Build an Enterprise Data Model (Canonical Data Model) for each backend system and apply it to System APIs
- **D.** Document the API using an easily consumable asset like a RAML definition

Answer: D


**NO.4** An API implementation is deployed to CloudHub.

What conditions can be alerted on using the default Anypoint Platform functionality, where the alert conditions depend on the end-to-end request processing of the API implementation?

- **A.** When a particular API client invokes the API too often within a given time period
- **B.** When the API is invoked by an unrecognized API client
- **C.** When the response time of API invocations exceeds a threshold
- **D.** When the API receives a very high number of API invocations

Answer: C

**NO.5** Refer to the exhibit.



An organization uses one specific CloudHub (AWS) region for all CloudHub deployments. How are CloudHub workers assigned to availability zones (AZs) when the organization's Mule applications are deployed to CloudHub in that region?

- **A.** An AZ is randomly selected for a Mule application, and all the Mule application's CloudHub workers are assigned to that one AZ
- **B.** Workers belonging to a given environment are assigned to the same AZ within that region
- C. Workers are randomly distributed across available AZs within that region
- **D.** AZs are selected as part of the Mule application's deployment configuration

Answer: A