

Find the Solution for the following:

1. Create MY_EMPLOYEE table with the following structure

NAME	NULL?	TYPE
ID	Not null	Number(4)
Last_name		Varchar(25)
First_name		Varchar(25)
Userid		Varchar(25)
Salary		Number(9,2)

2. Add the first and second rows data to MY_EMPLOYEE table from the following sample data.

ID	Last_name	First_name	Userid	salary
1	Patel	Ralph	rpatel	895
2	Dance	Betty	bdance	860
3	Biri	Ben	bbiri	1100
4	Newman	Chad	Cnewman	750
5	Ropebur	Audrey	aropebur	1550

3. Display the table with values.

Select * from My_employee . Order by 10

ID	Lastname	firstname	Userid	salary
1	Patel	Ralph	rpatel	895
2	Dance	Betty	bdance	860

4. Populate the next two rows of data from the sample data. Concatenate the first letter of the first_name with the first seven characters of the last_name to produce Userid.

insert into MY_EMPLOYEE (ID, last_name, First_name, Userid, salary)
VALUES (3, 'Biri', 'Ben', 'bbiri', 1100);
Insert into MY_EMPLOYEE (ID, last_name, First_name, Userid, salary)

5. Make the data additions permanent.

COMMIT;

6. Change the last name of employee 3 to Drexler.

UPDATE MY_EMPLOYEE,
SET last_name = 'Drexler'
WHERE ID = 3;

7. Change the salary to 1000 for all the employees with a salary less than 900.

```
UPDATE MY_EMPLOYEE SET SALARY = 1000  
WHERE Salary < 900;
```

8. Delete Betty dances from MY_EMPLOYEE table.

```
DELETE FROM MY_EMPLOYEE WHERE first_name = 'Betty' AND last_name = 'Dances';
```

9. Empty the fourth row of the emp table.

```
DELETE FROM MY_EMPLOYEE  
WHERE first_name = 'Betty' AND last_name = 'Dances';
```

Evaluation Procedure	Marks awarded
Query(5)	5
Execution (5)	5
Viva(5)	5
Total (15)	15
Faculty Signature	Rajendra