


**Problem – (E34.30)** A long solenoid has a diameter of 12.6 cm. When a current  $i$  is passed through its windings, a uniform magnetic field  $B = 28.6$  mT is produced in its interior. By decreasing  $i$ , the field is caused to decrease at the rate 6.51 mT/s. Calculate the magnitude of the induced electric field

- a) 2.20 cm and
- b) 8.20 cm from the axis of the solenoid.

**Solution:**

**Problem – (P34.6)\*** The figure below shows two parallel loops of wire having a common axis. The smaller loop (radius  $r$ ) is above the larger loop (radius  $R$ ), by a difference  $x \gg R$ . Consequently the magnetic field, due to the current  $i$  in the larger loop, is nearly constant throughout the smaller loop and equal to the value on the axis. Suppose that  $x$  is increasing at the constant rate  $dx/dt = v$ .

- Determine the magnetic flux across the area bounded by the smaller loop as a function of  $x$ .
- Compute the emf generated in the smaller loop.
- Determine the direction of the induced current flowing in the smaller loop.



**Solution:**

**Problem – (P34.9)**

- a) Find an expression for the energy density as a function of the radial distance  $r$  for a toroid of rectangular cross section.
- b) Integrating the energy density over the volume of the toroid, calculate the total energy stored in the field of the toroid.
- c) Using Eq. 36-10, evaluate the energy stored in the toroid directly from the inductance and compare with (b).

**Solution:**


**Problem – (E36.21)** In the circuit shown in the figure below,  $\mathcal{E} = 10 \text{ V}$ ,  $R_1 = 5.0\Omega$ ,  $R_2 = 10\Omega$ , and  $L = 5.0 \text{ H}$ . For the two separate conditions

(I) switch S just closed and

(II) switch S closed for a long time,

calculate


- a) the current  $i_1$  through  $R_1$ ,
- b) the current  $i_2$  through  $R_2$ ,
- c) the current  $i$  through the switch,
- d) the potential difference across  $R_2$ ,
- e) the potential difference across  $L$ , and
- f)  $di_2/dt$ .



**Solution:**

**Problem – ¶(P38.3)** The capacitor in the figure below consisting of two circular plates with radius  $R = 18.2$  cm is connected to a source of emf  $\mathcal{E} = \mathcal{E}_m \sin(\omega t)$ , where  $\mathcal{E}_m = 225$  V and  $\omega = 128$  rad/s. The maximum value of the displacement current is  $i_d = 7.63$   $\mu$ A. Neglect fringing of the electric field at the edges of the plates.

- What is the maximum value of the current  $i$ ?
- What is the maximum value of  $d\Phi_E/dt$ , where  $\Phi_E$  is the electric flux through the region between the plates?
- What is the separation  $d$  between the plates?
- Find the maximum value of the magnitude of  $\mathbf{B}$  between the plates at a distance  $r = 11.0$  cm from the center.



**Solution:**

**Problem – ¶Supplementary Problem 3** A parallel plate capacitor has circular plates of radius  $R$  and separation  $d$ . The capacitor is connected to a battery of voltage  $V$  and then disconnected so that the charge ought to remain constant. The air is humid, however, and therefore slightly conducting; thus the stored charge leaks back across the air gap between the capacitor plates at rate  $i_{\text{leak}}$ . Assume that this leakage current is uniformly distributed across the area of the plates. Find the magnetic field everywhere between the plates.

**Solution:**