



Problem – (P32.6) The figure below shows an arrangement used to measure the masses of ions. An ion of mass m and charge $+q$ is produced essentially at rest in source S , a chamber in which a gas discharge is taking place. The ion is accelerated by potential difference ΔV and allowed to enter a magnetic field \vec{B} . In the field, it moves in a semicircle, striking a photographic plate at distance x from the entry slit. Show that the ion mass m is given by

$$m = \frac{B^2 q}{8\Delta V} x^2.$$




Solution:

Problem – (E33.24)* The figure below shows a long wire carrying a current i_1 . The rectangular loop carries a current i_2 . Calculate the resultant force acting on the loop. Assume that $a = 1.10$ cm, $b = 9.20$ cm, $L = 32.3$ cm, $i_1 = 28.6$ A, and $i_2 = 21.8$ A.




Solution:

Problem – 3. Consider a rectangular wire loop of sides a and b , carrying current i . The loop is oriented as shown, with its normal direction at an angle θ to a constant magnetic field \vec{B} . Calculate the torque exerted on the loop around its center, and show that the result can be written as $\vec{\tau} = \vec{\mu} \times \vec{B}$ where $\vec{\mu}$ is defined as the dipole moment of the loop, equal to $iA\hat{n}$ where A is the area of the loop. (It turns out this relationship holds for loops of *any* shape.) *This result may be useful in Problem 4!*




Solution:

Problem – (P32.19) The figure below shows a wooden cylinder with a mass $m = 262$ g and a length $L = 12.7$ cm, with $N = 13$ turns of wire wrapped around it longitudinally, so that the plane of the wire loop contains the axis of the cylinder. What is the least current through the loop that will prevent the cylinder from rolling down a plane inclined at an angle θ to the horizontal, in the presence of a vertical, uniform magnetic field of 477 mT, if the plane of the windings is parallel to the inclined plane?



Solution:

Problem – ¶(E33.13) Consider the circuit of the figure below. The curved segments are arcs of circles of radii a and b . The straight segments are along the radii. Find the magnetic field \vec{B} at P , assuming a current i in the circuit.



Solution: