
University Of Portsmouth
BSc (Hons) Computer Science
First Year

Programming

M30299

September 2022 - May 2023

20 Credits

Thomas Boxall
up2108121@myport.ac.uk

Contents

S.1.	Module Introduction (20-09-2022)	2
S.2.	Writing Simple Programs (26-09-2022)	4
S.3.	Computing with Data and Numbers (03-10-22)	7
S.4.	Graphics, objects and high quality code (10-10-22)	10
S.5.	Comuting With Strings & Files (17-10-22)	13

S.1. MODULE INTRODUCTION

📅 20-09-2022

🕒 14:00



Nadim &
Matthew

📍 PK2.23

Module Aims

This module will build up programming skills either from scratch or from where you are currently. It will give you the basic knowledge; guidance, help and feedback to help develop programming skills.

Importantly, this module is 40 credits. It spans across the entire year.

Programming

Programming is the process of constructing computer programs, this encompasses analysing the problem, designing the algorithm, implementing the algorithm and testing the algorithm.

We write the programs in a programming language.

For the first $\frac{3}{4}$ of the year, we'll use Python 3 and for the final $\frac{1}{4}$ of the year, we'll use Dart. Dart is similar to Java. We will be the first cohort to use Dart.

Programming is a skill, which can only be developed through practice and should be fun! Having a good understanding and ability to program is important later during in the course and for careers.

Module Organisation

For this module, there will be content shared on Moodle (notes for lectures and videos complementing the notes) and timetabled sessions (in some, fundamental ideas will be covered which will make it possible to complete the weekly worksheets). Worksheets will be released weekly onto Moodle, these should be completed before the practical class of the following week.

Monday at 3pm in RB LT1 is the tutorial class. You need to go through the notes on Moodle before the sessions.

Practical classes are 1 hour 50 minute sessions in a computer lab. The main purpose of these is to get feedback on the worksheets.

Support

The academic tutors (Xia and Eleni) can be booked on Moodle.

There are drop-in sessions on Monday in the FTC. This session is optional and is designed for targeted questions or issues which can't be resolved in the tutorial/ practical classes.

Out Of Class Work

Should be spending about 8 hours per week outside of timetabled sessions working on this module. This includes working through the worksheets.

Assessments

There are three types of assessment used throughout the year

- 5x 30min programming tests (held in class, weighted 5% each)

- 2x 60min Computer based multiple choice tests (weighted 15 % each, one in January and one in May/June)
- 2x large programming assignments (weighted 20% and 25% respectively)

The programming tests will be based off of the previous weeks worksheets. There will be a practice test in week 3 (so we can understand how they work)

Each of the programming assignments will have a few weeks in which they can be worked on.

Resources

To write and execute Python programs, the recommended IDE is Pyzo. Other IDEs can be used however no support for configuration will be provided.

We will be using Python 3.x NOT Python 2.x.

The recommended book is called ‘Python programming: an Introduction to Computer Science 3rd Edition’. There are a number of copies available in the library. Its ISBN number is ‘9781590282755’.

S.2. WRITING SIMPLE PROGRAMS

📅 26-09-2022

🕒 15:00

🎓 Nadim

📍 RB LT1

This lecture introduces the basic steps involved in programming and provides some additional information about each stage.

Stages of Algorithm Design

When presented a problem to solve programmatically, the first stage to doing so is to understand the problem and to ensure that this understanding is correct. To aid this, it can be useful to work out how the user interacts with the system, through listing the user inputs and outputs to screen. At this stage, it can also be beneficial to make a note of some inputs and their expected outputs as this can be used to test the program at the end of development.

The next stage is to design an algorithm that accomplishes the task.

Algorithm

A detailed sequence of actions which accomplish a task. Can be written in plain English or any other language.

The next stage is to implement the algorithm. This is where the plain English algorithm is converted into programming statements which can be executed by the machine.

The final stage is to test the program. This can be done with the data noted down in stage one.

Key Program Concepts

In programming, there are a number of key concepts. These will be illustrated using examples written in Python 3.

Statements

Every line of a program is called a command or statement. These are executed (carried out) one after the other (there are ways in which the flow of the program can be altered, but this will be covered at a later date). Program execution ends after the last statement is executed.

Variables

A variable is a name for a part of the computer memory where a value is stored. The variables have names in the programs.

Statements in the program may create a new variable, use the value of a variable or change the value of a variable.

Assignment Statements

Assignment statements are used to assign a value to a variable. The syntax is as follows:

- The variable appears on the left hand side of the =
- The right hand side of is an expression, which has a value

LANGUAGE: Python3

```
1 variableName = expressionWhichHasAValue
```

Assignment statements are executed in two steps. First they evaluate the expression on the right hand side then second, assign the value to the variable on the left hand side.

If the variable on the left hand side doesn't already exist, then it is created. If the variable exists already, its old value is replaced.

Numeric and String Values

Numeric values are numbers. They do not need any demarcation. For example, 2.2 is a numeric value.

String values are strings of characters. These can be any character. Strings need to be encased in single quotes or double quotes. Both are valid, however they can't be mixed. Lines 1 and 2 in the following example are valid, however line 3 is not.

LANGUAGE: Python3

```
1 validStringOne = "I'm in double quotes, notice I can use single quotes where I like!"
2 validStringTwo = 'Im in single quotes, notice I cant use single quotes in the string.'
3 invalidString = "Im not valid"
```

Arithmetic Expressions

Standard arithmetic expressions can be formed using +, -, *, / and (). Expressions are evaluated to give a value, this is commonly stored in a variable or outputted directly to the user.

Built-In Functions

Python has a number of built-in functions. These are algorithms which are part of the Python language. They can be accessed by using its name. Sometimes they have parameters, sometimes they return a value and sometimes they do both. Common examples of built-in functions are shown below.

LANGUAGE: Python3

```
1 print("I display information to the user")
2 variable = input("I allow the user to enter text, then I store it in the variable")
```

Example Execution

See Week 1, lecture 01c slides on Moodle for a detailed look at how programs execute and how the variable contents change.

Example programs from Lecture

Program 01

This program introduces a count-controlled loop (for loop) and the print statement.

LANGUAGE: Python3

```
1 total = 0
2 for i in range(34):
3     #print("banana")
4     #print(i)
5     total = total + i
6
7 print("The total is: ", total)
```

This program should output the following

```
LANGUAGE: Unknown
```

```
1 The total is: 561
```

The two commented out lines (lines which begin with the #) symbol can be un-commented so that they run.

Program 02

This program introduces the concept of `input()`, `int()` and subroutines.

```
LANGUAGE: Python3
```

```
1 def simpleProgram():
2
3     value = int(input("Please enter a whole number: "))
4
5     for loopCount in range (value):
6         print(loopCount)
7
8     #####
9
10 simpleProgram()
```

The program should output the following.

```
LANGUAGE: Unknown
```

```
1 Please enter a whole number: 12
2 0
3 1
4 2
5 3
6 4
7 5
8 6
9 7
10 8
11 9
12 10
13 11
```

The number 12 on line one is entered by the user.

S.3. COMPUTING WITH DATA AND NUMBERS

📅 03-10-22

🕒 1500

🎓 Nadim

📍 RB LT1

Data and Data Types

There is a lot of data which programs have to process. Different types of data are stored as different 'Data Types', this allows them to be processed differently; an example of this is numerical data. In programming, we commonly distinguish between two different types of numerical data: integers (whole numbers, eg 55, 77, 88, -5) and fractional number (or floating point numbers, eg 4.6, 7.00956, -9.89). Words and other multi-character statements can be written within strings and truth values are stored as booleans.

All data values belong to one single data type and in some contexts, we use Class rather than data type.

Python Data Types

Python has all of the common data types within it. Each of the data types have a specific keyword:

Type	Python Keyword	Example
Integer	<code>int</code>	33
Fractional	<code>float</code>	2.3
String	<code>str</code>	"Spam"
Boolean	<code>bool</code>	True

Operations on Data Types

Data types have operations associated with them, some of these are language specific functions however the majority are universal across most programming languages.

For example, `int` and `float` both have the operations `+`, `-`, `*` and `/`.

Numeric data types follow the operator precedence rules, as a human would with mathematical equations. They follow BIDMAS. Where two operators have equal precedence, the calculations are carried out from left to right.

Type Conversions

It is important to be able to convert between different data types. The following example code shows the different functions.

```

LANGUAGE: Python3
1 # convert 5 (int) to float, equals 5.0
2 floatVariable = float(5)
3
4 # convert 4.5 to int, this truncates, so will equal 4
5 intVariable = int(4.8)
6
7 # convert 6.8 to a string, equals "6.8"
8 strVariable = str(6.8)

```

It can be useful to find out what data type a variable or value is. To do this, use the `type()` function as seen below.

```

LANGUAGE: Python3
1 print(type(44)) # outputs <class 'int'>
2 print(type("Banana")) # outputs <class 'str'>

```



```
3 print(type(4.67)) # outputs <class 'float'>
```

User Input

The `input()` function, returns a string. This can be really useful if we want to do something with a string. However, if we want to do something with a number, this is less useful. We can use the `float()` or `int()` functions to convert into floats or integers respectively. Examples of this can be seen below.

There is another function which can be used. The `eval()` function returns either a float or integer depending on the value passed into it. It can be useful in situations where the value entered by the user could be either floating point or integer.

LANGUAGE: Python3

```
1 # convert to float
2 floatInput = float(input("Enter a float here: "))
3
4 # convert to an integer
5 intInput = int(input("Enter an integer here: "))
```

Arithmetic Operations

Where an arithmetic operation involves both a float and integer, the integer is automatically converted to a float then the operation is carried out. For example, in the operation $7+1.5$, the 7 would be converted to 7.0. Therefore, the calculation would then be $7.0 + 1.5 = 8.5$.

Division

The `/` operator always performs floating point division, hence $11 / 4 = 2.75$.

The `//` operator performs integer division, where it is given two integers as inputs, the result will be a truncated integer; as seen in the following example $11 // 4 = 2$

The `%` operator gives the remainder of an integer division, hence $11 \% 4 = 3$.

Issues with Floating Point Arithmetic

Floating point numbers are represented within the computer using a fixed number of space (64 bits), this means that there is a limit to the range and accuracy of the number which is able to be stored. There are some numbers, 0.1 for example, which are unable to be represented within this size limit in binary, this can lead to issues with the value of a float number after performing mathematical operations on it.

This problem is true of all programming languages that use floating point numbers.

Python's Numeric Functions

There are a number of useful built-in functions in Python which help with maths.

The `round()` function takes a float as a parameter and returns the rounded value to the nearest int. It takes a second optional parameter which allows you to specify the number of digits after the decimal point to round to, as seen below.

LANGUAGE: Python3

```
1 intRound = round(5.6) # equals 6
2
3 floatRound = round(6.3345742, 3) # equals 6.335
```

The `abs()` function returns the absolute value of a number which is passed in as a parameter.

The `pow()` function takes two parameters, the first being the number and the second being the power of it we want to calculate, as seen below

LANGUAGE: Python3

```
1 powerTwo = pow(2, 3) # equals 8
2 powerThree = pow(3, 2) # equals 9
```

This function is the same as the `**` operator.

Math Module

Sometimes things we want to do mathematical things in Python which the base language can't do. To be able to do this, we import a library. This is some pre-written code which we can use in our programs.

To be able to use the math library, we first have to import it

LANGUAGE: Python3

```
1 import math
2 # or alternatively, if the line above doesn't work, use line below
3 from math import *
```

The math module provides a number of useful things including some constants (eg, `math.pi`) and mathematical functions (eg, `math.sqrt()`).

S.4. GRAPHICS, OBJECTS AND HIGH QUALITY CODE

📅 10-10-22

🕒 15:00

🎓 Nadim

📍 RB LT1

Graphics

Graphics Introduction

Python, by default, does not contain a graphics system. We have to load the graphics code into the program, much the same as we do for the maths module. The graphics module we will be using was written by John Zelle. This defines the new classes which we have to use. The line of code shown below needs to be used at the top of the working python file to import the graphics module.

LANGUAGE: Python3

```
1 from graphics import *
```

The graphics module does not come pre-installed to Python 3 (like math) does. The package needs to be downloaded and saved either to where Python expects to find its modules or to the directory in which the file which uses it is saved.

Using the Graphics Module

Now we have loaded the graphics module, we can use it. To start with, we need to create a graphics window. We should assign it to a variable so that we can access it later and use it. The code to do this is shown below.

LANGUAGE: Python3

```
1 win = GraphWin("frameTitle", width, height)
```

The `GraphWin()` constructor has a number of optional parameters. Where these are omitted, the window will default to be 200px by 200px.

There are a number of different shapes available through the module.

To create a point object (which we need for a whole host of different things), you have to instantiate an object; the syntax for this is shown below.

LANGUAGE: Python3

```
1 p = Point(10,20)
```

Now we have a point (currently completely independent of the window we created earlier), we can do things with it. For example, we can draw it on the window, set its outline then move it to a different coordinate on the window.

LANGUAGE: Python3

```
1 p.draw(win)
2 p.setOutline("red")
3 p.move(40,10)
```

Notice how when we want to do something with `p`, we use the identifier (`p`) followed by a dot (`.`) followed by the name of the method which we want to apply to it (eg `draw()`).

We can also create circles (and lots of other shapes too)! The creation process for this is much the same as for a point. The syntax for this is shown below.

```
LANGUAGE: Python3
```

```
1 c = Circle(Point(10,10),30)
2 c.setFill("blue")
3 c.draw(win)
```

Notice how on line 1, we use a point to declare the coordinates of the circle.

Accessing Information

So far, the methods we have looked at manipulate the data, they set information. We can use get methods to get information about the various objects we are currently using. For example, we can use `getX()` to get the x coordinate of an object.

High Quality Code

High Quality Code

Code that is readable and code that is correct.

Readable Code

Program code is considered to be readable code where it can be easily understood by anyone who is familiar with programming in the language used but not necessarily familiar with what the code is supposed to be doing. This is important because in industry; software is often written and maintained by teams of people, the later can sometimes involve different people to the former.

To write readable code, it is important to name everything (functions, variables, etc...) with sensible names, use whitespace, write documentation (comments throughout the code or an accompanying document) and avoid over-complicating the code/ write repetitive code.

Good Names

Names of variables and functions must be legal. This means they must begin with either a letter or underscore, and only consist of letters, numbers and underscores. Also, they must not be keywords. It is recommended to stick to one style of variable naming, for example `camelCase`.

When choosing names, it is good to choose something that relates to what the variable will be storing (eg `name` for the name of a user). Try to avoid abbreviations and using single letter names (apart from where it would be silly not to use them).

Whitespace

Where there is a block of code (e.g., functions, loops), these must be indented, with a `tab`.

There are a number of other standard conventions for whitespace: leave blank lines between functions; use a single space either side of an assignment operator; use a single space after commas.

Do not put whitespace between function names and brackets or before colons.

Length of Lines of Code

It is recommended to use 80 characters as a limit on how long a line of code can be. This makes the program easier to read and means that code will not be cropped or wrapped when you print it.

Documentation

When writing code, it is very good practice to document what your code should be doing. This helps when you return to your code in the future or if someone else has to do something with your code, it will help you understand what is going on with it. Documentation can be done in the form of comments.

Comment

A line of code which is ignored when the program is run. It allows developers to annotate their code.

It is a common misconception that more comments mean better code. This is not the case. In fact, if the code is really well written then comments shouldn't be needed.

Testing

When writing programs, it is a good idea to design test data (inputs which you can enter into the program where you know what the output should be so you can tell if the programme is working properly or not) before you begin programming. This allows you to test your program at various stages of development to make sure that your program is working correctly.

S.5. COMUTING WITH STRINGS & FILES

📅 17-10-22

🕒 15:00

🎓 Nadim

📍 Zoom

Strings

Strings are kinds of sequences, there are other kinds of sequences which we will come across later in Python.

String Operations

There are a number of different operations we can perform on strings. The `+` operator concatenates two strings together and the `*` operator allows a string to be repeated multiple times; both can be seen in the program below.

LANGUAGE: Python3

```
1 words = "Hello"
2 print(words+ "there")
3 print(words * 3)
```

LANGUAGE: Unknown

```
1 Hellothere
2 HelloHelloHello
```

The function `len(stringName)` returns the number of characters in a string.

String Indexing

A string is a sequence of characters, each of the characters can be accessed individually using its index. Indexing begins at the first character, which has the index 0. Moving through the string, the indexes increase. We can access individual characters using the index notation, as seen below.

LANGUAGE: Python3

```
1 phrase = "Alright Dave?"
2 print(phrase[4])
```

LANGUAGE: Unknown

```
1 g
```

Python strings can also be indexed with negative indices where `-1` is the position of the final character, `-2` is the position of the penultimate character, and so on.

String Slicing

As well as being able to access individual character, we can access sub-sets of characters, also known as substrings. To do this, we use the notation `string[start:endPlusOne]`. This gives us a substring starting at position `start` and ending one position before `endPlusOne`.

String Methods

Along with the `len()` operation described earlier, there are a number of other useful string methods built in to python. `stringName.upper()` converts all letters within the string to uppercase. `stringName.replace(old, new)` replaces all the occurrences of `old` with `new`. `stringName.count(toFind)` counts all the occurrences of `toFind` within the string. `stringName.split()` splits the string into separate items in a list, split where the spaces were in the string.

String Formatting

Often programs need to display nicely formatted outputs. This can be achieved using the `.format()` method. The `.format()` method takes parameters of variables which need to be inserted into the string the method is applied to. Within the string, curly braces are inserted which contain the index of variable to be inserted within the `.format()` command; this can be seen below.

LANGUAGE: Python3

```
1 a = 12.55
2 b = 4
3 myString = "It will cost {0} pounds for {1} bottles of wine".format(a, b)
4 print(myString)
```

LANGUAGE: Unknown

```
1 It will cost 12.55 pounds for 4 bottles of wine
```

We can use the `.format()` method to format numbers and spaces too. This is done within the curly braces, where we add a colon then the formatting definition. The number before the decimal point is the total number of characters to include and after the decimal point tells python to use 2 decimal places. This can be seen below.

LANGUAGE: Python3

```
1 myString = "It will cost {0:10.2f} pounds for {1} bottles of wine".format(a, b)
2 print(myString)
```

LANGUAGE: Unknown

```
1 It will cost      12.55 pounds for 4 bottles of wine
```

Where the number before the decimal point is greater than the total length of the data to be inserted, Python pads out the gap with spaces.

If the number before the decimal point is smaller than the length of the data to be inserted, Python will ignore the number before the decimal point and will format the data as specified after the decimal point.

We are able to control where the padding text is using `<` (padding to the right), `>` (padding to the left) and `^` (equal padding each side). An example is shown below. The number is the total number of space allocated to the padding and the data to be inserted.

LANGUAGE: Python3

```
1 print("Here is a {0:^8} for you!".format("WORD"))
```

LANGUAGE: Unknown

```
1 Here is a   WORD   for you!
```

Sequences

Strings and lists are both examples of sequences, as a result of this, they share many properties. One such property being the ability to loop through all the indices within the sequence and perform an action with it. Another such property is the ability to concatenate, index and slice sequences.

Basic File Processing

This section will only introduce the processing of basic text files, which contain sequences of characters. Text files are generally a few lines long, with each line ended by a special newline character. In python, this character is `\n`.

When Python reads in a text file, it reads it in as a single string, for example

```
to
be or not
to be
```

would be read in as

```
"to\nbe or not\nto be\n"
```

Basic file handling

In the following examples, the text file we are using will be called `myfile.txt` and that it is in the current directory.

To use the file, we first have to open it, as part of this we associate a variable with it and we have to declare the mode which we want to open the file in. The basic syntax is as follows

```
LANGUAGE: Python3
1 variableName = open(fileName, mode)
```

In our example of wanting to open "myfile.txt" to read, we would use the following syntax

```
LANGUAGE: Python3
1 inFile = open("myfile.txt", "r")
```

After we have processed the file, we have to close it. This ensures the correct correspondence between the file variable and what is actually on the disk.

The syntax to close the file is `.close()`

Reading Data From A Text File

To read data in form the file, we have two options. We can either use `.read()` which reads the entire file's contents into a single variable or use `.readlines()` which reads the file line by line into a list where each line is a different element in the list. There is also a `.readline()` method which only reads a single line at a time, this can be used where the file to be read in is very large and it would be detrimental to the memory of the system to read the whole file in at once. We can also use a for loop to iterate through the file, reading it line by line.

Writing to files

When we want to write something out to a file, we first have to open it for writing. This is done by using mode as "w". This will either create the file, or if the file already exists, destroys its contents. We can then use a print statement to write out to the file, as seen below

LANGUAGE: Python3

```
1 print(contentToWrite, file=variableNameOfFile)
```

We then have to remember to close the file, this will ensure that the data is written to disk.