## **EECE.2160: ECE Application Programming**

Spring 2016

Lecture 27: Key Questions April 8, 2016

For today's exercise, you will complete the following functions that work with the structures Name and StudentInfo. The structure definitions are listed below:

```
typedef struct {
    char first[50];
    char middle;
    char last[50];
} Name;

typedef struct {
    Name sname;
    unsigned int ID;
    double GPA;
} StudentInfo;
```

The function descriptions are as follows:

For the Name structure:

- void printName(Name \*n): Print the name pointed to by n, using format <first> <middle>. <last>
- void readName (Name \*n): Prompt for and read a first, middle, and last name, and store them in the structure pointed to by n

For the StudentInfo structure:

- **void printStudent(StudentInfo \*s)**: Print information about the student pointed to by s
- void readStudent(StudentInfo \*s): Prompt for and read information into the student pointed to by s
- void printList(StudentInfo list[], int n): Print the contents of an array list that contains n StudentInfo structures
- int findByLName(StudentInfo list[], int n, char lname[]): Search for the student with last name lname in the array list. Return the index of the structure containing that last name, or -1 if not found
- int findByID(StudentInfo list[], int n, unsigned int sID): Search for the student with ID # sID in the array list. Return the index of the structure containing that last name, or -1 if not found

## From Name.c:

}

```
// Print contents of Name struct
void printName(Name *n) {
}
// Read information into existing Name
void readName(Name *n) {
}
From StudentInfo.c:
// Print information about student
void printStudent(StudentInfo *s) {
}
// Reads student information into existing structure
void readStudent(StudentInfo *s) {
```

## From StudentInfo.c (continued):

```
// Print list of students
void printList(StudentInfo list[], int n) {

// Find student in list, based on last name
```

int findByLName(StudentInfo list[], int n, char lname[]) {

// Returns index if student found, -1 otherwise

}

16.216: ECE Application Programming
M. Geiger & P. Li
Spring 2016
Lecture 27: Key Questions

## From StudentInfo.c (continued):

```
// Find student in list, based on ID #
// Returns index if student found, -1 otherwise
int findByID(StudentInfo list[], int n, unsigned int sID) {
```

}

16.216: ECE Application Programming Spring 2016

M. Geiger & P. Li Lecture 27: Key Questions