
156) Song [3]



157) Song [4]

158) Book [4]

159) Song [3]

160) Song [7]

161) Song [8]

162) Series/Book [3,4]

 $_{\rm a}-{\rm chat}$

 $\forall \sigma \text{ such that } \sigma \in \mathring{\mathbb{S}}$

$$R_{\bigodot} < \frac{2GM_{\bigodot}}{c^2}$$

 $\mathrm{HeD} \xrightarrow{\hspace*{1cm}} u + \mathrm{HeHdd}$

$$\exists \gamma \text{ where, } \forall t, \ r_{\gamma} < \frac{2GM}{c^2}$$

Leader A


Kill zombies

Ignore zombies

Kill zombies

Leader B

Ignore zombies



163) Film [5]
try{
 if(urable)
 throw new Exception();
};
catch(Exception i){
...

164) Song [4]


165) Series [3]


166) Film [4]


167) Film [2] 168) Film [7] $\frac{2 \cancel{k} \cdot \cdot \cdot}{\cancel{k}}$

1










$$\frac{\frac{1}{t}\frac{1}{t}}{\vdots} \quad \frac{1}{t} \qquad \qquad W \stackrel{N}{\longleftrightarrow} F$$



171) Book [3]

$$f(x) = 39H(x) = \begin{cases} 0 & x \le 0\\ 39 & x > 0 \end{cases}$$

Song [2]

$$f(x) = 15H(x) = \begin{cases} 0 & x \le 0 \\ 15 & x > 0 \end{cases}$$

172) Book/Film [6]

$$\frac{H_1N_1}{a^{2} \mathcal{V} + \frac{H_1N_1}{a^{2} \mathcal{V} + \frac{H_1N_1}{a^{2} \mathcal{V} + \dots}}}$$

173) Book/Film [2]

Indexed family $\{(U_{\alpha}, \gamma_{\alpha}) : \alpha \in I\}$ of charts on \circ which covers \circ


174) Game [1]

$$|f(x)| \le 5$$
 for all x

175) Song [4]

3♀

176) Song [1]



177) Album/Song [6]

$$\frac{\in \mathcal{F}}{C}$$

178) Album/Song [2]



- 179) Song [3]
- 180) Song [3]
- 181) Song [4]
- 182) Song [5]
- 183) Song [2]

 $\{a,b,c,k,l\}\setminus\{l\}$

 $\underline{e} \vee \neg \underline{e}$

- $\mathrm{me}\notin \heartsuit$
- $\{1,1,1,1\} \in life \in me$




 $\frac{\mathrm{d}V}{\mathrm{d}t} = uA = (2n)\mathrm{m}^3\mathrm{s}^{-1}, \ n \in \mathbb{N}$

 ρ_m

- 184) Series [1]
- 185) Film [4] 186) Film [1]
- Let $I \subset S$, $\forall i \in I$,


where

- $m\vec{a}_i(t) = m\vec{a}_i'(-t)$
- $m\vec{a}_i'(t) = \sum_{j(\neq i) \in I} F_{ji}(t) + \sum_{k \in S \setminus I} F_{ki}(-t)$
- 187) Album/Song [2] 188)Song [2]
- 189) Song[2]
- 190) Song [2]



$$F \longrightarrow \longleftarrow F \quad t \ge 0$$





191) Film [2]

$$\underbrace{\begin{array}{c} \text{Historic Data} \rightarrow \boxed{\text{DAY Algorithm}} \rightarrow \boxed{\text{Predictive Model}} \\ \\ \text{New Data} \rightarrow \boxed{\text{Predictive Model}} \rightarrow \boxed{\text{Prediction}} \end{array}}$$

- 192) Film [1]
- 193) Film [6]
- 194) Song [3]

Material
composition
SiO_2
Al_2O_3
MgO
CaO
FeO
Na_2O
K_2O
$CaCO_3$
and
U


- 195) Song [5]
- 196) Film [3]
- 197) Film [3]

$$\underbrace{\begin{array}{c} \text{Historic Data} \\ \rightarrow \\ \boxed{\text{DAY Algorithm}} \\ \rightarrow \\ \boxed{\text{Predictive Model}} \\ \rightarrow \\ \boxed{\text{New Data}} \\ \rightarrow \\ \boxed{\text{Predictive Model}} \\ \rightarrow \\ \boxed{\text{Prediction}} \\ \end{array}$$

const een

br =
$$[\underbrace{1.0/\text{sqrt}(1.0-v**2/c**2)}_{\text{this}},...]$$

198) Song[2]



Mr: $\omega_{\rm axis} = \omega_{\rm orbit}$

199) Film [2]

$$Angry'(x) = 0, Angry''(x) < 0$$

Game [2]


$$\operatorname{Hurt}'(x) = 0, \ \operatorname{Hurt}''(x) < 0$$

200) Song/Album [1]


 ${\rm CaLiFORnI}^+$

201) Film [3]

$$X = \{ |\Psi_{\mathrm{Am}}(t)\rangle \, | \, -\infty < t \le 0 \}$$



202) Book/Film [4]



203) Album/Song/Film [3]

 $\frac{\mathrm{linear} mc}{h}$


204) Book/Film [2]

$$R \begin{pmatrix} o \\ l \\ i \\ v \\ e \end{pmatrix}, \ R^T = R^{-1}, \ \det R = 1$$

205) Film [2]


 $a^{\dagger}AZ$

206) Film [4]



207) Film [3] if man: print(...







- 208) Film [4]
- 209) Song [3]
- if random.random() > 0.5:

me()

210) Game [3]



211) Game [1]




 $F = \mu_k N$


- 212) Game [1]
- 213) Song [1]

214) Game [2]

 $\odot \sigma$



competition



215) Game [4]


$$r_{\rm Animal}(d/v)$$
 where $r_{\rm Animal}(t)=R_{\nu}+d-vt,\ R_{\nu}=rac{2GM}{c^2}$

216) Film [2]

$$\frac{2GM}{c^2}$$

217) Book/Film [5]

Substrate (key)



- (S) enantiomer
- 218) Song [4]
- 219) Film [5]

\$./thehill; ./thehill

$$\lambda_{\rm max} = \frac{2.898 \times 10^{-3} \,\mathrm{m\,K}}{T}$$

Possible λ_{\max} :

Blue: 450 nm-485 nm Cyan: 485 nm-500 nm Green: 565 nm-590 nm Yellow: 565 nm-590 nm Orange: 590 nm-625 nm Red: 625 nm-700 nm

 $\begin{array}{lll} \nu_{\rm violet} : & 670\,{\rm THz}{\rm -}790\,{\rm THz} \\ \nu_{\rm blue} : & 620\,{\rm THz}{\rm -}670\,{\rm THz} \\ \nu_{\rm cyan} : & 600\,{\rm THz}{\rm -}620\,{\rm THz} \\ \nu_{\rm green} : & 530\,{\rm THz}{\rm -}600\,{\rm THz} \\ \nu_{\rm yellow} : & 510\,{\rm THz}{\rm -}530\,{\rm THz} \\ \nu_{\rm black} : & 590\,{\rm THz}{\rm -}625\,{\rm THz} \\ \nu_{\rm red} : & 625\,{\rm THz}{\rm -}700\,{\rm THz} \end{array}$

221) Game [4]

$$\begin{pmatrix} \cos(\text{human}) & -\sin(\text{human}) \\ \sin(\text{human}) & \cos(\text{human}) \end{pmatrix} \mathbf{t}_x$$

222) Book/Film [3]

$$\tau_{\mathrm{R}}^{-}, \tau_{\mathrm{R}}^{+}$$

223) Song [2]

$$\underbrace{\text{Si}}_{\text{K}} \underbrace{\text{C}}_{\text{K}} \underbrace{\text{K}}_{\text{K}} \underbrace{\text{O}}_{\text{C}}$$

224) Song [2]

Selection rules:
$$\Delta J = 0, \pm 1, \quad (0 \nleftrightarrow 0)$$

$$\Delta K = 0, \pm 1$$

$$\rightarrow \Delta \nu = 0, \pm 1, \pm 2, \dots$$

225) Song [3]

$$\fbox{ Historic Data] \rightarrow \fbox{ Algorithm] \rightarrow \fbox{ Predictive Model (failed) }}$$

226) Book/Series [3]

 $hunter^2$

227) Song [3]

{Eiffel Tower, Arc de Triomphe, ni^{as} , Notre-Dame, Louvre, Champs-Élysées, . . . }

228) Song [2]

$$M_{\bullet} \gtrsim 1.4 M_{\odot}$$

229) Song [1]

Wavelength: $588 \,\mathrm{nm}$ Energy: $2.22 \,\mathrm{eV}$

Colour:

230) Film [6]

Particle class	
\overline{t} and \overline{t}	$T = \pm 1$
c and \bar{c}	$C = \pm 1 \leftarrow$
b and \bar{b}	$B=\mp 1$


```
231) Film [3]
```

```
public:
  int adams = 6;
  int carragher = 23;
  int maldini = 3;
private:
  int neville = 2;
  int giggs = 11;
  int totti = 10;
ofstream myfile;
myfile.open("file.txt");
myfile << giggs;</pre>
```

232) Film [2]

private: string superman; string batman; string wonderwoman; public: string lexluther; string joker; string penguin;

63alt) Song [4]



233) Song [2]


 $I\dot{\theta}, \quad \dot{\theta} \sim 0 \, \mathrm{s}^{-1}$


234) Album [3] 235) Game [1]

236) Song [5]

 $c = 3 \times 10^8 \,\mathrm{m\,s^{-1}}$ $h = 6.63 \times 10^{-34} \,\mathrm{J}\,\mathrm{s}$ $G = 6.67 \times 10^{-11} \, \mathrm{m^3 \, kg^{-1} \, s^{-2}}$ $e = 1.602 \times 10^{-19} \,\mathrm{C}$ $\sigma = 5.67 \times 10^{-8} \, \mathrm{J \, m^{-2} \, K^{-4} \, s^{-1}}$

237) Game [4]





• • •

$$r_T(\theta) = \frac{2R_S r_{T0}}{R_S + r_{T0} + (r_{T0} - R_S)\cos(\theta - \pi)}, \quad \theta(t = 0) = 0, \quad r_T(0) = r_{T0}$$

238) Game [2]

 $World_2 + SinoJapanese + 30 year + Vietman + Napoleonic \dots$


 $239)~\mathrm{Game}~[4]$

$$\frac{\mathrm{d}R_{\circlearrowleft}}{\mathrm{d}t} > 0\,\Omega\,\mathrm{s}^{-1}$$

240) Game [3]

for matrix holy, $holy_{2,n}$

241) Book/Show [2]



242) Book [2]

$$F(\rho,\sigma) = \left(\text{tr}\sqrt{\sqrt{\rho}\sigma\sqrt{\rho}}\right)^2 \gg 0$$

243) Album/Song [6]

$$\frac{\odot}{7} \times \frac{\odot}{7}$$

244) Album [2]

$$r'_{\rm photos}(t) \neq 0$$

245) Game [2]

$$R=0\,\Omega$$

Troubles'(\$) > 0

246) Film [2] 247) Song [4]

