


156) Song [3]



157) Song [4]

_a – chat


158) Book [4]

$\forall \sigma^\circ$ such that $\sigma^\circ \in \mathfrak{S}$

159) Song [3]

$R_{\odot} < \frac{2GM_{\odot}}{c^2}$

160) Song [7]



161) Song [8]

$\exists \gamma$ where, $\forall t, \; r_\gamma < \frac{2GM}{c^2}$

162) Series/Book [3,4]

		Leader A	
		Kill zombies	Ignore zombies
Leader B	Kill zombies	<div><div>+10</div><div>+10</div></div>	<div><div>−10</div><div>−10</div></div>
	Ignore zombies	<div><div>−10</div><div>−10</div></div>	<div><div>−10</div><div>−10</div></div>

163) Film [5]

```
try{
    if(youreable)
        throw new Exception();
};
catch(Exception i){
    ...
}
```

164) Song [4]

165) Series [3]





166) Film [4]


$\frac{2\mathbb{N}[\Box]}{\mathbb{N}}$

167) Film [2]

168) Film [7]

BRaIN





171) Book [3]

$$f(x)=39H(x)=\begin{cases}0&x\leq 0\\39&x>0\end{cases}$$

Song [2]

$$f(x)=15H(x)=\begin{cases}0&x\leq 0\\15&x>0\end{cases}$$

172) Book/Film [6]

$$\frac{H_1N_1}{a\mathfrak{A}+\frac{H_1N_1}{a\mathfrak{A}+\frac{H_1N_1}{a\mathfrak{A}+\ldots}}}$$

173) Book/Film [2]

Indexed family $\{(U_\alpha,\gamma_\alpha): \alpha \in I\}$ of charts on \mathfrak{C} which covers \mathfrak{C}


174) Game [1]

$$|f(x)|\leq \mathfrak{d} \text{ for all } x$$

175) Song [4]

$$3\mathfrak{P}$$


176) Song [1]



177) Album/Song [6]

$$\frac{\in \mathfrak{A}}{C}$$

178) Album/Song [2] and Album/Song [1] and Series [2]



179) Song [3]

$e \vee \neg e$

180) Song [3]

$\{a,b,c,k,l\}\setminus\{l\}$

181) Song [4]

$\text{me} \notin \heartsuit$

182) Song [5]

$\{1,1,1,1\} \in \text{life} \in \text{me}$

183) Song [2]



$\frac{\mathrm{d}V}{\mathrm{d}t}=uA=(2n)\mathrm{m}^3\mathrm{s}^{-1},\,n\in\mathbb{N}$

184) Series [1]

ρ_m

185) Film [4]

86) Film [1]



Let $I \subset S, \quad \forall i \in I$
 $m_i \vec{a}_i(t) = m_i \vec{a}_i'(-t)$
where
 $m_i \vec{a}_i'(t) = \sum_{j(\neq i) \in I} \vec{F}_{ji}(t) + \sum_{k \in S \setminus I} \vec{F}_{ki}(-t)$





187) Album/Song [2] 188)Song [2]

189) Song[2]

190) Song [2]

191) Film [2]





192) Film [1]

`const een`

193) Film [6]

`for($ = n; $ < n + 4; $++){...`

194) Song [3]

Material composition
SiO ₂
Al ₂ O ₃
MgO
CaO
FeO
Na ₂ O
K ₂ O
CaCO ₃
and
U

195) Song [5]



196) Film [3]


$$\frac{\sigma}{3}$$

197) Film [3]

$$\text{br} = \underbrace{[1.0/\text{sqrt}(1.0\text{-v**2/c**2)}, \dots]}$$

this

198) Song[2]



$$\text{Mr: } \omega_{\text{axis}} = \omega_{\text{orbit}}$$

199) Film [2]

$\text{Angry}'(x) = 0, \text{ Angry}''(x) < 0$

Game [2]


$\text{Hurt}'(x) = 0, \text{ Hurt}''(x) < 0$

200) Song/Album [1]


CaLiFORnI^+

201) Film [3]

$X = \{|\Psi_{\text{Am}}(t)\rangle \, | \, -\infty < t \leq 0\}$



202) Book/Film [4]



203) Album/Song/Film [3]

$\frac{\text{linearmc}}{h}$


204) Book/Film [2]

$R \begin{pmatrix} o \\ l \\ i \\ v \\ e \end{pmatrix}, R^T = R^{-1}, \det R = 1$


205) Film [2]

$a^\dagger \text{AZ}$


206) Film [4]




207) Film [3]




```
if man:
    print(...)
208) Film [4]
```





```
209) Song [3]
if random.random() > 0.5:
    me()
210) Game [3]
```



```
211) Game [1]
```



```
212) Game [1]
```



213) Song [1]

$$\odot \sigma$$

214) Game [2]


215) Game [4]

$$r_{\text{Animal}}(d/v) \text{ where } r_{\text{Animal}}(t) = R_{\nu} + d - vt, \; R_{\nu} = \frac{2GM}{c^2}$$

216) Film [2]

$$\frac{2GM}{c^2}$$

217) Book/Film [5]



218) Song [4] and Song [4]

219) Film [5]

$$\lambda_{\text{max}} = \frac{2.898 \times 10^{-3} \text{ m K}}{T}$$

Possible λ_{max} :

Blue: 450 nm–500 nm

Green: 500 nm–565 nm

Yellow: 565 nm–590 nm

Orange: 590 nm–625 nm

Red: 625 nm–700 nm

job-ID	name	user	state
1	uphill	tom	R
2	thehill	tom	Q
3	thehill	tom	Q

220) Series [5]

$$\begin{array}{ll} \nu_{\text{violet}} : & 670\text{ THz}\text{--}790\text{ THz} \\ \nu_{\text{blue}} : & 600\text{ THz}\text{--}670\text{ THz} \\ \nu_{\text{green}} : & 530\text{ THz}\text{--}600\text{ THz} \\ \nu_{\text{yellow}} : & 510\text{ THz}\text{--}530\text{ THz} \\ \nu_{\text{black}} : & 590\text{ THz}\text{--}625\text{ THz} \\ \nu_{\text{red}} : & 625\text{ THz}\text{--}700\text{ THz} \end{array}$$


221) Game [4]

$$\begin{pmatrix} \cos(\text{human}) & -\sin(\text{human}) \\ \sin(\text{human}) & \cos(\text{human}) \end{pmatrix} \mathbf{\dagger}_x$$

222) Book/Film [3]

$$\tau_{\mathrm{R}}^{-}, \tau_{\mathrm{R}}^{+}$$


223) Song [2]



224) Song [2]

$$\begin{array}{l} \text{Selection rules:} \\ \Delta J = 0, \pm 1, \quad (0 \nleftrightarrow 0) \\ \Delta K = 0, \pm 1 \\ \rightarrow \Delta \nu = 0, \pm 1, \pm 2, \dots \end{array}$$

225) Song [3]



226) Book/Series [3]

$$\text{hunter}^2$$

227) Song [3]

$$\{\text{Eiffel Tower, Arc de Triomphe, }ni^{as}, \text{ Notre-Dame, Louvre, Champs-Élysées}, \dots\}$$

228) Song [2]

$$M_{\mathfrak{I}} \gtrsim 1.4 M_{\odot}$$

229) Song [1]

Wavelength: 588 nm

Energy: 2.22 eV

Colour:



230) Film [6]

Particle class	
t and $\bar{\text{t}}$	$T = \pm 1$
c and $\bar{\text{c}}$	$C = \pm 1 \leftarrow$
b and $\bar{\text{b}}$	$B = \mp 1$

231) Film [3]

```
public:
    int adams = 6;
    int carragher = 23;
    int maldini = 3;
private:
    int neville = 2;
    int giggs = 11;
    int totti = 10;


...
ofstream myfile;
myfile.open("file.txt");
myfile << giggs;

...
```

232) Film [2]

```
private:
    string superman;
    string batman;
    string wonderwoman;
public:
    string lexluther;
    string joker;
    string penguin;
```

63alt) Song [4]



233) Song [2]



$$I\dot{\theta}, \quad \dot{\theta} \sim 0\,\text{s}^{-1}$$

- 234) Album [3]
- 235) Game [1]
- 236) Song [5]

$e=3\times 10^8\,\text{m s}^{-1}$
 $\hbar=6.63\times 10^{-34}\,\text{J s}$
 $G=6.67\times 10^{-11}\,\text{m}^3\,\text{kg}^{-1}\,\text{s}^{-2}$
 $e=1.602\times 10^{-19}\,\text{C}$
 $\sigma=5.67\times 10^{-8}\,\text{J m}^{-2}\,\text{K}^{-4}\,\text{s}^{-1}$

237) Game [4]

$$v>c$$



$$r_T(\theta)=\frac{2R_Sr_{T0}}{R_S+r_{T0}+(r_{T0}-R_S)\cos(\theta-\pi)},\quad \theta(t=0)=0,\quad r_T(0)=r_{T0},\quad \theta\in(0,\pi)$$

238) Game [2]

$$\sum_i(\text{conflict})_i$$


239) Game [4]

$$\frac{\mathrm{d}R_{\mathcal{O}'}}{\mathrm{d}t}<0\,\Omega\,\mathrm{s}^{-1}$$

240) Game [2]

$$\longrightarrow \left(\begin{array}{cccc} \text{Boris} & \text{Joe} & \text{Vladimir} & \text{Jacinda} \\ \text{Drake} & \text{Snoop} & \text{Kendrick} & \text{Nicki} \\ \text{Teresa} & \text{Paul} & \text{Peter} & \text{Patrick} \\ \text{Jane} & \text{Virginia} & \text{Agatha} & \text{Joanne} \end{array} \right)$$

241) Book/Show [2]



242) Book [2]

$$F(\rho,\sigma)=\left(\mathrm{tr}\sqrt{\sqrt{\rho}\sigma\sqrt{\rho}}\right)^2\gg0$$

$$\rho=\sum_i p_i\,|\psi_i\rangle\langle\psi_i|$$

243) Album/Song [6]

$$\frac{\odot}{7}\times\frac{\odot}{7}$$

244) Album [2]

$$r'_{\mathrm{photos}}(t)\neq 0$$


245) Game [2]

$$R=0\,\Omega$$

246) Film [2]

247) Song [4]

$$\mathrm{Troubles}'(\$)>0$$



248) Song [3]

$$\int \vec{F}_{\mathbb{Q}_1} \cdot d\vec{r}, \quad \underbrace{\int \vec{F}_{\mathbb{Q}_2} \cdot d\vec{r}}_{\text{this}}, \quad \int \vec{F}_{\mathbb{Q}_3} \cdot d\vec{r}$$


249) Album/Song [7]

$$\frac{mv_{\mathbb{Q}_i}^2}{r_{\mathbb{Q}_i}} = \frac{GM}{r_{\mathbb{Q}_i}^2}, \quad i \in \{1,\dots,n\}, \quad \frac{mv_{\sigma_j}^2}{r_{\sigma_j}} = \frac{GM}{r_{\sigma_j}^2}, \quad j \in \{1,\dots,m\}$$

250) Series [3]

```
C++:
Conflicts a("world1", "world2");
→Conflicts b = a;
```


251) Film [5]



252) Film [2]

$$496\text{ nm} = (1 + 2 + 4 + 8 + 16 + 31 + 62 + 124 + 248)\text{ nm}$$

253) Film [2] and Film [1]



254) Film [3]

255) Book [3]


$$L_{\heartsuit} = \sigma AT_{\heartsuit}^4, \quad T_{\heartsuit} = 0$$

256) Film [2]

```
double away
→int x = (int) away
```

	job-ID	name	user	state
	1	paris	tom	Q
	2	berlin	tom	Q
	3	moscow	tom	Q
→	4	rome	tom	Q
	4	madrid	tom	Q
	5	athens	tom	Q

257) Song [4]



258) Film [2]

```

user@user-System-Product-Name:~$

```

259) Film [2]

$$\$ \text{ ./girl1 } \wedge \text{C}$$

260) Film [3]

$$R+J$$

261) Film [1]

$$q^{\dagger}_{\uparrow \text{hades}}$$

262) Film [3]

$$\mathfrak{P}=(\Omega,P),\quad \Omega=(H,T),\quad P(H)=P(T)=\frac{1}{2},\quad \mathfrak{P}\in\text{me}$$

263)

