

**Exp No: 2**

**BUILD A SIMPLE NEURAL NETWORKS**

**AIM:**

To build a simple neural network using Keras/TensorFlow.

**PROCEDURE:**

1. Download and load the dataset.
2. Perform analysis and preprocessing of the dataset.
3. Build a simple neural network model using Keras/TensorFlow.
4. Compile and fit the model.
5. Perform prediction with the test dataset.
6. Calculate performance metrics.

**PROGRAM:**

```
import pandas as pd
from numpy import loadtxt
from tensorflow.keras.models import Sequential
from tensorflow.keras.layers import Dense

dataset = loadtxt('pima-indians-diabetes-data.csv', delimiter = ',')

X = dataset[:,0:8]
y = dataset[:,8]

model = Sequential()
model.add(Dense(12, input_shape=(8,), activation='relu'))
model.add(Dense(8, activation='relu'))
model.add(Dense(1, activation='sigmoid'))

model.compile(loss='binary_crossentropy', optimizer='adam', metrics=['accuracy'])

model.fit(X, y, epochs=150, batch_size=10)

_, accuracy = model.evaluate(X, y)
print('Accuracy: %.2f % (accuracy*100))'
```

**OUTPUT**

```
[1]: import pandas as pd
      from numpy import loadtxt
      from tensorflow.keras.models import Sequential
      from tensorflow.keras.layers import Dense

[2]: dataset = loadtxt('pima-indians-diabetes-data.csv', delimiter = ',')


[3]: X = dataset[:,0:8]
      y = dataset[:,8]

[4]: model = Sequential()
      model.add(Dense(12, input_shape=(8,), activation='relu'))
      model.add(Dense(8, activation='relu'))
      model.add(Dense(1, activation='sigmoid'))

D:\Softwares\Anaconda\envs\ML\Lib\site-packages\keras\src\layers\core\dense.py:87: UserWarning: Do not pass an `input_shape`/`input_dim` argument to a layer. When using Sequential models, prefer using an `Input(shape)` object as the first layer in the model instead.
  super().__init__(activity_regularizer=activity_regularizer, **kwargs)

[5]: model.compile(loss='binary_crossentropy', optimizer='adam', metrics=['accuracy'])
```

```
[25]: model.fit(X, y, epochs=150, batch_size=10)
```



```
Epoch 1/150
77/77 ————— 1s 2ms/step - accuracy: 0.6337 - loss: 20.1332
Epoch 2/150
77/77 ————— 0s 2ms/step - accuracy: 0.5327 - loss: 3.0242
Epoch 3/150
77/77 ————— 0s 2ms/step - accuracy: 0.5508 - loss: 1.6982
Epoch 4/150
77/77 ————— 0s 2ms/step - accuracy: 0.5913 - loss: 1.1801
Epoch 5/150
77/77 ————— 0s 2ms/step - accuracy: 0.5807 - loss: 1.1504
Epoch 6/150
77/77 ————— 0s 2ms/step - accuracy: 0.6226 - loss: 0.9522
Epoch 7/150
77/77 ————— 0s 2ms/step - accuracy: 0.6655 - loss: 1.0650
Epoch 8/150
77/77 ————— 0s 1ms/step - accuracy: 0.6231 - loss: 1.0535
Epoch 9/150
77/77 ————— 0s 1ms/step - accuracy: 0.6301 - loss: 0.8142

[26]: _, accuracy = model.evaluate(X, y)
      print('Accuracy: %.2f' % (accuracy*100))

24/24 ————— 0s 739us/step - accuracy: 0.7159 - loss: 0.5980
Accuracy: 71.22
```

**RESULT:**

Thus the build a simple neural network using Keras/TensorFlow.