Math 74, Week 3

Tianshuang (Ethan) Qiu September 10, 2021

1 Wed Lec, 1a

Prove that $\binom{n}{k} + \binom{n}{k+1} = \binom{n+1}{k+1}$

1.1 algebraic

We first expand the expression:

$$LHS = \frac{n!}{(n-k)!k!} + \frac{n!}{(n-k-1)!(k+1)!}$$

Then we simplify:

$$LHS = \frac{n!}{(n-k)(n-k-1)!k!} + \frac{n!}{(k+1)(n-k-1)!k!}$$

$$LHS = \frac{(n!(k+1)) + (n!(n-k))}{(n-k)(k+1)(n-k-1)!k!}$$

$$LHS = \frac{n!(n+1)}{(k+1)!(n-k)!}$$

$$LHS = \frac{(n+1)!}{(k+1)!(n-k)!}$$

Now we expand the right side:

$$RHS = \frac{(n+1)!}{(k+1)!(n-k)!}$$

We see that RHS = LHS. Q.E.D.

1.2 Combinatorial

The right hand side calculates the number of bitstrings of length n+1 with k+1 0's. Since each bit can either end in 0 or 1, we can split them into different cases.

If the the last is 0, there are k 0's left in the substring of length n. So to calculate this, we use $\binom{n}{k}$.

If the last bit is 1, there are still k+1 0's left in the substring before it. Using the formula, we get $\binom{n}{k+1}$

Adding them together equals the right hand side. They are evaluating the same thing. Q.E.D.

2 Wed Lec, 4b

Let people be the pigeons and each letter is a different hole.

Number of pigeons = number of names = 33

Number of holes = number of letters - 30

Since the amount of pigeons is greater than the amount of holes, some hole must have at least 2 pigeons by PHP. Therefore some ending letter must be shared by at least 2 names.

3 Wed Lec, 5

3.1 a

We can form a segment from any two points. So the total amount of segments is $\binom{50}{2}=\frac{50!}{2!48!}=1225$

3.2 b

Since no three points are colinear, we can choose any 3 points to form a triangle. So the total amount is $\binom{50}{3} = \frac{50!}{3!47!} = 19600$

3.3 c

Similar to part (b), we choose any 4 points to form a quadrilateral. The total amount is $\binom{50}{4} = \frac{50!}{46!4!} = 230300$.

4 Wed Dis, 2

Since the three books needs to be next to each other in the specified order, we can think of it as if the three are "glued together" into one book. So essentially we are looking for the amount of ways to arrange 5 books. There are 5 ways to choose the first one, 4 for the second, ..., for a total of 5! = 120 ways to arrange it.

5 Wed Dis, 4

We are looking for the amount of ways to rearrange "GAUSS". Since there are 5 letters, we have 5! = 120. Then we remove the ways that we overcount the repeat "S". $\frac{5!}{2!} = 60$

Similarly, for "RAMANUJAN", we take all possible permutations and divide by repeating letts "A" and "N": $\frac{9!}{3!2!}$

6 Fri Lec, 1

6.1 b

6.1.1 Combinatorial

RHS is the number of ways to choose a team and a captain out of 11 people: choose the captain first, then choose the rest of the team (each member can either be chosen or not): 11×2^{10}

LHS chosoes the team first, then chooses the captain. There are $\binom{11}{n}$ ways to choose n people from 11 to form a team. Then, from that team there are n ways to pick a captain: $\sum_{i=0}^{11} i \binom{11}{i}$