

Set theory

Hello reader, this is meant for my bizuth and others wanting to learn. Keep in mind I am just a undergrad. Consider reading **Proofs and Logic** first

Contents

I Introduction	2
II Ordinals and cardinality	3
III ZF (and ZFC)	3
III.1 Axioms	3
III.2 Axiom of choice	4
III.3 Continuum hypothesis	6
III.4 Consistancy	6
III.5 Tarsky	6
IV New Foundations (NF)	6
IV.1 Naive set theory	6
IV.2 Base axioms	7
IV.3 Finitely statable axioms	7
IV.4 Relationship to AC	8
V Von Neumann-Bernays-Gödel	8
V.1 Proper classes	8
V.2 Global axiom of choice	8
VI Morse Kelley	8

I Introduction

Lets go into a little depth about a domain of mathematical logic, set theory. Set theory studies sets, a way of collecting elements together but defined differently depending on the axioms. The main interests are arithmetic based, around the cardinality (size) of sets and constructability.

Here we will go over different axiomatizations and some theorems.

II Ordinals and cardinality

It would be fun to jump right into the different commonly used theories but first we must adress some important theoretical notions around cardinality and ordinals.

III ZF (and ZFC)

It is impossible to talk about sets without talking about Zermelo-Fraenkel, probably the most popular set of axioms around sets.

III.1 Axioms

These axioms are stated in first order logic. We add the binary propositional connective \in We also consider that at least one set exists (this is usually taken care of by $\exists x(x = x)$ and the nonemptiness of the domain)

III.1.1 List of axioms

1. Axiom of Extensionality

$$\forall x \forall y ((z \in x \leftrightarrow z \in y) \rightarrow x = y)$$

This basically “defines” equality for sets, if they share all elements This is used when $=$ is considered to be a binary propositional connective rather than equality over the domain.

2. Axiom of empty set

$$\exists x \forall y \neg (y \in x)$$

We will call this x the empty set (\emptyset) (axiom of Extensionality gives us its unicity)

3. Axiom of Pairs

$$\forall x \forall y \exists w \forall z (z \in w \leftrightarrow (z = x \vee z = y))$$

This axioms lets us construct $\{a, b\}$ for all sets a and b

4. Axiom of Power Set

$$\forall x \exists y \forall z (z \in y \leftrightarrow (\forall w (w \in z \rightarrow w \in x)))$$

This can be reformulated with $x \subset y$ defined as $\forall w (w \in x \rightarrow w \in y)$

$$\forall x \exists y \forall z (z \in y \leftrightarrow z \subset x)$$

This axiom helps us construct the power set often written $P(x)$

5. Axiom of Unions

$$\forall x \exists y \forall z (z \in y \leftrightarrow \exists w (w \in x \wedge z \in w))$$

This axiom lets us take the union of all sets in x .

6. Axiom of Infinity

$$\exists x (\emptyset \in x \wedge \forall y (y \in x \rightarrow \{y, \{y\}\} \in x))$$

With $\{y, \{y\}\}$ the element composed of the use of the axioms of pairs on y and y and then y and the result of that.

This is a very powerfull axiom because we now have an infinite set, so we can build the natural numbers as a subset of that, speaking of subsets...

It will look a little like $\{\{\{\{\emptyset, \emptyset\}, \emptyset\}, \emptyset\}, \emptyset\}$

7. Axiom of Separation (aka restricted comprehension or specification) For every formula in ZF φ , with $x, z, w_1 \dots w_n$ free in φ and y not free in φ
 $\forall z \forall w_1 \dots w_n \exists y \forall x (x \in y \leftrightarrow (x \in z \wedge \varphi(x, w_1, \dots, w_n, z)))$ With this we can build a subset of z with a formula.

8. Axiom of Replacement For every formula in ZF φ , with $X, x, y, w_1 \dots w_n$ free in φ and B not free in φ

$$\forall X \forall w_1 \dots w_n (\forall x (x \in X \rightarrow \exists! y \varphi(y, x, w_1, \dots, w_n)) \rightarrow \exists B \forall x (x \in X \rightarrow \exists y (y \in B \wedge \varphi(y, x, w_1, \dots, w_n))))$$

Basically, if for all $x \in X$ there is a unique set y holding then we can build the set of all of those sets.

9. Axiom of Foundation (aka regularity) $\forall x \exists y (y \in x \wedge \neg(\exists a (a \in x \wedge a \in y)))$ With pairing and union we now have $\forall x (x \notin x)$ and an ordinal rank. Furthermore we have removed loops from sets (infinitely descending). To note, this axioms restricts sets quite a lot but it makes it a lot easier to work with.

- From here on we will start to write things like $\forall x \in X \dots$ instead of $\forall x (x \in X \rightarrow \dots)$

III.1.2 Choice of axioms

A lot of these axioms imply one another:

- if at least one set exists, Separation implies existence of \emptyset
- The axiom of infinity often has the empty set defined within it, therefore forgoing the need for that axiom.
- Replacement and Powerset give us pairing

You can keep all of these axioms but I will propose the usage of:

1. Axiom of Extensionality
2. Axiom of Foundation
3. Axiom of Power Set
4. Axiom of Union
5. Axiom of Infinity (with Empty Set version)
6. Axiom of Restricted Comprehension
7. Axiom of Replacement

But it doesn't really matter, we could use less.

Furthermore many set theories are just weakened versions of ZF, for more security but less power (General set theory is just strong enough for arithmetic).

III.2 Axiom of choice

So, is that all folks?

Well, as the great Yoda once said... **No... There is another** But this one is controversial so oft omitted, Here we will show a couple versions of it and consequences along with consequences of not having it. Without it we write ZF the set of axioms, with it we write ZFC

III.2.1 Classic formulation

So suppose you have 42 nonempty sets and you want to add one element from each set to build a new set, you can do this, with a_1, \dots, a_{42} these sets $(a_1 \neq \emptyset \wedge \dots \wedge a_{42} \neq \emptyset) \rightarrow (\exists x_1 (x_1 \in a_1)) \wedge \dots \wedge \exists x_{42} (x_{42} \in a_{42})$ now we either apply the pairing axiom of the replacement axiom on x_1, \dots, x_{42} . But ... is doing some heavy lifting here, with 42 we can just write it out, but does it hold true for an infinite amount? That is the axiom of choice.

$$\forall x (\emptyset \notin x \rightarrow \exists f (f \in X \mapsto \cup_{A \in X} A \wedge \forall A (A \in X \rightarrow f(A) \in A)))$$

- Construction of a function:

Lets start by constructing an ordered pair (a, b) as $\{a, \{a, b\}\}$ then the (cartesian) product between two sets $A \times B$ defined as

$$\{x \in P(P(A \cup B)) : \exists, \exists b (a \in A \wedge a \in B \wedge x = (a, b))\}$$

this works because for all $a \in A, b \in B (a, b) \in P(P(A \cup B))$, this is essentially $\{(a, b) : a \in A, b \in B\}$

Next we can define a function as a subset of $A \times B$ such that $\forall a \in A, \exists! x \in A \times B, \exists b \in B, x = (a, b)$ Written $f \in A \mapsto B$

III.2.2 Well ordering theorem

The well ordering theorem is an important equivalent axiom of choice in ZF. Ordering: An ordering is a relationship over a set (if E is a set, a relationship over E is exactly a supset of E^2), that has the properties of reflexivity, transitivity, antisymmetry and , which is to say: With E a set, $R \subset E^2$ is a ordering if:

- $\forall x \in E. (x, x) \in R$
- $\forall x \in E \forall y \in E \forall z \in E. (x, y) \in R \wedge (y, z) \in R \rightarrow (x, z) \in R$
- $\forall x \in E \forall y \in E. (x, y) \in R \wedge (y, x) \in R \rightarrow x = y$

From here on we will write $x \leq y$ to say $(x, y) \in R$ when R is clearly stated. Total ordering: A total ordering over E is an ordering such that :

- $\forall x \in E \forall y \in E. x \leq y \vee y \leq x$ meaning, any two objects can be compared.

Well ordering: A total ordering over E is a well ordering if for every subset of E there is a least element :

- $\forall A \subset E \exists x \in A \forall y \in A. x \leq y$

(a well ordered set is often called a woset)

The well Ordering Theorem states that every nonempty set can be well ordered.

This brings us to a really usefull notion: Transfinite induction

Proofs sketches

- proof from AC: Let E be a set and f a choice function over $\mathcal{P}(E) \setminus \emptyset$ (meaning $\{x : x \in \mathcal{P}(E) \wedge x \neq \emptyset\}$), we will define a “bijection” between elements of E and ordinals :

$$f(A$$

For every ordinal α we define a_α as $\{a_\zeta : \zeta \in \alpha\}$ And we write $a_\alpha < a_\beta$ if $\alpha \in \beta$

- Proof of AC from WOT: We can take the smallest element as the choice function. The important part is to order over the union of the sets, and not each set individually.

III.2.3 Zorns lemma

Zorn's lemma is another fun equivalent to the AC

Zorn's lemma states that for a set E and an ordering \leq if for every subset of E where \leq is a total order, there exists a maximal element, then there exists a maximal element to E

$\forall E \neq \emptyset \forall R \subset E^2. ((\forall x \in E. (x, x) \in R) \wedge (\forall x \in E \forall y \in E \forall z \in E. (x, y) \in R \wedge (y, z) \in R \rightarrow (x, z) \in R) \wedge (\forall x \in E \forall y \in E. (x, y) \in R \wedge (y, x) \in R \rightarrow x = y)) \rightarrow (\forall A \subset E. (\forall x \in A \forall y \in A. (x, y) \in R \vee (y, x) \in R \rightarrow (\exists z \in A. \neg \exists w \in A. (w, z) \in R))) \rightarrow \exists x \in E \neg \exists y \in E. (y, x) \in R$
(That was fun to write)

Proofs sketches

- proof from AC:
- Proof of AC from Zorn's lemma: With the hypotheses of Zorn's lemma :

III.2.4 Consequences and fun!

A couple other noteworthy equivalents include :

- All vector spaces have a base

Weaker forms: dephant choice

III.3 Continuum hypothesis

III.4 Consistency

It must be noted by Godels work that ZFC and ZF cannot prove its own consistency (the fact that one cannot prove $A \wedge \neg A$), but this is deemed unlikely. It is however immune to common paradoxes. Furthermore, it can be shown that ZF does not decide the axiom of choice or the Continuum hypothesis, that is to say that if ZF is consistent then so is ZF with AC, ZF with $\neg AC$, ZF with CH and ZF with $\neg CH$.

III.5 Tarsky

IV New Foundations (NF)

This one is my favorite, the Hindenburg with seatbelts of set theories. Is a first order logic theory that resembles naive set theory.

IV.1 Naive set theory

So, let's talk about the Hindenburg. Naive set theory is a collection of theories in informal languages around sets. They tend to be very simple, much like our New Foundation and strongly use the ability to be able to arbitrarily decide what a set contains. It kind of makes sense, say you have a predicate φ that tells you whether an element is in a set or not, you just have $x \in X \leftrightarrow \varphi(x) = 1$. We can simply write that $\{x : \varphi(x)\}$, so say $\{x : y \in x\}$ is the set of all sets containing y . but this is

when shit hits the fan. Take $\{x : x \notin x\}$ seems fine no? Let's call that set A . The question is, does $A \in A$ in both cases we have a problem. This is called Russel's paradox.

IV.2 Base axioms

Let's now have a look at NF's axioms... there are 2, far shot from the 8-10 of ZFC

It is first order logic with the \in and $=$ predicates

1. Extensionality

$$\forall x \forall y. (x = y \leftrightarrow \forall w. w \in x \leftrightarrow w \in y)$$

Same as in ZF

2. Restricted axiom schema of comprehension For each stratified formula φ ,

$$\exists X \forall x. x \in X \leftrightarrow \varphi(x)$$

- A stratified formula is there exists a function from φ 's syntax to \mathbb{N} with, if " $x \in y$ " is present then $f(x) = f(y) + 1$ and if " $x = y$ " is present then $f(x) = f(y)$. (notice that this is for a variable in its scope not all variables with such a name).

Thus $\forall x \forall y. (\exists w. w \in x \wedge x \in y) \rightarrow (\exists w. w \in y)$ is stratified but not $\forall x. x \in x$

Please note that this is not well founded! Furthermore, the statement of the axioms are not first order, but second order, or first order with a separate metalogic, so it is not complete.

IV.3 Finitely statable axioms

This however can be put in a more usefull form with more axioms. We can eliminate the need for infinite axiomatisation. What is finite or infinite axiomatisation ?

Let's define the axiom schema as the set of phrases in our language used as axioms. ZF has an infinite amount. Why thought, it only had 7-9 axioms ? Well, the axioms of replacement and separation are both stated for all formulas, which are infinite in number. Here we can actually use a finite amount of phrases in our axiom schema.

We do this by proposing a separate state of finitely axiomatizable axioms and proving the restricted axiom schema of comprehension as a theorem.

These axioms are :

1. Extensionality

$$\forall A \forall B. A = B \leftrightarrow \forall x. (x \in A \leftrightarrow x \in B)$$

2. Singleton

$$\forall x \exists \tilde{x} \forall a. a \in \tilde{x} \leftrightarrow a = x$$

Basically for all x we have $\{x\}$

3. Union

$$\forall A \forall B \exists C \forall x. x \in C \leftrightarrow x \in A \vee x \in B$$

- 4.

5. Complement set

$$\forall A \exists B \forall x. x \in A \leftrightarrow \neg(x \in B)$$

We write $A_C = \{x : x \notin A\}$ From this we can conclude the existence of the universal set $V = \{x : x = x\} (= A \cup A_C)$

IV.4 Relationship to AC

V Von Neumann-Bernays-Gödel

It is what we call a conservative extension of ZFC, which is to mean that it is a supertheory (keeps axioms and predicates and adds more) but proves no new theories therefore proves exactly the same. It's interesting because it is easier to work with.

To do this NBG adds classes. They are essentially collections of sets defined over formulas. For example

$$\forall x. x \notin x$$

is the class of all sets not containing themselves, this causes no problems because classes are not contained within this. You can axiomatise this finitely because formulas are constructed with a finite amount of objects (quantifiers, logical symbols, ...).

V.1 Proper classes

Classes that are not also sets

V.2 Global axiom of choice

We can now define $x : x \neq \emptyset$ and choice function over it, $\forall x. x \neq \emptyset \rightarrow G(x) \in x$

VI Morse Kelley