

# Graph Query Example With AQL

Find all possible flight connections from Taoyuan International Airport to **the nearest airport from Santa Claus' official hometown**, with no more than 2 transfers. Also, these airports should have VIP lounges, and I don't want to be flying with Turkish Airlines, United Airlines, or any LCC.

```
LET santa_airport = (  
  FOR airport IN airports  
  FILTER GEO_DISTANCE(25.5, 66.32) < 500000 LIMIT 1  
  RETURN airport._id  
)  
FOR airport IN airports  
  FILTER airport._key == "TPE"  
  FOR vertex, edge, path IN 1..2 OUTBOUND airport flights  
    FILTER vertex._id == santa_airport && vertex.vip == true  
    FILTER edge.airline NOT IN ["Turkish", "United"] && NOT edge.is_lcc  
  RETURN path
```

# Graph Query Example With AQL

Find all possible flight connections from Taoyuan International Airport to the nearest airport from Santa Claus' official hometown, with no more than 2 transfers. Also, these airports should have VIP lounges, and I don't want to be flying with Turkish Airlines, United Airlines, or any LCC.

```
LET santa_airport = (  
  FOR airport IN airports  
  FILTER GEO_DISTANCE(25.5, 66.32) < 500000 LIMIT 1  
  RETURN airport._id  
)  
FOR airport IN airports  
  FILTER airport._key == "TPE"  
  FOR vertex, edge, path IN 1..2 OUTBOUND airport flights  
    FILTER vertex._id == santa_airport && vertex.vip == true  
    FILTER edge.airline NOT IN ["Turkish", "United"] && NOT edge.is_lcc  
  RETURN path
```