

---

# Application of the Lottery Ticket Hypothesis in NLP and Early Pruning (Proposal)

---

Anwendung der "Lottery Ticket"-Hypothese in NLP und frühem Pruning (Proposal)

Bachelor-Arbeit

Tim Unverzagt

KOM-type-number ???

---



TECHNISCHE  
UNIVERSITÄT  
DARMSTADT

Fachbereich Informatik  
Fachbereich ??? (Zweitmitglied)

Fachgebiet Natural Language  
Processing  
| Gutachter |

---

**Application of the Lottery Ticket Hypothesis in NLP and Early Pruning (Proposal)**  
Anwendung der "Lottery Ticket"-Hypothese in NLP und frühem Pruning (Proposal)

Bachelor-Arbeit  
Studiengang: Computational Engineering  
KOM-type-number ???

Eingereicht von Tim Unverzagt  
Tag der Einreichung: dd. month yyyy

Gutachter: ???  
Betreuerin: Anna Filighera

Technische Universität Darmstadt  
Fachbereich Informatik  
Fachbereich ??? (Zweitmitglied)

Fachgebiet Natural Language Processing (KOM)  
| Gutachter |

---

## **Erklärung zur Abschlussarbeit gemäß § 23 Abs. 7 APB der TU Darmstadt**

---

Hiermit versichere ich, Tim Unverzagt, die vorliegende Bachelor-Arbeit ohne Hilfe Dritter und nur mit den angegebenen Quellen und Hilfsmitteln angefertigt zu haben. Alle Stellen, die Quellen entnommen wurden, sind als solche kenntlich gemacht worden. Diese Arbeit hat in gleicher oder ähnlicher Form noch keiner Prüfungsbehörde vorgelegen.

Mir ist bekannt, dass im Falle eines Plagiats (§38 Abs.2 APB) ein Täuschungsversuch vorliegt, der dazu führt, dass die Arbeit mit 5,0 bewertet und damit ein Prüfungsversuch verbraucht wird. Abschlussarbeiten dürfen nur einmal wiederholt werden.

Bei der abgegebenen Bachelor-Arbeit stimmen die schriftliche und die zur Archivierung eingereichte elektronische Fassung überein.

Darmstadt, den dd. month yyyy

---

Tim Unverzagt



---

## Contents

---

<b>1</b>	<b>Introduction</b>	<b>3</b>
1.1	Motivation . . . . .	3
1.2	Problem Statement and Contribution . . . . .	3
1.3	Outline . . . . .	3
<b>2</b>	<b>Background</b>	<b>5</b>
2.1	Basics of Neural Networks <i>WIP</i> . . . . .	5
2.2	The Lottery Ticket Hypothesis . . . . .	6
2.3	Basics of Natural Language Processing . . . . .	6
2.4	Language Models & Convolutional Neural Networks . . . . .	6
<b>3</b>	<b>Related Work</b>	<b>7</b>
3.1	Related Work Area 1 . . . . .	7
3.2	Related Work Area 2 . . . . .	7
3.3	Analysis of Related Work . . . . .	7
3.4	Summary . . . . .	7
<b>4</b>	<b>Design</b>	<b>9</b>
4.1	Requirements and Assumptions . . . . .	9
4.2	System Overview . . . . .	9
4.2.1	Component 1 . . . . .	9
4.2.2	Component 2 . . . . .	9
4.3	Summary . . . . .	9
<b>5</b>	<b>Implementation</b>	<b>11</b>
5.1	Design Decisions . . . . .	11
5.2	Architecture . . . . .	11
5.3	Interaction of Components . . . . .	11
5.4	Summary . . . . .	11
<b>6</b>	<b>Evaluation</b>	<b>13</b>
6.1	Goal and Methodology . . . . .	13
6.2	Evaluation Setup . . . . .	13
6.3	Evaluation Results . . . . .	13
6.4	Analysis of Results . . . . .	13
<b>7</b>	<b>Conclusions</b>	<b>15</b>
7.1	Summary . . . . .	15
7.2	Contributions . . . . .	15
7.3	Future Work . . . . .	15
7.4	Final Remarks . . . . .	15
	<b>Bibliography</b>	<b>15</b>



---

## Abstract

---

The abstract goes here...





---

## 1 Introduction

---

Hint:

This chapter should motivate the thesis, provide a clear description of the problem to be solved, and describe the major contributions of this thesis. The chapter should have a length of about two pages!

---

### 1.1 Motivation

---

What is the motivation for doing research in this area?

---

### 1.2 Problem Statement and Contribution

---

What is the problem that should be solved with this thesis?

---

### 1.3 Outline

---

How is the rest of this thesis structured?



---

## 2 Background

---

### Hint:

This chapter should give a comprehensive overview on the background necessary to understand the thesis. The chapter should have a length of about five pages!

---

### 2.1 Basics of Neural Networks *WIP*

---

Neural networks are a part of most major AI-breakthrough in the last decade enabling computers to compete in fields formerly championed by humans.<sup>1</sup> They implement a statistical understanding of AI, which is to say that they try to find a specific model optimizing the likelihood of reproducing input-output pairs similar to some training data. The competing philosophy directly divines behaviour rules, frequently from expert knowledge, and as such is far less dependant from data. [citation needed] For the former concept its model classes are the essential point of design. A multitude of properties are sought after in a model class of which a few are:

- Richness: The diversity of single models in the class and thus the ability to fit a wide field of different input-output landscapes
- Stability of models: Tendency of any model in the class to not produce sudden unmotivated change in behaviour between and beyond given data points
- Interpretability of models: Ease of formulating knowledge out of any given model in the class.
- ...
- [citation needed]

If one knows an agent that already performs well on a given task it is sensible to design ones model class to reproduce its decision process. As Humans embody such an agent for many tasks of interest to AI research naturally their processing system e.g. their central nervous system is the direct inspiration for neural networks approaches.


The human central nervous system is, in all simplicity, a network of neurons which can receive multiple stimuli and are able to produce an output if stimulated to a certain degree. The stimuli received by neurons are either from an external source or another neuron's output. [citation needed] One such neuron and its stimulus measure are depicted in Figure 2.1. Another detail of design observed in nature is the ability of a neuron to vary the strength of connection to any source of stimulus. [citation needed]

In addition to variable weights of inputs and an activation function, the abstract neuron seen in Figure 2.2 also allows for a variable base stimulus generally called "bias". It thus completes a canonical neuron which forms the basis unit for neural networks.


---

1


- 2011: "Watson" of IBM defeats two former grand champions in "Jeopardy!" [LF11]
- 2011: "Siri" enables users to use natural language to interact with their phones [Aro11]
- 2015: A convolutional neural network classifies images from the ImageNet dataset more accurately than human experts [RDS<sup>+</sup>15] [HZRS15]
- 2016: "AlphaGo" beats Lee Sedol, one of the world's strongest Go players [Gib16] [SSS<sup>+</sup>17]



**Figure 2.1:** Representation of a biological Neuron



**Figure 2.2:** Abstraction of a Neuron



**Figure 2.3:** A small fully-connected network

As the individual neurons is too simple to model any complex relation between inputs and outputs the next step is to aggregate multiple neurons. Figure 2.3 displays a few neurons coming together to form a simple fully-connected network.<sup>2</sup>

---

## 2.2 The Lottery Ticket Hypothesis

---



---

## 2.3 Basics of Natural Language Processing

---



---

## 2.4 Language Models & Convolutional Neural Networks

---

<sup>2</sup> Inputs of neural networks are often called "features" and fully-connected networks are frequently referred to as "dense"

---

### 3 Related Work

---

Hint:

This chapter should give a comprehensive overview on the related work done by other authors followed by an analysis why the existing related work is not capable of solving the problem described in the introduction. The chapter should have a length of about three to five pages!

---

#### 3.1 Related Work Area 1

---

---

#### 3.2 Related Work Area 2

---

---

#### 3.3 Analysis of Related Work

---

---

#### 3.4 Summary

---



---

## 4 Design

---

### Hint:

This chapter should describe the design of the own approach on a conceptional level without mentioning the implementation details. The section should have a length of about five pages.

---

### 4.1 Requirements and Assumptions

---

---

### 4.2 System Overview

---

---

#### 4.2.1 Component 1

---

---

#### 4.2.2 Component 2

---

---

### 4.3 Summary

---





---

## 5 Implementation

---

### Hint:

This chapter should describe the details of the implementation addressing the following questions:

1. What are the design decisions made?
2. What is the environment the approach is developed in?
3. How are components mapped to classes of the source code?
4. How do the components interact with each other?
5. What are limitations of the implementation?

The section should have a length of about five pages.

---

### 5.1 Design Decisions

---

---

### 5.2 Architecture

---

---

### 5.3 Interaction of Components

---

---

### 5.4 Summary

---



---

## 6 Evaluation

---

### Hint:

This chapter should describe how the evaluation of the implemented mechanism was done.

1. Which evaluation method is used and why? Simulations, prototype?
2. What is the goal of the evaluation? Comparison? Proof of concept?
3. Which metrics are used for characterizing the performance, costs, fairness, and efficiency of the system?
4. What are the parameter settings used in the evaluation and why? If possible always justify why a certain threshold has been chosen for a particular parameter.
5. What is the outcome of the evaluation?

The section should have a length of about five to ten pages.

---

### 6.1 Goal and Methodology

---

---

### 6.2 Evaluation Setup

---

---

### 6.3 Evaluation Results

---

---

### 6.4 Analysis of Results

---



---

## 7 Conclusions

---

### Hint:

This chapter should summarize the thesis and describe the main contributions of the thesis. Subsequently, it should describe possible future work in the context of the thesis. What are limitations of the developed solutions? Which things can be improved? The section should have a length of about three pages.

---

### 7.1 Summary

---

---

### 7.2 Contributions

---

---

### 7.3 Future Work

---

---

### 7.4 Final Remarks

---



---

## Bibliography

---

- [Aro11] Jacob Aron. How innovative is apple’s new voice assistant, siri? *New Scientist*, 212(2836):24, 2011.
- [Gib16] Elizabeth Gibney. Google ai algorithm masters ancient game of go. *Nature News*, 529(7587):445, 2016.
- [HZRS15] Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Delving deep into rectifiers: Surpassing human-level performance on imagenet classification. In *The IEEE International Conference on Computer Vision (ICCV)*, December 2015.
- [LF11] Adam Lally and Paul Fodor. Natural language processing with prolog in the ibm watson system. *The Association for Logic Programming (ALP) Newsletter*, 2011.
- [RDS<sup>+</sup>15] Olga Russakovsky, Jia Deng, Hao Su, Jonathan Krause, Sanjeev Satheesh, Sean Ma, Zhiheng Huang, Andrej Karpathy, Aditya Khosla, Michael Bernstein, Alexander C. Berg, and Li Fei-Fei. Imagenet large scale visual recognition challenge. *International Journal of Computer Vision*, 115(3):211–252, Dec 2015.
- [SSS<sup>+</sup>17] David Silver, Julian Schrittwieser, Karen Simonyan, Ioannis Antonoglou, Aja Huang, Arthur Guez, Thomas Hubert, Lucas Baker, Matthew Lai, Adrian Bolton, et al. Mastering the game of go without human knowledge. *Nature*, 550(7676):354, 2017.