

# My workshop about Typst for the fhLUG in Campus Hagenberg

Tim Peko (TimerErTim)

On June 8th, 2026, I had the wonderful opportunity to lead a Typst workshop for the fh Linux User Group at Campus Hagenberg, made possible by Daniel Knittl-Frank's excellent organization. It was a fantastic experience, with enthusiastic and engaged participants. In this blog post, you'll find highlights from the workshop as well as access to the full recording (German).

---

# Table of Contents

|                          |   |
|--------------------------|---|
| 1 Quick Background ..... | 3 |
| 2 The Workshop .....     | 3 |
| 2.1 About Typst .....    | 4 |
| 2.2 Deep Dive .....      | 4 |
| 2.2.1 #set-Rules .....   | 5 |
| 2.2.2 #show-Rules .....  | 6 |
| 2.2.3 Packages .....     | 6 |
| 3 Conclusion .....       | 7 |

If you're primarily interested in the workshop recording (German language only), you'll find the video at <https://www.youtube.com/watch?v=dQw4w9WgXcQ>

## 1 Quick Background

fhLUG is the **Linux User Group FH Hagenberg**. They host talks, workshops or simply get together roughly once a month to discuss Linux and topics from the open software world.

Daniel Knittl-Frank is the main organizer and head of the group. His support and hassle-free organization allowed me to focus on the content of the workshop. Thank you, Daniel!

## 2 The Workshop



Figure 1: Me after the workshop and snagging a fitting shirt.

Before jumping into action, we started with a high level overview of document writing and why **Typst** stands out. Did you know that you can categorize tools in two categories?




Figure 2: Two types of categories: Word Processors and Typesetting Systems.

The greatest advantage of typesetting is the separation between content and presentation. This allows for a lot of flexibility and reusability. It is literally what powers this blog website in its dark and light theme, as well as making blog posts available for download in a PDF optimized format.

Typst enables us to write documents programmatically. For example, let's generate the first 4 cubic numbers:

```

1  #for i in range(1, 4 + 1)
2  [
3  $i^3 = #calc.pow(i, 3)$

```



$1^3 = 1$   
 $2^3 = 8$   
 $3^3 = 27$   
 $4^3 = 64$

Not a single cubic number written by hand

See that?! We have the power of a full turing complete programming language at our fingertips.

## 2.1 About Typst

The [Typst GitHub Repository](#) has about **54.1k** stars and **441** Contributors, which is no small achievement at all. Development was initiated by **Martin Haug** and **Laurenz Mädje** in 2019. After 4 years of development they founded an organization in **Berlin**.




Figure 3:  
Martin  
Haug




Figure 4:  
Laurenz  
Mädje

There are two ways to make something flexible: Have a knob for everything or have a few knobs that you can combine in many ways. Typst is designed with the second way in mind.

–Typst `README.md`

The above quote perfectly captures the philosophy of Typst and lays the foundation for its expressive power.

## 2.2 Deep Dive




Figure 5: The three modes of Typst: *Markup*, *Math*, and *Code*. Arrows indicate syntax to switch between modes.

```

1 == A Title
2 *Bold* and _italic_ content.
3 #rect(stroke: red, "Trapped")
4 $ E(X) = \sum_{i=1}^n x_i P(X = x_i) $

```



**A Title**  
**Bold** and *italic* content.

Trapped

$$E(X) = \sum_{i=1}^n x_i P(X = x_i)$$

Listing 1: The markdown related *Markup* mode, switching to *Code* mode for `rect` drawing and *Math* mode for the equation.

The official [Typst Documentation](#) is a great resource to learn more about the syntax and features of Typst. You can directly jump into [the tutorial](#) for a step-by-step introduction to Typst's features.

Arguably the most powerful styling tools are the `#set` - and `#show` -Rules. You can already tell that they are invoked in *Code* mode.

### 2.2.1 #set -Rules

#set -Rules are used to set default parameters for the following functions.

#### Have you mentioned functions?

Turns out, everything you see in Typst is a function.

= Topic is really just syntactic sugar for an invocation of the `#heading("Topic")` function. `*Bold*` is just `#strong("Bold")`. This holds true for all of Typst and is the second foundation for its flexibility.



Let's say we wanted to change the text font for the rest of this document. I will just quickly insert

```
#set text(font: "Source Code Pro")...
```

Ah, there it is. Perfect! Neat huh?

Revert back with `#set text(font: Roboto)`

#### Mind the scope!

#set (and #show) -Rules are effective for the whole scope they are defined in. If you have a block

```
1 #[  
2   #set text(fill: red)  
3   Red Text  
4 ]  
5  
6 Text normal
```

 Typst



Red Text

Text normal

you can observe the red text #set -Rule only effects the *Markup* block. Had we left out the block:

```
1 #set text(fill: red)  
2 Red Text  
3  
4 Text normal
```

 Typst



Red Text

Text normal

you can observe the red text #set -Rule now effects the whole content.

### 2.2.2 #show-Rules

Whereas we saw #set-Rules to set default parameters for the following functions, #show-Rules are used to transform elements. For the rest of this document, I want “Typst” to show up in blue and in italic.

```
1 #show "Typst": set text(fill: blue)
2 #show "Typst": it => [_#(it)_]
```

Let's also try out putting the headings inside a green rectangle:

```
1 #show heading: it => rect(stroke: green, it)
```

If you continue on reading this blog post, you should notice all our intended #show-Rules are in place and working as expected.

### 2.2.3 Packages

This serves only as demonstration purpose about the power of the already promising package ecosystem: We will use the “conch” package for emulating a whole terminal right in our document:



```
timerertim@conch
timerertim@conch:~$ ls
test.txt
timerertim@conch:~$ cat test.txt
Show Line!
Ignore Line!
timerertim@conch:~$ cat test.txt | grep Show
Show Line!
timerertim@conch:~$
```

Very nice, looking like a real terminal! Can you believe that all of that is just 19 lines of code?

```
1  #import "@preview/conch:0.1.0": terminal-block, system
2
3  #terminal-block(
4    width: 100%,
5    user: "timerertim",
6    system: system(
7      files: (
8        "test.txt": (
9          "Show Line!",
10         "Ignore Line!"
11       ).join("\n")
12     )
13   ),
14   ```
15   ls
16   cat test.txt
17   cat test.txt | grep Show
18   ```
19 )
```

 Typst

### 3 Conclusion

Thanks for reading this far! I hope you enjoyed the very brief overview of [Typst](#) and the incredibly steep deep dive. You can find a few resources below in order to dive deeper into [Typst](#):

- [Typst Documentation](#)
- [Typst Tutorial](#)
- [Typst Forum](#)
- [Typst Universe](#) (Package Registry)
- [Typst GitHub Repository](#)