

# Computers and Typesetting

Donald E. Knuth

1999

With a suitable setting of the parameters, we can even imitate atypewriter with its fixed width letters, as shown in Figure 13e. Thereis also a provision to slant the letters as in Figure 13f; here the penposition is varied, but the actual shape of the pen is not being slanted, so circular dots remain circles.

---

Finally, Figure 13i illustrates the variations you can get by giving weirder settings to the parameters. **In other words, there is a unique tangent at every point of the curve.** *This chapter and the next are for readers who share my fascination with original source documents. The draft report I wrote during the first third of May was entitled TEXDR.AFT*

Several years ago when I began to look at the problem of designing suit-able alphabets for use with modern printing equipment, I found that 25 of the letters were comparatively easy to deal with. The other letterwas S. For three days and nights I had a terrible time trying to under-stand how a proper S could really be defined. The solution I finally cameup with turned out to involve some interesting mathematics, and I be-lieve that students of calculus and analytic geometry may enjoy lookinginto the question as I did. The purpose of this paper is to explain whatI now consider to be the “right” mathematics underlying printed S’s, and also to give an example of the METAFONT language I have recentlybeen developing.\* (A complete description of METAFONT, which is a computer system and language intended to aid in the design of lettershapes, appears in [3, part 3].)

## 1. First part

Before getting into a technical discussion, I should probably mentionwhy I started worrying about such things in the first place. The centralreason is that today’s printing technology is essentially based on discrete mathematics and computer science, not on the properties of metals orof movable type. The task of making a plate for a printed page is nowessentially that of constructing a gigantic matrix of 0s and 1s, where the0s specify white space and the 1s specify ink. I wanted the second editionof one of my books to look like the first edition, although the first editionhad been typeset with the old hot-lead technology; and when I realizedthat this problem could be solved by using appropriate techniques ofdiscrete mathematics and computer science, I couldn’t resist trying tofind my own solution.

### 1.2. Sub-sect

By studying this example we can get some idea of the problems in-volved in specifying a proper S shape. However, I was actually seekingthe solution to a more general problem than the one Torniello faced:Instead of specifying only one particular S, I needed many different vari-ations, including bold face S’s that are much darker than the normaltext.I discussed this recently with Alan Perlis, who pointed out that acentral issue arising whenever we try to automate something properly iswhat he calls “the art of making constant things variable.”

After looking at these Renaissance constructions and a lot of mod-ern S shapes, I came to the conclusion that the main stroke of thegeneral S curve I sought would be analogous to the curve in Figure 6;each boundary curve was to be an ellipse followed by a straight linefollowed by another ellipse. This led me to pose the following problem:What ellipse has its topmost point at  $(xt, yt)$  and its leftmost point at  $(xl, yl)$  for some  $yl$ , and is tangent to the straight line of slope  $m$  thatpasses through  $(xc, yc)$ , given the values of  $xt$ ,  $yt$ ,  $xl$ ,  $xl$ ,  $xc$ , and  $yc$ ? (The ellipse in question is supposed to have the coordinate axes as its major and minor axes; in other words, it should have left-right sym-metry. See Figure 7 on the next page.) The reason for my posing thisproblem should be fairly clear from our previous discussions: We know a point that is supposed to be the top of the S curve, and we also know

howfar the curve should extend to the left; furthermore we have a straightline in mind that will form the middle link of the stroke.

## 2. Second part

After looking at these Renaissance constructions and a lot of mod-ern S shapes, I came to the conclusion that the main stroke of the general S curve I sought would be analogous to the curve in Figure 6; each boundary curve was to be an ellipse followed by a straight line followed by another ellipse. This led me to pose the following problem: What ellipse has its topmost point at  $(xt, yt)$  and its leftmost point at  $(xl, yl)$  for some  $yl$ , and is tangent to the straight line of slope  $\text{slope}$  that passes through  $(xc, yc)$ , given the values of  $xt, yt, xl, xc$ , and  $yc$ ? (The ellipse in question is supposed to have the coordinate axes as its major and minor axes; in other words, it should have left-right symmetry. See Figure 7 on the next page.) The reason for my posing this problem should be fairly clear from our previous discussions: We know a point that is supposed to be the top of the S curve, and we also know howfar the curve should extend to the left; furthermore we have a straightline in mind that will form the middle link of the stroke.

The problem stated in the preceding paragraph is interesting to me for several reasons. In the first place, it has a nice answer (as we will see). In the second place, the answer does in fact lead to satisfactory S curves. In the third place, the answer isn't completely trivial; during a period of two years or so I came across this problem four different times and each time I was unable to find my notes about how to solve it, so I spent several hours deriving and rederiving the formulas whenever I needed them. Finally I decided to write this paper so that I wouldn't have to derive the answer again.

These four simultaneous linear equations in  $x$ ,  $y$ ,  $\text{slope}$ , and  $xc$  are easily solved; and in fact METAFONT will automatically solve simultaneous linear equations, so it is easy to compute the intersection of lines in METAFONT programs.




Figure 1: Look at this "calibration image"!!!!

It turned out that it was not hard to achieve this level of quality with respect to the formatting of text, after about two years of work.

1. A list item, WOW

2. A second thing
3. We are up to threeee
4. This is the last one :(

When I looked at them, I was sure that there must be a bug eitherin IDEAL or in the troff processor that typeset the IDEAL output, be-cause the long shafts of the arrows did not properly bisect the anglemade by the two short lines of the arrowheads. The shafts seemed tobe drawn one pixel too high or too low. Chris spent many hours to-gether with Brian Kernighan trying to find out what was wrong, butno errors could be pinned down. Eventually his thesis was printed ona high-resolution phototypesetter, and the problem became much lessnoticeable than it had been on the laserprinted proofs. There still wasa glitch, but I decided not to hold up Chris's graduation for the sake ofa misplaced pixel.

Some text, like a really long amount of text. This is just to force a linebreak.	Some more text	Even more
Some text 2	Some more text 2	Even more 2
Some text 3	Some more text 3	Even more 3

Laboratory Memo AIM-332 (September 1979), 105 pp.; then it wasreprinted on a Penguin, with minor corrections, in the Digital Pressbook mentioned earlier.




Figure 2: Look at this "calibration image"!!!!