

Week 4 - Factoring & Debugging

What is programming?

- Problem solving
 - Using a specific toolkit (computer code)
 - Combined with logic

We write a series of logical steps that can be taken (given assumed inputs) in order to realize a desired outcome

How do we solve a problem?

- In programming, we utilize a method called **Functional Decomposition**
 - Also called **Factoring**
 - Break a problem down (decompose it) into its smallest functional elements
 - Construct those elements
 - Combine elements to achieve the end goal

Factoring Recent Assignments

1. `StudentRecord` and `Course` classes

2. Recursive Functions

Let's walk through factoring these problems

Advantages of Factoring

- Your code will be easier to read
- You will know what you need to do
- It is clear what the next step is
- Your code will be **reusable** to a greater extent
 - Other programmers will have an easier time following your code
- It will be easier to **debug** and run **unit tests**

What is Debugging?

Debugging is, like the name suggests, the process of removing bugs from a program or script.

- Why do we get the error that we get?
- How is data moving through our code?
- What needs to be fixed?

Note: The name has its origins in the physical removal of bugs from giant vacuum-tube computers in the early/mid 20th century

What is Unit Testing?

Unit Testing is the process of feeding many different (and possibly wrong) types of information to our code in order to determine how the code will work under less-than-ideal circumstances.

- What happens if our input is incorrectly formatted?
- What if the data is the wrong **type**?
- What if ...

Why Should I Debug and Unit Test?

- **Debugging** is critical, since our code will not work if it contains bugs. At the very least, it will not work as we expect it to
- **Unit Testing** is how we understand where our code fails to prepare for any possible case that could occur
 - We need this if we want to prevent "Garbage In, Garbage Out" problems in the future

Moving from Mimir Notebooks to a Debugger

In order to be better able to use these functions, we need to leave Mimir Notebooks behind (although it is all [possible](#) there, just harder to work with).

Let's work through some code, in order to learn how to debug it.

Here is the [file](#)

Let's work with it here: [Python Online Debugger](#)

Doing Debugging

Doing Unit Tests

Using Try, Except

```
try:  
    myCode()  
except:  
    raise RuntimeError("This is what went wrong...")  
    # We could also use any other kind of error  
    # TypeError, KeyError, etc.
```

For more types of errors, see [this list](#)

This kind of code block allows us to create code that **might actually fail**, but that we want to run wherever possible, while being notified when it does not succeed.

Lab Time!