

## 6.2 Deep Learning

### *Machine Learning 1: Foundations*

Marius Kloft (TUK)


1 Training Neural Networks

2 Deep Learning

# Recap

## CNNs

- ▶ learn a prediction model and an image representation at the same time



# What is Deep Learning?

# What is Deep Learning?

Many CNNs that are used for image processing are really deep: they consist of **8 layers** or more (sometimes  $>1000$ ).

# What is Deep Learning?

Many CNNs that are used for image processing are really deep: they consist of **8 layers** or more (sometimes  $>1000$ ).

⇒ We speak of deep learning.

# What is Deep Learning?

Many CNNs that are used for image processing are really deep: they consist of **8 layers** or more (sometimes  $>1000$ ).

⇒ We speak of deep learning.

## Definition

An ANN with many layers (usually eight or more) is called **deep neural network**.

# One of the First Deep-learning Papers: AlexNet

---

## ImageNet Classification with Deep Convolutional Neural Networks

---


<b>Alex Krizhevsky</b> University of Toronto kriz@cs.utoronto.ca	<b>Ilya Sutskever</b> University of Toronto ilya@cs.utoronto.ca	<b>Geoffrey E. Hinton</b> University of Toronto hinton@cs.utoronto.ca
--	---	---

### Abstract


We trained a large, deep convolutional neural network to classify the 1.2 million high-resolution images in the ImageNet LSVRC-2010 contest into the 1000 different classes. On the test data, we achieved top-1 and top-5 error rates of 37.5% and 17.0% which is considerably better than the previous state-of-the-art. The neural network, which has 60 million parameters and 650,000 neurons, consists of five convolutional layers, some of which are followed by max-pooling layers, and three fully-connected layers with a final 1000-way softmax. To make training faster, we used non-saturating neurons and a very efficient GPU implementation of the convolution operation. To reduce overfitting in the fully-connected layers we employed a recently-developed regularization method called “dropout” that proved to be very effective. We also entered a variant of this model in the ILSVRC-2012 competition and achieved a winning top-5 test error rate of 15.3%, compared to 26.2% achieved by the second-best entry.



# AlexNet Architecture




# Super-human Performance of DL in Image Classification




# Number of Layers Increasing

>1000



2020


# How Deep Can We Go?



Goodfellow et al., Fig. 1.11

# How Deep Learning Works

- ▶ A central concept of deep learning is that lower layers extract basic features (e.g., edge detectors), while higher layers compose them to complex features (complex cells, invariant object detectors).
- ▶ This is in rough correspondence with our understanding of how the visual cortex processes images.




Reconstructions from different layers of AlexNet.

## Further Reading

More very interesting aspects of visualization (multiple methods and examples) can be found at

<http://cs231n.github.io/understanding-cnn/>,  
where we find also a nice visualization of a typical, well-learned filter by a CNN (1st layer left, 2nd layer right):



# We Stop Here

There is a lot more to know about deep learning (some of it in ML2):

- ▶ Autoencoders (later in this course)
- ▶ Residual neural networks
- ▶ Deep Boltzmann machines
- ▶ Deep belief networks
- ▶ Recurrent neural networks (see TUK course *Very Deep Learning*)
- ▶ Deep generative models (ML2)
- ▶ Applications in computer vision
  - ▶ Didier Stricker's Courses at TUK
- ▶ Various kinds of other applications:
  - ▶ e.g., AI art, speech recognition, and natural language processing (see *Very Deep Learning*)

Good fellow etc.  
(2016).  
Deep Learning.

# Conclusion

Deep learning

- ▶ ANNs using eight or more layers



# Conclusion

Deep learning

- ▶ ANNs using eight or more layers

Has led to drastic improvements in many applications

- ▶ e.g., computer vision

# Conclusion


Deep learning

- ▶ ANNs using eight or more layers

Has led to drastic improvements in many applications

- ▶ e.g., computer vision

Deep vs. shallow learning:



# References I



A. Krizhevsky, I. Sutskever, and G. E. Hinton, Imagenet classification with deep convolutional neural networks, in *Advances in neural information processing systems*, 2012, pp. 1097–1105.



I. Goodfellow, Y. Bengio, and A. Courville, Deep Learning. The MIT Press, 2016, ISBN: 0262035618.