

**CONFIDENTIAL**

# GStreamer

Release Note: Software

## R-Car H3/M3/M3N/E3 Series

All information contained in these materials, including products and product specifications, represents information on the product at the time of publication and is subject to change by Renesas Electronics Corp. without notice. Please review the latest information published by Renesas Electronics Corp. through various means, including the Renesas Electronics Corp. website (<http://www.renesas.com>).

## Notice

1. Descriptions of circuits, software and other related information in this document are provided only to illustrate the operation of semiconductor products and application examples. You are fully responsible for the incorporation or any other use of the circuits, software, and information in the design of your product or system. Renesas Electronics disclaims any and all liability for any losses and damages incurred by you or third parties arising from the use of these circuits, software, or information.
2. Renesas Electronics hereby expressly disclaims any warranties against and liability for infringement or any other claims involving patents, copyrights, or other intellectual property rights of third parties, by or arising from the use of Renesas Electronics products or technical information described in this document, including but not limited to, the product data, drawings, charts, programs, algorithms, and application examples.
3. No license, express, implied or otherwise, is granted hereby under any patents, copyrights or other intellectual property rights of Renesas Electronics or others.
4. You shall be responsible for determining what licenses are required from any third parties, and obtaining such licenses for the lawful import, export, manufacture, sales, utilization, distribution or other disposal of any products incorporating Renesas Electronics products, if required.
5. You shall not alter, modify, copy, or reverse engineer any Renesas Electronics product, whether in whole or in part. Renesas Electronics disclaims any and all liability for any losses or damages incurred by you or third parties arising from such alteration, modification, copying or reverse engineering.
6. Renesas Electronics products are classified according to the following two quality grades: "Standard" and "High Quality". The intended applications for each Renesas Electronics product depends on the product's quality grade, as indicated below.

"Standard": Computers; office equipment; communications equipment; test and measurement equipment; audio and visual equipment; home electronic appliances; machine tools; personal electronic equipment; industrial robots; etc.

"High Quality": Transportation equipment (automobiles, trains, ships, etc.); traffic control (traffic lights); large-scale communication equipment; key financial terminal systems; safety control equipment; etc.

Unless expressly designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not intended or authorized for use in products or systems that may pose a direct threat to human life or bodily injury (artificial life support devices or systems; surgical implantations; etc.), or may cause serious property damage (space system; undersea repeaters; nuclear power control systems; aircraft control systems; key plant systems; military equipment; etc.). Renesas Electronics disclaims any and all liability for any damages or losses incurred by you or any third parties arising from the use of any Renesas Electronics product that is inconsistent with any Renesas Electronics data sheet, user's manual or other Renesas Electronics document.

7. No semiconductor product is absolutely secure. Notwithstanding any security measures or features that may be implemented in Renesas Electronics hardware or software products, Renesas Electronics shall have absolutely no liability arising out of any vulnerability or security breach, including but not limited to any unauthorized access to or use of a Renesas Electronics product or a system that uses a Renesas Electronics product. RENESAS ELECTRONICS DOES NOT WARRANT OR GUARANTEE THAT RENESAS ELECTRONICS PRODUCTS, OR ANY SYSTEMS CREATED USING RENESAS ELECTRONICS PRODUCTS WILL BE INVULNERABLE OR FREE FROM CORRUPTION, ATTACK, VIRUSES, INTERFERENCE, HACKING, DATA LOSS OR THEFT, OR OTHER SECURITY INTRUSION ("Vulnerability Issues"). RENESAS ELECTRONICS DISCLAIMS ANY AND ALL RESPONSIBILITY OR LIABILITY ARISING FROM OR RELATED TO ANY VULNERABILITY ISSUES. FURTHERMORE, TO THE EXTENT PERMITTED BY APPLICABLE LAW, RENESAS ELECTRONICS DISCLAIMS ANY AND ALL WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THIS DOCUMENT AND ANY RELATED OR ACCOMPANYING SOFTWARE OR HARDWARE, INCLUDING BUT NOT LIMITED TO THE IMPLIED WARRANTIES OF MERCHANTABILITY, OR FITNESS FOR A PARTICULAR PURPOSE.
8. When using Renesas Electronics products, refer to the latest product information (data sheets, user's manuals, application notes, "General Notes for Handling and Using Semiconductor Devices" in the reliability handbook, etc.), and ensure that usage conditions are within the ranges specified by Renesas Electronics with respect to maximum ratings, operating power supply voltage range, heat dissipation characteristics, installation, etc. Renesas Electronics disclaims any and all liability for any malfunctions, failure or accident arising out of the use of Renesas Electronics products outside of such specified ranges.
9. Although Renesas Electronics endeavors to improve the quality and reliability of Renesas Electronics products, semiconductor products have specific characteristics, such as the occurrence of failure at a certain rate and malfunctions under certain use conditions. Unless designated as a high reliability product or a product for harsh environments in a Renesas Electronics data sheet or other Renesas Electronics document, Renesas Electronics products are not subject to radiation resistance design. You are responsible for implementing safety measures to guard against the possibility of bodily injury, injury or damage caused by fire, and/or danger to the public in the event of a failure or malfunction of Renesas Electronics products, such as safety design for hardware and software, including but not limited to redundancy, fire control and malfunction prevention, appropriate treatment for aging degradation or any other appropriate measures. Because the evaluation of microcomputer software alone is very difficult and impractical, you are responsible for evaluating the safety of the final products or systems manufactured by you.
10. Please contact a Renesas Electronics sales office for details as to environmental matters such as the environmental compatibility of each Renesas Electronics product. You are responsible for carefully and sufficiently investigating applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive, and using Renesas Electronics products in compliance with all these applicable laws and regulations. Renesas Electronics disclaims any and all liability for damages or losses occurring as a result of your noncompliance with applicable laws and regulations.
11. Renesas Electronics products and technologies shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations. You shall comply with any applicable export control laws and regulations promulgated and administered by the governments of any countries asserting jurisdiction over the parties or transactions.
12. It is the responsibility of the buyer or distributor of Renesas Electronics products, or any other party who distributes, disposes of, or otherwise sells or transfers the product to a third party, to notify such third party in advance of the contents and conditions set forth in this document.
13. This document shall not be reprinted, reproduced or duplicated in any form, in whole or in part, without prior written consent of Renesas Electronics.
14. Please contact a Renesas Electronics sales office if you have any questions regarding the information contained in this document or Renesas Electronics products.

(Note1) "Renesas Electronics" as used in this document means Renesas Electronics Corporation and also includes its directly or indirectly controlled subsidiaries.

(Note2) "Renesas Electronics product(s)" means any product developed or manufactured by or for Renesas Electronics.

(Rev.5.0-1 October 2020)

## Corporate Headquarters

TOYOSU FORESIA, 3-2-24 Toyosu,  
Koto-ku, Tokyo 135-0061, Japan

[www.renesas.com](http://www.renesas.com)

## Trademarks

Renesas and the Renesas logo are trademarks of Renesas Electronics Corporation. All trademarks and registered trademarks are the property of their respective owners.

## Contact information

For further information on a product, technology, the most up-to-date version of a document, or your nearest sales office, please visit:  
[www.renesas.com/contact/](http://www.renesas.com/contact/).

# CONFIDENTIAL

## Trademark

- Linux® is the registered trademark of Linus Torvalds in the U.S. and other countries.
- Arm is a registered trademark of Arm Limited (or its subsidiaries) in the US and/or elsewhere.
- Other company names and product names mentioned herein are registered trademarks or trademarks of their respective owners.
- Registered trademark and trademark symbols (® and ™) are omitted in this document

## CONFIDENTIAL

# How to Use This Manual

- **[Readers]**

This manual is intended for engineers who develop products which use the R-Car H3/M3/M3N processor.

- **[Purpose]**

This manual is intended to give users an understanding of the functions of the R-Car H3/M3/M3N processor device driver and to serve as a reference for developing hardware and software for systems that use this GStreamer plug-in.

- **[How to Read This Manual]**

It is assumed that the readers of this manual have general knowledge in the fields of electrical

— engineering, logic circuits, microcontrollers, and Linux.

→ Read this manual in the order of the CONTENTS.

— To understand the functions of a multimedia processor for R-Car H3/M3/M3N

→ See the R-Car H3/M3 User's Manual.

— To know the electrical specifications of the multimedia processor for R-Car H3/M3/M3N

→ See the R-Car H3/M3 Data Sheet.

- **[Conventions]**

The following symbols are used in this manual.

Data significance: Higher digits on the left and lower digits on the right

**Note:** Footnote for item marked with Note in the text

**Caution:** Information requiring particular attention

**Remark:** Supplementary information

Numeric representation: Binary ... xxxx, 0bxxxx, or xxxxB

Decimal ... xxxx

Hexadecimal ... 0xxxxx or xxxxH

Data type: Word ... 32 bits

Half word ... 16 bits

Byte ... 8 bits

## Table of Contents

1. Introduction .....	1
2. List of GStreamer Software Contents .....	2
2.1 Software .....	2
2.2 Documentation (How to handle) .....	2
2.3 Supported Function .....	3
3. Restriction .....	5
3.1 Known issue .....	5
3.2 Workaround .....	5
3.3 Close issue .....	5
3.4 Known functional limitations of delivered functions .....	5
3.5 Non-validated function .....	5
4. Notice .....	6

## 1. Introduction

This is a release note for GStreamer 1.X plugins which work on Multi Media Package (MMP) for R-Car H3 / M3 / M3N / E3 and R-Car H3e / M3e / M3Ne / E3e Linux.

This software has functionality as GStreamer 1.X plugins, which is created by Yocto recipe package and Linux BSP, and works on MMP for R-Car H3 / M3 / M3N / E3 and R-Car H3e / M3e / M3Ne / E3e Linux. This document describes how to handle the plugins, the known issues.

The assumption of this software is:

- To be installed Yocto recipe package from v5.9.0 (or later) and Linux BSP. Please refer to Yocto recipe Start-Up Guide.

## 2.List of GStreamer Software Contents

### 2.1 Software

GStreamer 1.X plug-in patch files are in renesas-rcar GitHub. (<https://github.com/renesas-rcar>)

Plugin	URL	Branch name	Commit ID
gst-omx	<a href="https://github.com/renesas-rcar/gst-omx">https://github.com/renesas-rcar/gst-omx</a>	RCAR-GEN3e/1.16.3	37296f66e3392d8dcdcdade14b89b05dd7507dc39
gst-plugins-good	<a href="https://github.com/renesas-rcar/gst-plugins-good">https://github.com/renesas-rcar/gst-plugins-good</a>	RCAR-GEN3e/1.16.3	58f1eea1eed684fc49c16d79a8cadfe3ad1f67c
gst-plugins-bad	<a href="https://github.com/renesas-rcar/gst-plugins-bad">https://github.com/renesas-rcar/gst-plugins-bad</a>	RCAR-GEN3e/1.16.3	0c9bd4e3fe26ec32928d2a3e93b618857ff50e26
gst-plugin-vspfilter	<a href="https://github.com/renesas-rcar/gst-plugin-vspfilter">https://github.com/renesas-rcar/gst-plugin-vspfilter</a>	RCAR-GEN3e/1.0.2	351d87c80ed57ce8e1b77bee3e97a3ec4b154eca

### 2.2 Documentation (How to handle)

Please refer to the following document to handle the plugins

GStreamer User's Manual (RENESAS\_RCH3M3M3NE3\_GStreamer\_UsersManual\_UME\_v2.30.pdf )

## 2.3 Supported Function

This software provides for GStreamer 1.X elements included the following plugins.

### **gst-omx plugin**

- omxh264dec : H.264 decoder Openmax IL element
- omxmpeg4videodec : MPEG4Video decoder Openmax IL element
- omxvc1dec : VC-1 decoder Openmax IL element
- omxh265dec : H.265 decoder Openmax IL element
- omxvp8dec : VP8 decoder Openmax IL element
- omxvp9dec : VP9 decoder Openmax IL element
- omxaaclcdec : AAC-LC decoder Openmax IL element
- omxaacdec : AAC Plus decoder Openmax IL element
- omxmp3dec : MP3 decoder Openmax IL element
- omxwmadec : WMA decoder Openmax IL element
- omxh264enc : H.264 encoder Openmax IL element
- omxvp8enc : VP8 encoder Openmax IL element

### **gst-plugins-good plugin**

- v4l2src : Reads frames from a Video4Linux2 device

### **gst-plugins-bad plugin**

- waylandsink : Sink element for Wayland/Weston
- kmssink : Sink element for kms/drm

### **gst-plugin-vspfitler plugin**

- vspfilter : Support a scaling and color space conversion by VSPI



Additionally, the following plugins is used in an operations check.

**gst-plugins-base plugin**

alsasink, audioresample, audioconvert, videorate

**gst-plugins-good plugin**

qtdemux, aacparse, mpegaudioparse, matroskademux, videocrop

**gst-plugins-bad plugin**

h264parse, mpeg4videoparse, h265parse

**gst-plugins-ugly plugin**

- asfdemux

## 3.Restrictio

### 3.1 Known issue

- None.

### 3.2 Workaround

- None.

### 3.3 Close issue

- #315407: [Alpha release] [v4l2src] Capture RCA signal has incorrect resolution (720x240)  
=> VIN driver issue. Fixed in Beta release
- #315409: [Alpha release] [gstomxvp9dec] Haven't supported dynamic resolution  
=> gstomx issue. Fixed in Beta release.
- #315404: [Alpha release] [v4l2src] Capture with scaling and cropping cannot work correctly.  
=> VIN driver issue. Fixed in Final release.
- #330766: [Beta release] [v4l2src] Issues happen with GStreamer (v4l2src) and VIN at high resolution (1280x720 or 1920x1080p)  
VIN driver issue. Fixed in Final release.
- #331004: [Beta release] [v4l2src] Cannot capture RCA with RGB16, YUY2, UYVY and BGRx formats  
VIN driver issue. Fixed in Final release
- #326493: Meet critical error “\_masked\_scan\_uint32\_peek: assertion '(guint64) offset + size <= reader->size - reader->byte' failed”  
Parser issue. Solution: Manual back-port fixing commit in v1.17.1:  
<https://github.com/GStreamer/gstreamer/commit/e94ad24b9f8a1d285f66ffc7a0829bda5810adda>
- #332867: Meet critical error “gst\_buffer\_add\_video\_time\_code\_meta\_full: assertion 'GST\_IS\_BUFFER (buffer)' failed”  
Parser issue. Solution: Manual back-port fixing commit in v1.19.0:  
<https://github.com/GStreamer/gst-plugins-bad/commit/0f084d46247f9009584b482cea8196b5b871cc73>

### 3.4 Known functional limitations of delivered functions

- Scaling function of v4l2src cannot use by restriction of HW on R-Car H3 ver1.x./Ver2.0
- Scaling function of v4l2src with interlaced capture data cannot use by restriction of HW on R-Car H3/M3/M3N/E3

### 3.5 Non-validated function

None.

## 4. Notice

- omxvp9dec can use only on M3N/E3/M3Ne/E3e device.

# CONFIDENTIAL

REVISION HISTORY	Linux Interface Specification GStreamer Release Note: Software
------------------	---

Rev.	Date	Description
		Summary
0.1	Oct. 26, 2015	<ul style="list-style-type: none"> <li>- New creation</li> <li>- support omxh264dec and omxaacldcdec</li> <li>- support waylandsink</li> <li>- support vspfilter</li> </ul>
0.2	Nov. 6, 2015	<ul style="list-style-type: none"> <li>- fix the problem that sometimes "Caught SIGSEGV" happens after video finished. (#78736)</li> </ul>
0.3	Mar. 9, 2016	<ul style="list-style-type: none"> <li>- Delete notice about media-ctl</li> <li>- fix the problem that the wl_buffer is not destroyed when the GstBuffer meta data is freed. (#82492, fix waylandsink)</li> <li>- fix the problem that actual framerate is reduced than requested framerate by the race condition of the thread in waylandsink. (#81452, fix waylandsink)</li> <li>- fix the problem of memory leakage. (#83766, fix waylandsink)</li> <li>- fix the YUV420M colorspace conversion (#80462, fix vspfilter)</li> </ul>
0.4	Apr. 15, 2016	gst-omx <ul style="list-style-type: none"> <li>- support omxmpeg4videodec, omxvc1dec, omxh265dec, omxaacdec, omxmp3dec, omxwmadec, omxh264enc</li> <li>- support lossy compression mode</li> <li>- fix the problem that cannot decode video file has 1 or 2 frames of dmabuf mode (#83788)</li> <li>- remove redundant source code (#85991)</li> </ul> gst-plugins-good <ul style="list-style-type: none"> <li>- support v4l2src</li> </ul>
0.5	May. 20, 2016	All <ul style="list-style-type: none"> <li>- Revise in order to use the zlinux_dmabuf protocol on new wayland</li> </ul> gst-plugins-bad <ul style="list-style-type: none"> <li>- Revise that waylandsink uses the zlinux_dmabuf protocol (#85778)</li> </ul> gst-omx <ul style="list-style-type: none"> <li>- Revise dmabuf implement to match with new waylandsink (#87158)</li> </ul> gst-plugin-vspfilter <ul style="list-style-type: none"> <li>- Add vspfilter's buffer and a new support for the MMAP io-mode (#89898)</li> </ul>
0.6	Aug. 24, 2016	All <ul style="list-style-type: none"> <li>- Change format of this release note about "Restriction" section</li> </ul> gst-plugins-bad <ul style="list-style-type: none"> <li>- support a new property that can disable the subsurface creation on waylandsink</li> <li>- fix the problem that inserts tee element before waylandsink (#91255)</li> <li>- fix the debug message issue (#94251)</li> </ul> gst-plugins-good <ul style="list-style-type: none"> <li>- support NV12/NV16 multi-plane format</li> </ul> gst-omx <ul style="list-style-type: none"> <li>- support dmabuf mode for omxh264enc</li> <li>- support buffer re-configuration to reduce consumption memory for omxvideo decoder</li> <li>- replace official OMX header file</li> <li>- remove redundant source code</li> <li>- fix the problem that cannot use-dmabuf in cases of hacks is copy/no-copy (#94794)</li> <li>- fix the problem of setting incorrect framerate in no-copy mode (no-copy=true) (#99367)</li> </ul> gst-plugin-vspfilter <ul style="list-style-type: none"> <li>- support to use symbolic link to the device specified of vspfilter</li> <li>- fix the problem that accesses NULL allocator (#92743)</li> <li>- fix the debug message issue (#94252) (#98661)</li> </ul>

## CONFIDENTIAL

0.7	Jan. 26, 2017	<p>All</p> <ul style="list-style-type: none"> <li>- update a version of GStreamer from 1.4.5 to 1.6.3</li> <li>- fix some problems</li> </ul> <p>gst-plugins-bad/waylandsink</p> <ul style="list-style-type: none"> <li>- fix the problem that cannot be continuous playback of multiple files using gst-play app</li> </ul> <p>gst-plugins-good/v4l2src</p> <ul style="list-style-type: none"> <li>- support "no-resurrect-buf" property</li> <li>- fix the problem that captured stream displays some first frames then stuck (NV16/dmabuf + videoconvert plugin)</li> </ul> <p>gst-omx</p> <ul style="list-style-type: none"> <li>- support receive mpeg audio stream have layer1/2 (omxmp3dec)</li> <li>- exclude checking resolution of video decoders</li> <li>- fix the problem that can not build without OMX video header</li> <li>- fix the problem that condition to check for number of received buffer more than nBufferCountActual of OMX MC is wrong (omxh264enc)</li> <li>- fix the problem that lack of hacks on gstomx.conf (omxmpeg4videodec)</li> </ul> <p>gst-plugin-vspfilter</p> <ul style="list-style-type: none"> <li>- replace RGB32 new format of v4l2 IF</li> <li>- fix memory leak</li> </ul>
0.8	Mar. 15, 2017	<p>All</p> <ul style="list-style-type: none"> <li>- fix some problems</li> </ul> <p>gst-plugins-bad/waylandsink</p> <ul style="list-style-type: none"> <li>- add the opaque region hint on non-alpha video surface to eliminate unnecessary composition</li> </ul> <p>gst-plugins-good/v4l2src</p> <ul style="list-style-type: none"> <li>- fix the problem of v4l2src userptr mode with gst-launch -e (#104508)</li> <li>- improve timestamp and offset of v4l2src for buffer of NV12/NV16 multi plane</li> <li>- add "--enable-ignore-fps-of-video-standard" configure option</li> </ul> <p>gst-omx</p> <ul style="list-style-type: none"> <li>- fix the problem of SIGSEGV error after resolution error from OMX video decoder (#109937)</li> <li>- add timestamp information for buffer contain codec data of omxh264enc for improving timestamp information of qtmux</li> <li>- improve that H.264 encoding of Level 1 which is out of standard</li> </ul>
1.00	Aug. 8, 2017	<p>All</p> <ul style="list-style-type: none"> <li>- fix memory leak</li> </ul> <p>gst-omx</p> <ul style="list-style-type: none"> <li>- improve seek function</li> <li>- improve reconfigure sequence</li> <li>- fix some log messages and coding style</li> </ul>

## CONFIDENTIAL

1.10	Jan. 12, 2018	<p>All</p> <ul style="list-style-type: none"> <li>- update a version of GStreamer from 1.6.3 to 1.12.2</li> </ul> <p>gst-omx</p> <ul style="list-style-type: none"> <li>- support omxvp8dec, omxvp9dec, omxvp8enc</li> </ul> <p>gst-plugin-vspfilter</p> <ul style="list-style-type: none"> <li>- support NV21/NV16/YUY2 format</li> </ul>
1.20	Mar. 14, 2018	<p>All</p> <ul style="list-style-type: none"> <li>- fix some problems</li> </ul> <p>gst-omx</p> <ul style="list-style-type: none"> <li>- add a new property for h264encoder</li> <li>- fix the problem of the framerate information contained in the encoded container (#149523)</li> </ul> <p>gst-plugins-bad/waylandsink</p> <ul style="list-style-type: none"> <li>- add a new property that suppress setting interlace flag (#149515)</li> </ul> <p>gst-plugins-good/v4l2src</p> <ul style="list-style-type: none"> <li>- adjust the number of buffers to allocate with downstream requests (#149515)</li> </ul>
1.30	Apr. 18, 2018	<p>gst-omx</p> <ul style="list-style-type: none"> <li>- add a new property of cropping display for video decoder</li> <li>- update default output allocation for VP9 decoder</li> </ul>
1.40	Oct. 12, 2018	<p>All</p> <ul style="list-style-type: none"> <li>- fix static analysis warning</li> </ul> <p>gst-omx</p> <ul style="list-style-type: none"> <li>- improve buffer free timing</li> </ul> <p>gst-plugin-vspfilter</p> <ul style="list-style-type: none"> <li>- add a new property of full-range color conversion</li> </ul>
2.00	Nov 26, 2018	<p>gst-omx</p> <ul style="list-style-type: none"> <li>- improve bufferpool handling</li> </ul>
2.10	April 6, 2021	<ol style="list-style-type: none"> <li>1. Introduction <ul style="list-style-type: none"> <li>Add information of Gen3e</li> <li>Update yocto package into v5.1.0</li> </ul> </li> <li>2.1 Update release source code (branch &amp; commit)</li> <li>2.2 Update version of UM</li> <li>3.1: Update Known issue in yocto package 5.1.0 (#315404, #315407, #315409)</li> <li>- Update AddressList</li> </ol>
2.20	August 16, 2021	<ol style="list-style-type: none"> <li>1. Introduction <ul style="list-style-type: none"> <li>Update yocto package into v5.5.0</li> </ul> </li> <li>2.1 Update release source code (commit)</li> <li>2.2 Update version of UM</li> <li>2.3 Add kmssink and videocrop</li> <li>3.3: Update close issue in yocto package v5.5.0</li> </ol>
2.30	December 01, 2021	<ul style="list-style-type: none"> <li>- Update notice page</li> <li>- 1. Introduction: Update yocto package into v5.9.0</li> <li>- 2.1 Software: Update release source code (commit)</li> <li>- 2.2 Documentation (How to handle): Update version of GStreamer User's Manual to v2.30</li> <li>- 3.1 Known issue: Update to "None".</li> <li>- 3.3 Close issue: Update for closed issues (issues found from Alpha &amp; Beta Release and issue of parsers)</li> <li>- 4 Notice: Add M3Ne and E3e information: "omxvp9dec can use only on M3N/E3/M3Ne/E3e device."</li> </ul>

# CONFIDENTIAL

---

GStreamer

Release Note: Software

Publication Date:   Rev.0.10   Oct 23, 2015  
                          Rev.2.30   Dec 01, 2021

Published by:       Renesas Electronics Corporation

---



## SALES OFFICES

## Renesas Electronics Corporation

<http://www.renesas.com>

Refer to "<http://www.renesas.com/>" for the latest and detailed information.

### **Renesas Electronics Corporation**

TOYOSU FORESIA, 3-2-24 Toyosu, Koto-ku, Tokyo 135-0061, Japan

### **Renesas Electronics America Inc. Milpitas Campus**

1001 Murphy Ranch Road, Milpitas, CA 95035, U.S.A.

Tel: +1-408-432-8888, Fax: +1-408-434-5351

### **Renesas Electronics America Inc. San Jose Campus**

6024 Silver Creek Valley Road, San Jose, CA 95138, USA

Tel: +1-408-284-8200, Fax: +1-408-284-2775

### **Renesas Electronics Canada Limited**

9251 Yonge Street, Suite 8309 Richmond Hill, Ontario Canada L4C 9T3

Tel: +1-905-237-2004

### **Renesas Electronics Europe GmbH**

Arcadiastrasse 10, 40472 Düsseldorf, Germany

Tel: +49-211-6503-0, Fax: +49-211-6503-1327

### **Renesas Electronics (China) Co., Ltd.**

Room 101-T01, Floor 1, Building 7, Yard No. 7, 8th Street, Shangdi, Haidian District, Beijing 100085, China

Tel: +86-10-8235-1155, Fax: +86-10-8235-7679

### **Renesas Electronics (Shanghai) Co., Ltd.**

Unit 301, Tower A, Central Towers, 555 Langao Road, Putuo District, Shanghai 200333, China

Tel: +86-21-2226-0888, Fax: +86-21-2226-0999

### **Renesas Electronics Hong Kong Limited**

Unit 1601-1611, 16/F., Tower 2, Grand Century Place, 193 Prince Edward Road West, Mongkok, Kowloon, Hong Kong

Tel: +852-2265-6688, Fax: +852 2886-9022

### **Renesas Electronics Taiwan Co., Ltd.**

13F, No. 363, Fu Shing North Road, Taipei 10543, Taiwan

Tel: +886-2-8175-9600, Fax: +886 2-8175-9670

### **Renesas Electronics Singapore Pte. Ltd.**

80 Bendemeer Road, #06-02 Singapore 339949

Tel: +65-6213-0200, Fax: +65-6213-0300

### **Renesas Electronics Malaysia Sdn.Bhd.**

Unit No 3A-1 Level 3A Tower 8 UOA Business Park, No 1 Jalan Pengaturcara U1/51A, Seksyen U1, 40150 Shah Alam, Selangor, Malaysia

Tel: +60-3-5022-1288, Fax: +60-3-5022-1290

### **Renesas Electronics India Pvt. Ltd.**

No.777C, 100 Feet Road, HAL 2nd Stage, Indiranagar, Bangalore 560 038, India

Tel: +91-80-67208700

### **Renesas Electronics Korea Co., Ltd.**

17F, KAMCO Yangjae Tower, 262, Gangnam-daero, Gangnam-gu, Seoul, 06265 Korea

Tel: +82-2-558-3737, Fax: +82-2-558-5338





ルネサスエレクトロニクス株式会社

■営業お問合せ窓口

<http://www.renesas.com>

※営業お問合せ窓口の住所は変更になることがあります。最新情報につきましては、弊社ホームページをご覧ください。

ルネサス エレクトロニクス株式会社 〒135-0061 東京都江東区豊洲3-2-24（豊洲フォレシア）

■技術的なお問合せおよび資料のご請求は下記へどうぞ。  
総合お問合せ窓口：<https://www.renesas.com/contact/>

## GStreamer Release Note



Renesas Electronics Corporation