```
No.
       Time
                          Source
                                                Destination
                                                                       Protocol Length Info
                          192.168.43.195
                                                                                     GET /wireshark-labs/HTTP-
    35 18:24:50.412425
                                                                       HTTP
                                                                                512
                                                128.119.245.12
wireshark-file3.html HTTP/1.1
Frame 35: 512 bytes on wire (4096 bits), 512 bytes captured (4096 bits) on interface 0
   Interface id: 0 (\Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6})
       Interface name: \Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6}
       Interface description: WLAN
   Encapsulation type: Ethernet (1)
   Arrival Time: Sep 24, 2019 18:24:50.412425000 中国标准时间
   [Time shift for this packet: 0.000000000 seconds]
   Epoch Time: 1569320690.412425000 seconds
    [Time delta from previous captured frame: 0.000476000 seconds]
    [Time delta from previous displayed frame: 0.000000000 seconds]
   [Time since reference or first frame: 3.266505000 seconds]
   Frame Number: 35
   Frame Length: 512 bytes (4096 bits)
   Capture Length: 512 bytes (4096 bits)
   [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http]
   [Coloring Rule Name: HTTP]
   [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f), Dst: HuaweiTe_71:75:74 (30:74:96:71:75:74)
   Destination: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       Address: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       .... ..0. .... = LG bit: Globally unique address (factory default) .... 0 .... = IG bit: Individual address (unicast)
   Source: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       Address: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       .... ..0. .... = LG bit: Globally unique address (factory default)
       .... = IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.43.195, Dst: 128.119.245.12
   0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
   Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
       0000 00.. = Differentiated Services Codepoint: Default (0)
         ... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
   Total Length: 498
   Identification: 0x8f1e (36638)
   Flags: 0x4000, Don't fragment
       0... .... = Reserved bit: Not set
        .1.. .... = Don't fragment: Set
       ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment offset: 0
   Time to live: 128
   Protocol: TCP (6)
   Header checksum: 0x07f8 [validation disabled]
   [Header checksum status: Unverified]
   Source: 192.168.43.195
   Destination: 128.119.245.12
Transmission Control Protocol, Src Port: 53852 (53852), Dst Port: http (80), Seq: 1, Ack: 1, Len: 458
   Source Port: 53852 (53852)
   Destination Port: http (80)
   [Stream index: 15]
   [TCP Segment Len: 458]
   Sequence number: 1 (relative sequence number)
[Next sequence number: 459 (relative sequence number)]
   Sequence number: 1
   Acknowledgment number: 1
                               (relative ack number)
   0101 .... = Header Length: 20 bytes (5)
   Flags: 0x018 (PSH, ACK)
       000. .... = Reserved: Not set
       ...0 .... = Nonce: Not set
       .... 0... = Congestion Window Reduced (CWR): Not set
       .... .0.. .... = ECN-Echo: Not set
       .... ..0. .... = Urgent: Not set
       .... = Acknowledgment: Set
        .... 1... = Push: Set
       .... .0.. = Reset: Not set
       .... .... ..0. = Syn: Not set
        .... .... 0 = Fin: Not set
       [TCP Flags: ·····AP···]
   Window size value: 260
   [Calculated window size: 66560]
   [Window size scaling factor: 256]
   Checksum: 0x15cf [unverified]
   [Checksum Status: Unverified]
   Urgent pointer: 0
   [SEQ/ACK analysis]
```

```
[iRTT: 0.275581000 seconds]
       [Bytes in flight: 458]
       [Bytes sent since last PSH flag: 458]
   [Timestamps]
       [Time since first frame in this TCP stream: 0.276183000 seconds]
       [Time since previous frame in this TCP stream: 0.000602000 seconds]
   TCP payload (458 bytes)
Hypertext Transfer Protocol
   GET /wireshark-labs/HTTP-wireshark-file3.html HTTP/1.1\r\n
       [Expert Info (Chat/Sequence): GET /wireshark-labs/HTTP-wireshark-file3.html HTTP/1.1\r\n]
            GET /wireshark-labs/HTTP-wireshark-file3.html HTTP/1.1\r\n]
           [Severity level: Chat]
           [Group: Sequence]
       Request Method: GET
       Request URI: /wireshark-labs/HTTP-wireshark-file3.html
       Request Version: HTTP/1.1
   Host: gaia.cs.umass.edu\r\n
   Connection: keep-alive\r\n
   Upgrade-Insecure-Requests: 1\r\n
   User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/
77.0.3865.90 Safari/537.36\r\n
   Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/
signed-exchange;v=b3\r\n
   Accept-Encoding: gzip, deflate\r\n
   Accept-Language: zh-CN,zh;q=0.9\r\n
   \r\n
   [Full request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file3.html]
   [HTTP request 1/2]
   [Response in frame: 45]
   [Next request in frame: 49]
       Time
                                               Destination
                                                                     Protocol Length Info
                                                                                    HTTP/1.1 200 OK (text/
    45 18:24:50.689230
                          128.119.245.12
                                               192.168.43.195
                                                                     HTTP
                                                                              835
html)
Frame 45: 835 bytes on wire (6680 bits), 835 bytes captured (6680 bits) on interface 0
   Interface id: 0 (\Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6})
       Interface name: \Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6}
       Interface description: WLAN
   Encapsulation type: Ethernet (1)
   Arrival Time: Sep 24, 2019 18:24:50.689230000 中国标准时间
   [Time shift for this packet: 0.000000000 seconds]
   Epoch Time: 1569320690.689230000 seconds
   [Time delta from previous captured frame: 0.000255000 seconds]
    [Time delta from previous displayed frame: 0.276805000 seconds]
   [Time since reference or first frame: 3.543310000 seconds]
   Frame Number: 45
   Frame Length: 835 bytes (6680 bits)
   Capture Length: 835 bytes (6680 bits)
   [Frame is marked: False]
   [Frame is ignored: False]
   [Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]
   [Coloring Rule Name: HTTP]
   [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: HuaweiTe_71:75:74 (30:74:96:71:75:74), Dst: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
   Destination: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       Address: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       .... ..0. .... (factory default)
       .... ...0 .... = IG bit: Individual address (unicast)
   Source: HuaweiTe 71:75:74 (30:74:96:71:75:74)
       Address: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       .... ..0. .... := LG bit: Globally unique address (factory default)
       .... -..0 .... - IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.43.195
   0100 .... = Version: 4
   .... 0101 = Header Length: 20 bytes (5)
   Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
       0000 00.. = Differentiated Services Codepoint: Default (0)
         ... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
   Total Length: 821
   Identification: 0xad89 (44425)
   Flags: 0x4000, Don't fragment
       0... .... = Reserved bit: Not set
       .1.. .... = Don't fragment: Set
       ..0. .... = More fragments: Not set
        ...0 0000 0000 0000 = Fragment offset: 0
   Time to live: 47
   Protocol: TCP (6)
   Header checksum: 0x394a [validation disabled]
   [Header checksum status: Unverified]
```

No.

```
Source: 128.119.245.12
   Destination: 192.168.43.195
Transmission Control Protocol, Src Port: http (80), Dst Port: 53852 (53852), Seq: 4081, Ack: 459, Len: 781
   Source Port: http (80)
   Destination Port: 53852 (53852)
   [Stream index: 15]
   [TCP Segment Len: 781]
   Sequence number: 4081
                             (relative sequence number)
   [Next sequence number: 4862
                                  (relative sequence number)]
   Acknowledgment number: 459
                                  (relative ack number)
   0101 .... = Header Length: 20 bytes (5)
   Flags: 0x018 (PSH, ACK)
       000. .... = Reserved: Not set
        ...0 .... = Nonce: Not set
       .... 0... = Congestion Window Reduced (CWR): Not set
       .... .0.. .... = ECN-Echo: Not set
       .... ..0. .... = Urgent: Not set
       .... 1 .... = Acknowledgment: Set
       .... 1... = Push: Set
        .... .... .0.. = Reset: Not set
        .... .... ..0. = Syn: Not set
        .... .... ...0 = Fin: Not set
       [TCP Flags: ·····AP···]
   Window size value: 237
   [Calculated window size: 30336]
    [Window size scaling factor: 128]
   Checksum: 0x8f38 [unverified]
    [Checksum Status: Unverified]
   Urgent pointer: 0
   [SEQ/ACK analysis]
        [iRTT: 0.275581000 seconds]
        [Bytes in flight: 781]
        [Bytes sent since last PSH flag: 4861]
   [Timestamps]
        [Time since first frame in this TCP stream: 0.552988000 seconds]
        [Time since previous frame in this TCP stream: 0.000255000 seconds]
   TCP payload (781 bytes)
   TCP segment data (781 bytes)
[4 Reassembled TCP Segments (4861 bytes): #41(1360), #42(1360), #43(1360), #45(781)]
   [Frame: 41, payload: 0-1359 (1360 bytes)]
    [Frame: 42, payload: 1360-2719 (1360 bytes)]
    [Frame: 43, payload: 2720-4079 (1360 bytes)]
    [Frame: 45, payload: 4080-4860 (781 bytes)]
    [Segment count: 4]
   [Reassembled TCP length: 4861]
   [Reassembled TCP Data: 485454502f312e3120323030204f4b0d0a446174653a2054...]
Hypertext Transfer Protocol
   HTTP/1.1 200 OK\r\n
       [Expert Info (Chat/Sequence): HTTP/1.1 200 OK\r\n]
            [HTTP/1.1 200 OK\r\n]
            [Severity level: Chat]
            [Group: Sequence]
       Response Version: HTTP/1.1
       Status Code: 200
        [Status Code Description: OK]
       Response Phrase: OK
   Date: Tue, 24 Sep 2019 10:24:50 \text{ GMT}\r\n
   Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/5.4.16 mod_perl/2.0.10 Perl/v5.16.3\r\n
   Last-Modified: Tue, 24 Sep 2019 05:59:01 GMT\r\n
   ETag: "1194-593463baf2e44"\r\n
   Accept-Ranges: bytes\r\n
   Content-Length: 4500\r\n
        [Content length: 4500]
   Keep-Alive: timeout=5, max=100\r\n
   Connection: Keep-Alive\r\n
   Content-Type: text/html; charset=UTF-8\r\n
   \r\setminus n
   [HTTP response 1/2]
   [Time since request: 0.276805000 seconds]
   [Request in frame: 35]
   [Next request in frame: 49]
   [Next response in frame: 51]
    [Request URI: http://gaia.cs.umass.edu/wireshark-labs/HTTP-wireshark-file3.html]
   File Data: 4500 bytes
Line-based text data: text/html (98 lines)
   <html><head> \n
   <title>Historical Documents:THE BILL OF RIGHTS</title></head>\n
   \n
   \n
```

```
<body bgcolor="#ffffff" link="#330000" vlink="#666633">\n
   <br>\n
   \n
   <center><b>THE BILL OF RIGHTS</b><br>\n
     <em>Amendments 1-10 of the Constitution</em>\n
   </center>\n
   \n
   The Conventions of a number of the States having, at the time of adopting\n
   the Constitution, expressed a desire, in order to prevent misconstruction\n
   or abuse of its powers, that further declaratory and restrictive clauses\n
   should be added, and as extending the ground of public confidence in the \ensuremath{\backslash} n
   Government will best insure the beneficent ends of its institution;  Resolved, by the Senate and
House of Representatives of the United\n
   States of America, in Congress assembled, two-thirds of both Houses concurring,\n
   that the following articles be proposed to the Legislatures of the several\n
   States, as amendments to the Constitution of the United States; all or any\n
   of which articles, when ratified by three-fourths of the said Legislatures,\n
   to be valid to all intents and purposes as part of the said Constitution, \n
              <a name="1"><strong><h3>Amendment I</h3></strong></a>\n
   Congress shall make no law respecting an establishment of\n
   religion, or prohibiting the free exercise thereof; or\n
   abridging the freedom of speech, or of the press; or the\n
   right of the people peaceably to assemble, and to petition\n
   the government for a redress of grievances.\n
   <a name="2"><strong><h3>Amendment II</h3></strong></a>\n
   A well regulated militia, being necessary to the security\n
   of a free state, the right of the people to keep and bear\n
   arms, shall not be infringed.\n
   <a name="3"><strong><h3>Amendment III</h3></strong></a>\n
   No soldier shall, in time of peace be quartered in any house,\n
   without the consent of the owner, nor in time of war, but\n
   in a manner to be prescribed by law.\n
   <a name="4"><strong><h3>Amendment IV</h3></strong></a>\n
   The right of the people to be secure in their persons, houses,\n
   papers, and effects, against unreasonable searches and seizures,\n
   shall not be violated, and no warrants shall issue, but upon\n
   probable cause, supported by oath or affirmation, and \n
   particularly describing the place to be searched, and the \n
   persons or things to be seized.\n
   <a name="5"><strong><h3>Amendment V</h3></strong></a>\n
   No person shall be held to answer for a capital, or otherwise\n
   infamous crime, unless on a presentment or indictment of a grand\n
   jury, except in cases arising in the land or naval forces,\n
   or in the militia, when in actual service in time of war\n
   or public danger; nor shall any person be subject for the \n
   same offense to be twice put in jeopardy of life or limb;\n
   nor shall be compelled in any criminal case to be a witness\n
   against himself, nor be deprived of life, liberty, or property,\n
   without due process of law; nor shall private property be\n
   taken for public use, without just compensation.\n
   \n
   <a name="6"><strong><h3>Amendment VI</h3></strong></a>\n
   In all criminal prosecutions, the accused shall enjoy the right\n
   to a speedy and public trial, by an impartial jury of the state\n
   and district wherein the crime shall have been committed, which\n
   district shall have been previously ascertained by law, and\n
   to be informed of the nature and cause of the accusation;\n
   to be confronted with the witnesses against him; to have\n
   compulsory process for obtaining witnesses in his favor,\n
   and to have the assistance of counsel for his defense.\n
   <a name="7"><strong><h3>Amendment VII</h3></strong></a>\n
   \n
   <rp>In suits at common law, where the value in controversy shall\n
   exceed twenty dollars, the right of trial by jury shall be \ensuremath{\backslash} n
   reexamined in any court of the United States, than according\n
```

to the rules of the common law.\n

\n

```
<a name="8"><strong><h3>Amendment VIII</h3></strong></a>\n
   Excessive bail shall not be required, nor excessive fines\n
   imposed, nor cruel and unusual punishments inflicted.\n
   <a name="9"><strong><h3>Amendment IX</h3></strong></a>\n
   \n
   The enumeration in the Constitution, of certain rights, shall\n
   not be construed to deny or disparage others retained by the people.\n
   <a name="10"><strong><h3>Amendment X</h3></strong></a>\n
   \n
   The powers not delegated to the United States by the Constitution, nor prohibited \n
     by it to the states, are reserved to the states respectively, or to the people.
                                                                     Protocol Length Info
       Time
                          Source
                                               Destination
    49 18:24:50.748981
                          192.168.43.195
                                               128.119.245.12
                                                                              450
                                                                                    GET /favicon.ico HTTP/1.1
                                                                     HTTP
Frame 49: 450 bytes on wire (3600 bits), 450 bytes captured (3600 bits) on interface 0
   Interface id: 0 (\Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6})
       Interface name: \Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6}
       Interface description: WLAN
   Encapsulation type: Ethernet (1)
   Arrival Time: Sep 24, 2019 18:24:50.748981000 中国标准时间
   [Time shift for this packet: 0.000000000 seconds]
   Epoch Time: 1569320690.748981000 seconds
   [Time delta from previous captured frame: 0.047490000 seconds]
    [Time delta from previous displayed frame: 0.059751000 seconds]
   [Time since reference or first frame: 3.603061000 seconds]
   Frame Number: 49
   Frame Length: 450 bytes (3600 bits)
   Capture Length: 450 bytes (3600 bits)
   [Frame is marked: False]
    [Frame is ignored: False]
    [Protocols in frame: eth:ethertype:ip:tcp:http]
   [Coloring Rule Name: HTTP]
   [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f), Dst: HuaweiTe_71:75:74 (30:74:96:71:75:74)
   Destination: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       Address: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       .... ..0. .... = LG bit: Globally unique address (factory default)
.... = IG bit: Individual address (unicast)
   Source: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       Address: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       .... ..0. .... = LG bit: Globally unique address (factory default)
       .... ...0 .... .... = IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.43.195, Dst: 128.119.245.12
   0100 .... = Version: 4
    .... 0101 = Header Length: 20 bytes (5)
   Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
       0000 00.. = Differentiated Services Codepoint: Default (0)
         ... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
   Total Length: 436
   Identification: 0x8f22 (36642)
   Flags: 0x4000, Don't fragment
       0... .... = Reserved bit: Not set
       .1.. .... = Don't fragment: Set
       ..0. .... = More fragments: Not set
       ...0 0000 0000 0000 = Fragment offset: 0
   Time to live: 128
   Protocol: TCP (6)
   Header checksum: 0x0832 [validation disabled]
   [Header checksum status: Unverified]
   Source: 192.168.43.195
   Destination: 128.119.245.12
Transmission Control Protocol, Src Port: 53852 (53852), Dst Port: http (80), Seq: 459, Ack: 4862, Len: 396
   Source Port: 53852 (53852)
   Destination Port: http (80)
   [Stream index: 15]
   [TCP Segment Len: 396]
   Sequence number: 459
                           (relative sequence number)
   [Next sequence number: 855
                                (relative sequence number)]
   Acknowledgment number: 4862
                                 (relative ack number)
   0101 .... = Header Length: 20 bytes (5)
   Flags: 0x018 (PSH, ACK)
       000. .... = Reserved: Not set
       ...0 .... = Nonce: Not set
       .... 0... = Congestion Window Reduced (CWR): Not set
```

No.

```
.... .0.. .... = ECN-Echo: Not set
       .... ..0. .... = Urgent: Not set
       .... ...1 .... = Acknowledgment: Set
       .... 1... = Push: Set
       .... .... .0.. = Reset: Not set
       .... .... ..0. = Syn: Not set
       .... Not set
       [TCP Flags: ·····AP···]
   Window size value: 257
   [Calculated window size: 65792]
   [Window size scaling factor: 256]
   Checksum: 0xf461 [unverified]
   [Checksum Status: Unverified]
   Urgent pointer: 0
   [SEQ/ACK analysis]
       [iRTT: 0.275581000 seconds]
       [Bytes in flight: 396]
       [Bytes sent since last PSH flag: 396]
   [Timestamps]
       [Time since first frame in this TCP stream: 0.612739000 seconds]
       [Time since previous frame in this TCP stream: 0.059716000 seconds]
   TCP payload (396 bytes)
Hypertext Transfer Protocol
   GET /favicon.ico HTTP/1.1\r\n
       [Expert Info (Chat/Sequence): GET /favicon.ico HTTP/1.1\r\n]
           [GET /favicon.ico HTTP/1.1\r\n]
           [Severity level: Chat]
           [Group: Sequence]
       Request Method: GET
       Request URI: /favicon.ico
       Request Version: HTTP/1.1
   Host: gaia.cs.umass.edu\r\n
   Connection: keep-alive\r\n
   User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/
77.0.3865.90 Safari/537.36\r\n
   Accept: image/webp,image/apng,image/*,*/*;q=0.8\r\n
   Accept-Encoding: gzip, deflate\r\n
   Accept-Language: zh-CN,zh;q=0.9\r\n
   [Full request URI: http://gaia.cs.umass.edu/favicon.ico]
   [HTTP request 2/2]
   [Prev request in frame: 35]
   [Response in frame: 51]
                          Source
       Time
                                                Destination
                                                                     Protocol Length Info
    51 18:24:51.037313
                          128.119.245.12
                                                192.168.43.195
                                                                              538
                                                                                     HTTP/1.1 404 Not Found
(text/html)
Frame 51: 538 bytes on wire (4304 bits), 538 bytes captured (4304 bits) on interface 0
   Interface id: 0 (\Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6})
       Interface name: \Device\NPF_{96E9BC2A-8628-4C36-83CF-6F1B909EFCD6}
       Interface description: WLAN
   Encapsulation type: Ethernet (1)
   Arrival Time: Sep 24, 2019 18:24:51.037313000 中国标准时间
   [Time shift for this packet: 0.000000000 seconds]
   Epoch Time: 1569320691.037313000 seconds
   [Time delta from previous captured frame: 0.136475000 seconds]
   [Time delta from previous displayed frame: 0.288332000 seconds]
   [Time since reference or first frame: 3.891393000 seconds]
   Frame Number: 51
   Frame Length: 538 bytes (4304 bits)
   Capture Length: 538 bytes (4304 bits)
   [Frame is marked: False]
   [Frame is ignored: False]
   [Protocols in frame: eth:ethertype:ip:tcp:http:data-text-lines]
   [Coloring Rule Name: HTTP]
   [Coloring Rule String: http || tcp.port == 80 || http2]
Ethernet II, Src: HuaweiTe_71:75:74 (30:74:96:71:75:74), Dst: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
   Destination: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       Address: Cybertan_a3:2d:0f (c8:3d:d4:a3:2d:0f)
       .... ..0. .... = LG bit: Globally unique address (factory default) .... ...0 .... = IG bit: Individual address (unicast)
   Source: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       Address: HuaweiTe_71:75:74 (30:74:96:71:75:74)
       .... ..0. .... := LG bit: Globally unique address (factory default)
       .... ...0 .... = IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 128.119.245.12, Dst: 192.168.43.195
   0100 .... = Version: 4
   .... 0101 = Header Length: 20 bytes (5)
```

No.

```
Differentiated Services Field: 0x00 (DSCP: CS0, ECN: Not-ECT)
       0000 00.. = Differentiated Services Codepoint: Default (0)
       .... ..00 = Explicit Congestion Notification: Not ECN-Capable Transport (0)
   Total Length: 524
   Identification: 0xad8a (44426)
   Flags: 0x4000, Don't fragment
       0... = Reserved bit: Not set
       .1.. .... = Don't fragment: Set
       ..0. .... = More fragments: Not set
       ...0 0000 0000 0000 = Fragment offset: 0
   Time to live: 47
   Protocol: TCP (6)
   Header checksum: 0x3a72 [validation disabled]
   [Header checksum status: Unverified]
   Source: 128.119.245.12
   Destination: 192.168.43.195
Transmission Control Protocol, Src Port: http (80), Dst Port: 53852 (53852), Seq: 4862, Ack: 855, Len: 484
   Source Port: http (80)
   Destination Port: 53852 (53852)
   [Stream index: 15]
   [TCP Segment Len: 484]
   Sequence number: 4862
                            (relative sequence number)
   [Next sequence number: 5346
                                  (relative sequence number)]
   Acknowledgment number: 855
                                 (relative ack number)
   0101 .... = Header Length: 20 bytes (5)
   Flags: 0x018 (PSH, ACK)
       000. .... = Reserved: Not set
       ...0 .... = Nonce: Not set
       .... 0... = Congestion Window Reduced (CWR): Not set
       .... .0.. .... = ECN-Echo: Not set
       .... ..0. .... = Urgent: Not set
       .... = Acknowledgment: Set
       .... 1... = Push: Set
       .... .0.. = Reset: Not set
       .... .... ..0. = Syn: Not set
             .... ...0 = Fin: Not set
       [TCP Flags: ·····AP···]
   Window size value: 245
   [Calculated window size: 31360]
   [Window size scaling factor: 128]
   Checksum: 0x5041 [unverified]
   [Checksum Status: Unverified]
   Urgent pointer: 0
   [SEQ/ACK analysis]
       [This is an ACK to the segment in frame: 49]
       [The RTT to ACK the segment was: 0.288332000 seconds]
       [iRTT: 0.275581000 seconds]
       [Bytes in flight: 484]
       [Bytes sent since last PSH flag: 484]
   [Timestamps]
       [Time since first frame in this TCP stream: 0.901071000 seconds]
       [Time since previous frame in this TCP stream: 0.288332000 seconds]
   TCP payload (484 bytes)
Hypertext Transfer Protocol
   HTTP/1.1 404 Not Found\r\n
       [Expert Info (Chat/Sequence): HTTP/1.1 404 Not Found\r\n]
           [HTTP/1.1 404 Not Found\r\n]
           [Severity level: Chat]
           [Group: Sequence]
       Response Version: HTTP/1.1
       Status Code: 404
       [Status Code Description: Not Found]
       Response Phrase: Not Found
   Date: Tue, 24 Sep 2019 10:24:50 GMT\r\n
   Server: Apache/2.4.6 (CentOS) OpenSSL/1.0.2k-fips PHP/5.4.16 mod_perl/2.0.10 Perl/v5.16.3\r\n
   Content-Length: 209\r\n
       [Content length: 209]
   Keep-Alive: timeout=5, max=99\r\n
   Connection: Keep-Alive\r\n
   Content-Type: text/html; charset=iso-8859-1\r\n
   \r\n
   [HTTP response 2/2]
   [Time since request: 0.288332000 seconds]
   [Prev request in frame: 35]
   [Prev response in frame: 45]
   [Request in frame: 49]
   [Request URI: http://gaia.cs.umass.edu/favicon.ico]
   File Data: 209 bytes
```

Line-based text data: text/html (7 lines)

```
<!DOCTYPE HTML PUBLIC "-//IETF//DTD HTML 2.0//EN">\n <html><head>\n <title>404 Not Found</title>\n </head><body>\n <h1>Not Found</h1>\n The requested URL /favicon.ico was not found on this server.\n </body></html>\n
```