| For gradors only | Question | 1(a) | 1(b) | 2(a) | 2(b) | 2(c) | 3(a) | 3(b) | 3(c) | Total |
|-------------------|----------|------|------|------|------|------|------|------|------|-------|
| For graders only: | Marks | | | | | | | | | |

MIDTERM II (CA2)

MH1812 - Discrete Mathematics

| April 2024 | 7 | ΓIME ALLC | OWED: 50 minutes |
|--------------|------------------|-----------|------------------|
| | | | |
| | | | |
| Name: | | | |
| Matric. no.: | Γutor group: | | |

INSTRUCTIONS TO CANDIDATES

- 1. DO NOT TURN OVER PAPER UNTIL INSTRUCTED.
- 2. This midterm paper contains **THREE** (3) questions.
- 3. Answer **ALL** questions. The marks for each question are indicated at the beginning of each question.
- 4. Read the question carefully to see how to write your answers.
- 5. Clearly indicate your answers. Unclear or ambiguous answers will receive **zero marks**.
- 6. For questions that require you to **circle** to indicate your answer, the choice that you circle will be interpreted as your answer.
- 7. This IS NOT an OPEN BOOK exam.
- 8. Calculators are allowed.

- (a) Consider the recurrence relation $a_n = 13a_{n-1} 42a_{n-2}$ for $n \ge 2$, with initial conditions $a_0 = 2$, $a_1 = 11$.
 - (i) $[1 \text{ mark}] a_7 = \boxed{}$
 - (ii) [4 marks] We can write $a_n = us_1^n + vs_2^n$ where $s_1 > s_2$. Complete the table:

| u | | v | | s_1 | | s_2 | | | | |
|---|--|---|--|-------|--|-------|--|--|--|--|
| | | | | | | | | | | |

(b) Use induction to show that, for each $n \in \mathbb{N} - \{0\}$,

$$1^{3} + 2^{3} + 3^{3} + \dots + n^{3} = \frac{n^{2}(n+1)^{2}}{4}.$$

Denote the above predicate by P(n).

(i) [2 marks] Base case. Show that P(1) is true:

(ii) [3 marks] Inductive step. Show that $P(k) \to P(k+1)$:

– Blank Page For Rough Work –

QUESTION 2. (9 marks)

In this question no justification is required. For each part, give an explicit number as

your answer, not an expression.

| (a) | Find the number of | |
|-----|--|--|
| | (i) [1 mark] distinguishable permutations of the word "BANANA": | |
| | (ii) [1 mark] elements in the power set of $\{a, b, c, d, e, f\}$: | |
| | iii) [1 mark] subsets of $\{1, 2, 3, 4\}$ that have cardinality at most 2: | |
| (b) | Consider all ternary strings of length 6. E.g., 012102. | |
| | (i) [1 mark] How many are there in total? | |
| | (ii) [1 mark] How many contain at least five '0's? | |
| | iii) [1 mark] How many begin with a '1' or a '2'? | |
| (c) | Consider all distinguishable permutations of the digits of 123213. | |
| | (i) [1 mark] How many are divisible by 3? | |
| | (ii) [1 mark] How many are odd? | |
| | | |

(iii) [1 mark] How many are less than 200000?

– Blank Page For Rough Work –

| For t | his question, recall that $P(A)$ denotes the power set of the set A. |
|-------|---|
| (a) | Let A , B , and C be sets. Determine the truth value of the following statements. |
| | (Circle "T" or "F" to indicate your answer.) |
| | (i) [1 mark] If $A \subseteq B$ and $B \subseteq C$ then $A \in P(C)$. |
| | (ii) [1 mark] If $A \cap B = C$ then $C \in P(A) \cap P(B)$. |
| | (iii) [1 mark] If $A \subseteq B \cup C$ then $A \in P(B) \cup P(C)$. |
| | No justification is required. |
| (b) | Consider the sets |
| | $A = \{a, b\}, B = \{b, c\}, \text{ and } C = \{a, c\}.$ |
| | Write out the elements of each of the following sets. |
| | (i) $[2 \text{ marks}] ((A \cup B) - C) \cup (A \cap B)$: |
| | (ii) [2 marks] $P(B \cup C) \cap P(A \cap B)$: |
| | No justification is required. |
| (c) | [3 marks] Let A, B, and C be sets. Show that $(A - B) \times C \subseteq (A \times C) - (B \times C)$: |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

(10 marks)

QUESTION 3.

– Blank Page For Rough Work –