

Comparison of ML and EM Estimation of Gaussian Mixtures

Nicolas Trutmann Supervisor: Dr. Martin Mchler

June 17, 2019

Contents

0.1	Introduction	1
0.2	EM and ML	1
0.3	Methodology	1
0.4	Results	2
0.5	Discussion	2

0.1 Introduction

historical background. 1894. 1977 Dempster et. al., modern EM. today's standing ca 1 paragraph.

introduce mixture model, EM in general form and give sketch of the mechanism in EM

introducing the Idea, EM but better parameter construction in the case of gaussian multivariate mixtures.

One of the first forays into mixture model analysis lies now 125 years behind us. Since the work of the biometrician Pearson and his study of crab populations in 1894. However, it wasn't until 1977 when Dempster, Laird and Rubin published their work, which introduced the Estimation maximization algorithm.

here testing bibliography [MP00] [MLR19]

0.2 EM and ML

introduce EM now in special case for gaussian mixture. what parameters are to be estimated and how.

here talk about algo

developing the software,

$$\tau_i(y_j; \Psi) = \pi_i \phi(y_j; \mu_i, \Sigma_i) / \sum_{h=1}^g \pi_h \phi(y_j; \mu_h, \Sigma_h)$$
$$\mu_i^{(k+1)} = \sum_{j=1}^n \tau_{ij}^{(k)} y_j / \sum_{j=1}^n \tau_{ij}^{(k)}$$

0.3 Methodology

how the comparison was measured

0.4 Results

0.5 Discussion

whether our plan works out or not. i.e. is it faster using cholesky

Bibliography

- [MLR19] Geoffrey J. McLachlan, Sharon X. Lee, and Suren I. Rathnayake. Finite mixture models. *Annual Review of Statistics and Its Application*, 6(1):355–378, 2019.
- [MP00] Geoffrey McLachlan and David Peel. *Finite Mixture Models*. Wiley Series in Probability and Statistics. John Wiley & Sons, Inc., New York, 2000.