

# CSC3320 System Level Programming

## Lab Assignment 8 - Post-Lab

Due at 11:59 pm on Friday, March 12, 2021

Purpose: Learn how to use debugger in **gdb** to debug a program in Unix.

### Part 1:

You are given a C program “q1.c” as below. But since there are no enough comments in the program, it is hard to find out the feature of the function **foo**. So let us trace the execution of the program and find out what **foo** does. Please follow the steps below and answer the questions accordingly.

```
#include <stdio.h>

int foo(int num)
{
    int rev_num = 0;
    while (num > 0)
    {
        rev_num = rev_num*10 + num%10;
        num = num/10;
    }
    return rev_num;
}

/* Driver program to test foo */
int main()
{
    int num = 1125;
    printf("Result is %d", foo(num));
    return 0;
}
```

1) Compile “q1.c” with **-g** option so that we can debug the executable using **gdb**.

```
$gcc -o q1 -g q1.c
```

2) Launch **gdb** for “q1”.

```
$gdb q1
```

3) List the source code of “q1.c” from line 1.

```
(gdb) list 1
```

4) Set a breakpoint at the line of statement “while (num > 0)”.

Question: Write your command.

4) Run the program until the first breakpoint.

Question: Write your command.

5) Use **display** to show the value of rev\_num and num at each time when program stops.

```
(gdb) display rev_num
(gdb) display num
```

6) Run the while loop step by step using command **n** multiple times.

```
(gdb) n
```

Question: check the value of rev\_num and num after each iteration and fill in the table below.

	1 <sup>st</sup> iteration	2 <sup>nd</sup> iteration	3 <sup>rd</sup> iteration	4 <sup>th</sup> iteration
num	112			
rev_num	5			

7) When the program terminates, quit **gdb** using command **q**.

```
(gdb) q
```

8) Question: Now can you tell what the function foo does?

## Part 2:

You are given a C program “q2.c” as below. This program is used to calculate the average word length for a sentence (a string in a single line):

Enter a sentence: It was deja vu all over again.

Average word length: 3.4

For simplicity, the program considers a punctuation mark to be part of the word to which it is attached. And it displays the average word length to one decimal place.

```
1  #include <stdio.h>
2
3  int main() {
4
5      int letters;
6      int words;
7      char character;
8
9      printf("Enter a Sentence: ");
```

```

10
11     while((character=getchar()) != \n){
12         if(character != ' '){
13             if(!space){
14                 words++;
15                 space=1;
16             }
17             letters++;
18         }else
19             space = 0;
20     }
21
22     printf("Average word length : %.1f", letters/words);
23
24     return 0;
25 }

```

However, there are multiple errors in the given C program. Please correct compiler errors and use **gdb** to debug the program and find out the errors.

**Question:** *Please write down the line numbers containing the errors and show how to correct them.*

(Note: you do not need to write down the commands you issued in **gdb**.)

## ***Submssion:***

- Please follow the instructions below step by step, and then write a report by answering the questions and upload the report (named as **Lab8\_FirstNameLastName.pdf or Lab8\_FirstNameLastName.doc**) to Google Classroom, under the rubric Lab 8 Out-of-lab Assignment.
- Please add the lab assignment NUMBER and your NAME at the top of your file sheet.