

# CSC148 Lab#5, winter 2015

## learning goals

In this lab you will practice implementing recursive functions where the input is a **Tree**, as presented in lecture. You may want to review [lecture materials](#).

You should work on these on your own before Thursday, and you are encouraged to then go to your lab where you can get guidance and feedback from your TA . There will be a short quiz during the last 15 minutes of the lab, based on these exercises.

## set-up

Open file [tree.py](#) in Wing and save it under a new sub-directory called **lab05**. This file provides you with a declaration of class **Tree**, headers and docstrings for the functions you will implement, as well as two utility functions we think you'll find useful:

**gather\_lists**: There will be cases where you have a list whose elements are sub-lists, and what you'd really like is to concatenate them into a single list. That's what **gather\_lists** does. You'll need to save [csc148\\_queue.py](#) in **lab05** to make this work.

**descendents\_from\_list**: This function makes it less laborious to build a **Tree** from a list of data. It simply fills in the tree, level by level, from a list, until it runs out of elements.


Once you have familiarized yourself with the `_init_` method for class **Tree**, you are ready to proceed to the implementation of the functions below. If you have questions, call your TA over.

## implement list\_all

This function will list all the **values** from **Tree t**. The order of the list is not specified, and there is no need to remove duplicates.

Read over the header and docstring for this function in **tree.py**, but **don't** write any implementation until you fill in the steps below:

1. One of the examples in our docstring is simple enough not to require recursion. Write out an **if...** expression that checks for this case, and then returns the correct thing. Include an **else...** for when the tree is *not* so easy to deal with.
2. Below is a picture of a larger **Tree t**, with several levels. Consider a function call **list\_all(t)** that passes your tree to the function. Are there one or more smaller trees for which it would be helpful to know the list of values that they contain? Which smaller trees are they? Write an example of a function call **list\_all** on one of these smaller trees. You can access these trees through the variable **t**.



3. Suppose the call in the previous step gives you the correct answer according to the docstring: it returns a list of the values in the tree it is given. How will you combine the solutions for all the smaller instances to get a solution for **Tree t** itself? Write code to return the correct thing. **Hint:** You may want `gather_lists` here. Put this code in the `else...` expression that you created in the first step.


Go over these three parts with your TA. After that, fill in the implementation in `tree.py`, and see whether it works. A good approach is to comment-out all the functions you have not yet implemented, so that you will see only doctest results for the one you're working on.

### implement `list_leaves`

This function lists all the values in **Tree t** that are in nodes that have no children (AKA leaves). The order of the list is not specified, and there is no need to remove duplicates.

Read over the header and docstring for this function in `tree.py`, but **don't** write any implementation until you fill in the steps below:

1. One of the examples in our docstring is simple enough not to require recursion. Write out an `if...` expression that checks for this case, and then returns the correct thing. Include an `else...` for when the tree is *not* so easy to deal with.
2. Below is a picture of a larger **Tree t**, with several levels. Consider a function call that passes **t** as an argument. Are there one or more smaller trees for which it would be helpful to know the list of values that they contain? Which smaller trees are they? Write an example of a function call on one of these smaller trees. You can access these trees through the variable **t**.



3. Suppose the call in the previous step gives you the correct answer according to the docstring: it returns a list of the values in the tree it is given. How will you combine the solutions to all the smaller instances to get a solution for **Tree t** itself? Write code to return the correct thing. **Hint:** You may want `gather_lists` here. Put this code in the `else...` expression that you created in the first step.

Go over these three parts with your TA. After that, fill in the implementation in `tree.py`, and see whether it works.

### implement list\_interior

This function lists all the values (including duplicates) in **Tree t** that are in nodes that have at least one child.

Read over the header and docstring for this function in **tree.py**, but **don't** write any implementation until you fill in the same steps as you did for the last two functions. At the end, review the three steps with your TA before filling in the implementation.

### implement list\_if

This function lists all the values (including duplicates) in **Tree t** that satisfy a predicate (boolean function) **p**. The predicate **p** is not known when you implement the function, but its name is one of the arguments to the function call.

Read over the header and docstring for this function in **tree.py**, but **don't** write any implementation until you fill in the same steps as you did for the last two functions. At the end, review the three steps with your TA before filling in the implementation.

### implement list\_to\_depth

This function lists all the values (including duplicates) in **Tree t** that have depth no more than some given amount.

Read over the header and docstring for this function in **tree.py**, but **don't** write any implementation until you fill in the same steps as you did for the last two functions. At the end, review the three steps with your TA before filling in the implementation.

### additional exercises

Here are some **additional exercises** to try out if you finish the lab above. As usual, the last 15 minutes of the lab will consist of a 15-minute quiz.