Module 5 – Angular Routes and Navigation

Demo Document 1 – Build a server management application and make use of routing

edureka!



© Brain4ce Education Solutions Pvt. Ltd.

Create server management app to use different routes.

In this demo, we will see how create server management app.

Step 1 – Open visual studio code, create new app by using command 'ng new module4-demo1'.

```
PS D:\Work\TapChief\Edureka\Angular8Demo\Module5> ng new module5Demo1

* Would you like to add Angular routing? Yes

* Which stylesheet format would you like to use? (Use arrow keys)

> CSS

SCSS [ https://sass-lang.com/documentation/syntax#scss ]
Sass [ https://sass-lang.com/documentation/syntax#the-indented-syntax ]
Less [ http://lesscss.org ]
Stylus [ http://stylus-lang.com ]
```

Step 2 -First we will create all components,

Navigate to module5Demo1/src/app and create Home component using command 'ng g c home'.

```
PS D:\work\TapChief\Edureka\Angular8Demo\Module5\module5Demo1\src\app> ng g c home

CREATE src/app/home/home.component.html (19 bytes)

CREATE src/app/home/home.component.spec.ts (614 bytes)

CREATE src/app/home/home.component.ts (261 bytes)

CREATE src/app/home/home.component.css (0 bytes)

UPDATE src/app/app.module.ts (467 bytes)
```

Create servers component folder under src/app

```
PS D:\Work\TapChief\Edureka\Angular8Demo\Module5\module5Demo1\src\app> ng g c servers

CREATE src/app/servers/servers.component.html (22 bytes)

CREATE src/app/servers/servers.component.spec.ts (635 bytes)

CREATE src/app/servers/servers.component.ts (273 bytes)

CREATE src/app/servers/servers.component.css (0 bytes)

UPDATE src/app/app.module.ts (661 bytes)
```

Create edit-server component by using below command (inside src/app/servers folder)

```
PS D:\work\TapChief\Edureka\Angular8Demo\Module5\module5Demo1\src\app\servers> ng g c edit-server


CREATE src/app/servers/edit-server.component.html (26 bytes)

CREATE src/app/servers/edit-server.component.spec.ts (657 bytes)

CREATE src/app/servers/edit-server.component.ts (288 bytes)

CREATE src/app/servers/edit-server.component.css (0 bytes)

UPDATE src/app/app.module.ts (661 bytes)
```



Create server component inside src/app/servers folder

```
PS D:\Work\TapChief\Edureka\Angular8Demo\Module5\module5Demo1\src\app\servers> ng g c server

CREATE src/app/servers/server.component.html (21 bytes)

CREATE src/app/servers/server.component.spec.ts (628 bytes)

CREATE src/app/servers/server/server.component.ts (269 bytes)

CREATE src/app/servers/server/server.component.css (0 bytes)

UPDATE src/app/app.module.ts (751 bytes)
```

Now create users component inside src/app folder

```
PS D:\Work\TapChief\Edureka\Angular8Demo\Module5\module5Demo1\src\app> ng g c users
CREATE src/app/users/users.component.html (20 bytes)
CREATE src/app/users/users.component.spec.ts (621 bytes)
CREATE src/app/users/users.component.ts (265 bytes)
CREATE src/app/users/users.component.css (0 bytes)
UPDATE src/app/app.module.ts (829 bytes)
```

Create user component inside src/app/users folder

```
PS D:\Work\TapChief\Edureka\Angular8Demo\Module5\module5Demo1\src\app> ng g c user

CREATE src/app/user/user.component.html (19 bytes)

CREATE src/app/user/user.component.spec.ts (614 bytes)

CREATE src/app/user/user.component.ts (261 bytes)

CREATE src/app/user/user.component.css (0 bytes)

UPDATE src/app/app.module.ts (903 bytes)
```

Step 3 – Now create components for page not found using below command inside src/aap folder.

```
PS D:\Work\TapChief\Edureka\Angular8Demo\Module5\module5Demo1\src\app> ng g c page-not-found CREATE src/app/page-not-found/page-not-found.component.html (29 bytes)
CREATE src/app/page-not-found/page-not-found.component.spec.ts (672 bytes)
CREATE src/app/page-not-found/page-not-found.component.ts (299 bytes)
CREATE src/app/page-not-found/page-not-found.component.css (0 bytes)
UPDATE src/app/app.module.ts (1013 bytes)
```

Step 4 – Open app-routing.module.ts and add routes as below.

```
import { NgModule } from '@angular/core';
import { Routes, RouterModule } from '@angular/router';
import { HomeComponent } from './home/home.component'
import { ServersComponent } from './servers.component'
import { ServerComponent } from './servers/server.component'
import { EditServerComponent } from './servers/edit-server/edit-server.component'
import { UsersComponent } from './users/users.component'
import { UserComponent } from './users/user.component'
const routes: Routes = [
  {
    path: '',
    component: HomeComponent
  },
    path: 'servers',
    component: ServersComponent,
    children: [
        path: ':id',
        component: ServerComponent
      },
        path: ':id/edit',
        component: EditServerComponent
    ]
  },
    path: 'users',
    component: UsersComponent,
    children: [
        path: ':id/:name',
        component: UserComponent
```

```
},
{
    path: '**',
    redirectTo: '/not-found',
    pathMatch: 'full'
}

];


@NgModule({
    imports: [RouterModule.forRoot(routes)],
    exports: [RouterModule]
})
export class AppRoutingModule {
}
```

edureka!

Step 5 - Open app.component.html and add below code

```
<div class="container">
 <div class="row">
   <div class="col-xs-12 col-sm-10 col-md-8 col-sm-offset-1 col-md-offset-2">
    routerLinkActive="active"
      [routerLinkActiveOptions]="{exact: true}">
       <a routerLink="/">Home</a>
      routerLinkActive="active">
       <a routerLink="/servers">Servers</a>
      routerLinkActive="active">
       <a [routerLink]="['/users']">Users</a>
      </div>
 </div>
 <div class="row">
  <div class="col-xs-12 col-sm-10 col-md-8 col-sm-offset-1 col-md-offset-2">
    <router-outlet></router-outlet>
  </div>
 </div>
</div>
```

Step 6 -run ng serve –open command to run application



Now navigate to different routes /links by clicking on link

edureka!