
AP CALCULUS NOTES

COMPREHENSIVE NOTES FOR BOTH AP
CALCULUS AB AND AP CALCULUS BC

EDITED BY
TREVOR BUSHNELL

Contents

Introduction

This document aims to highlight the important content of the AP Calculus course in traditional notes format. These notes are completely open-source, which means anyone is allowed to use these notes for their own personal benefit without having to seek permission from myself.

While these notes are designed for an AP Calculus course, all of the content seen in the AP Calculus Course and Exam Description document written by College Board will be included within these notes. However, this does *not* mean that the content will be covered in the same way or order that is laid out in the Course and Exam Description. Additionally, the AP Calculus course is designed to be equivalent to either a one-semester Calculus I (in the case of AB) and/or a one-semester Calculus II (in the case of BC) course at the collegiate level. As such, these notes can be equally as useful to any student taking either of these classes at a university level.

Due to the open-source nature of these notes, anyone is allowed to contribute to improving these notes as they see fit. Since I am using \LaTeX to write these notes and I am using GitHub to distribute these notes easily, you must request all changes through the repository website on GitHub, which you can find **here**. If you are interested in contributing to these notes, then there are a few ways that you can do so:

1. **Open and submit an issue on my GitHub repository:** I write all my notes in \LaTeX , which is a typesetting language that is really helpful when it comes to typing and rendering math equations quickly and easily. If you do not know how to write \LaTeX code but are still interested in making a change to the notes, you can open an issue by going to the MathNotes repo on GitHub, and clicking on the button labeled "New Issue." From there, you can type out the change that you wish to see in the notes. It would be helpful if you would indicate what course you would like to see changed so that I can understand what you are referring to. I will then update the code to include your issue so that you don't have to worry about writing the code yourself.
2. **Create and submit a pull request:** If you know how to write LaTeX code and you understand how GitHub works, you can submit a pull request where you can write the code that you want to change yourself. I will then review the code and either submit the code to be incorporated into the notes OR provide some comments on your code if I wish for something to be different.

A final note about the AP Calculus content specifically: these notes will work for **both** AP Calculus AB AND AP Calculus BC. AB and BC overlap with the same content except for two extra units that BC tacks on at the end of the course (as well as a few individual lessons scattered throughout the course). As such, if a topic is marked with **BC** in the title of the unit/lesson, then the content addressed in that unit/lesson is content that will *only be tested on the BC exam*.

Thank you so much for using these notes. I hope that the information is provided in such a way that it can help you when reviewing content for you AP test/class exam and just in general when it comes to learning the content for the course. Happy studying!

Chapter 1

Limits and Continuity

§1.1 Introducing Calculus: Can Change Occur at an Instant?

- Traditional algebra uses relationships such as $\frac{\Delta y}{\Delta x}$ to model relationships
 - However, this model falls apart because if $\Delta y = 0$ and $\Delta x = 0$, then the result is $\frac{0}{0}$ which is indeterminate
 - * **indeterminant** means that there might be a possible solution, but we cannot determine what that possible solution could be based on the current problem solving method
- We can use the **limit** to allow us to define change that occurs instantaneously in terms of incredibly small average rates in change (for example, doing $\Delta x = 0.000001$ instead of $\Delta x = 1$ or $\Delta x = 0.5$)
- Calculus uses limits to understand and model more precise/instantaneous change that algebra cannot answer

§1.2 The Limit of a Function

Definition 1.2.1: Definition of a Limit

If f is a function defined on an open interval containing a (except possibly at a itself), then the **limit of f as x approaches a** is equal to some constant L if for any $\epsilon > 0$, there exists a $\delta > 0$ such that $|f(x) - L| < \epsilon$ whenever $|x - a| < \delta$.

The notation for a limit is listed below:

$$\lim_{x \rightarrow a} f(x) = L$$

Proposition 1.2.1: Properties of Limits

Given that $\lim_{x \rightarrow a} f(x) = L$ and $\lim_{x \rightarrow a} g(x) = M$, L, M, a, c, n are real numbers.

1. $\lim_{x \rightarrow a} c = c$
 - limit of a constant is that constant
2. $\lim_{x \rightarrow a} cf(x) = cL$
 - limit of a constant times a function is equal to that same constant times the limit of the function
3. $\lim_{x \rightarrow a} f(x) \pm g(x) = \lim_{x \rightarrow a} f(x) \pm \lim_{x \rightarrow a} g(x) = L \pm M$
 - limit of a sum is equal to the sum of the limits
4. $\lim_{x \rightarrow a} f(x) \cdot g(x) = \lim_{x \rightarrow a} f(x) \cdot \lim_{x \rightarrow a} g(x) = L \cdot M$
 - limit of a product is equal to the product of the limits
5. $\lim_{x \rightarrow a} \frac{f(x)}{g(x)} = \frac{\lim_{x \rightarrow a} f(x)}{\lim_{x \rightarrow a} g(x)} = \frac{L}{M}$
 - limit of a quotient is equal to the quotient of the limits
6. $\lim_{x \rightarrow a} [f(x)]^n = (\lim_{x \rightarrow a} f(x))^n = L^n$
 - limit of a function raised to a power is equal to the limit of a function then raised to that power

§1.2.1 Evaluating Limits**Proposition 1.2.2: Evaluating Limits of Continuous Functions**

If f is a continuous function on an open interval containing a number a , then:

$$\lim_{x \rightarrow a} f(x) = f(a)$$

The following are some common techniques used to evaluate limits. Start with the first option and then move on to other options only after substitution shows that the limit evaluates to an indeterminate form ()

1. **Substitute directly:** Always start with this option to evaluate