

Department of Computer Engineering

	•	, T		\sim
L 371	periment	F N	\sim	v
1. X	Dermen	IV	()	$\boldsymbol{\alpha}$
			\mathbf{o} .	$\mathbf{\circ}$

Program to demonstrate CRUD (create, read, update and delete) operations on database (SQLite/ MySQL) using python

Date of Performance:

Date of Submission:

Experiment No. 8

Title: Program to demonstrate CRUD (create, read, update and delete) operations on database (SQLite/ MySQL) using python




Department of Computer Engineering

Aim: To study and implement CRUD (create, read, update and delete) operations on database (SQLite/ MySQL) using python

Objective: To introduce database connectivity with python

Theory:

In general CRUD means performing Create, Retrieve, Update and Delete operations on a table in a database. Let's discuss what actually CRUD means,



Create – create or add new entries in a table in the database.

Retrieve – read, retrieve, search, or view existing entries as a list(List View) or retrieve a particular entry in detail (Detail View)

Update – update or edit existing entries in a table in the database

Delete – delete, deactivate, or remove existing entries in a table in the database

Code -

```
import sqlite3
conn = sqlite3.connect('example.db')
cursor = conn.cursor()
cursor.execute("'
    CREATE TABLE IF NOT EXISTS users (
    id INTEGER PRIMARY KEY,
    name TEXT NOT NULL,
    age INTEGER
    )
"")
conn.commit()
```



Department of Computer Engineering

```
def create user(name, age):
  cursor.execute('INSERT INTO users (name, age) VALUES (?, ?)', (name, age))
  conn.commit()
def read users():
  cursor.execute('SELECT * FROM users')
  users = cursor.fetchall()
  for user in users:
    print(f"ID: {user[0]}, Name: {user[1]}, Age: {user[2]}")
def update user age(user id, new age):
  cursor.execute('UPDATE users SET age = ? WHERE id = ?', (new age, user id))
  conn.commit()
def delete user(user id):
  cursor.execute('DELETE FROM users WHERE id = ?', (user_id,))
  conn.commit()
create user('John', 27)
create user('Emma', 35)
print("All users:")
read users()
update_user_age(1, 28)
print("All users after the update:")
read users()
delete user(2)
print("All users after the deletion:")
read_users()
conn.close()
```

Output -

```
All users:
ID: 1, Name: John, Age: 27
ID: 2, Name: Emma, Age: 35
All users after the update:
ID: 1, Name: John, Age: 28
ID: 2, Name: Emma, Age: 35
All users after the deletion:
ID: 1, Name: John, Age: 28

...Program finished with exit code 0
Press ENTER to exit console.
```



Department of Computer Engineering

Conclusion: CRUD operations has been studied and implemented.