GIT-Training

Agenda

- 1. Installation
 - o GIT auf Ubuntu/Debian installieren
 - o GIT unter Windows installieren
- 2. Commands (with tipps & tricks)
 - o git add + Tipps & Tricks
 - o git commit
 - o git log
 - o git config
 - o git show
 - Needed commands for starters
 - o git branch
 - o git checkout
 - o git merge
 - o git tag
- 3. Advanced Commands
 - o git reflog
 - o git reset Back in Time
- 4. Tips & tricks
 - Beautified log
 - Change already committed files and message
 - Best practice Delete origin,tracking and local branch after pull request/merge request
- 5. Exercises
 - o merge feature/4712 conflict
 - o merge request with bitbucket
- 6. Snippets
 - o publish lokal repo to server bitbucket
 - o <u>failure-on-push-fix</u>
 - o <u>failure-on-push-with-conflict</u>
- 7. Extras
 - Best practices
 - <u>Using a mergetool to solve conflicts</u>
- 8. Help
 - Help from commandline
- 9. Documentation
 - o GIT Pdf
 - GIT Book EN
 - GIT Book DE
 - Third Party Tools

Installation

GIT auf Ubuntu/Debian installieren

Installation

```
sudo apt update
sudo apt install git
```

Language to english please !!

```
sudo update-locale LANG=en_US.UTF-8
su - kurs

## back to german

sudo update-locale LANG=de_DE.UTF-8
su - kurs

## Reference:
https://www.thomas-krenn.com/de/wiki/Locales_unter_Ubuntu_konfigurieren

## update-locale does a change in
$ cat /etc/default/locale
LANG=en_US.UTF-8
```

GIT unter Windows installieren

• https://git-scm.com/download/win

Commands (with tipps & tricks)

git add + Tipps & Tricks

Trick with -A

```
## only adds from the folder you are in recursively
## but not above (you might miss some files, when you are in a subfolder
git add .

### Fix -A
## adds everything no matter in which folder you are in your project
git add -A
```

git commit

commit with multiple lines on commandline (without editor)

```
git commit -am "New entry in todo.txt

* nonsene commit-message becasue of missing text-expertise"
## enter on last line
```

Change last commit-mesage (description)

```
git commit --amend
## now you can change the description, but you will get a new commit-id
```

git log

Show last x entries

```
##
## git log -x
## Example: show last 2 entries
git log -2
```

Show all branches

```
git log --all
## oder wenn alias alias.lg besteht:
## git lg --all
```

Show first log entry

```
## Step 1 - log needs to only show one line per commit
git log --oneline --reverse

## Step 2: combine with head
git log --oneline --reverse | head -1
```

Multiple commands with an alias

```
git config --global alias.sl '!git log --oneline -2 && git status'
```

git config

How to delete an entry from config

```
## Important: Find exact level, where it was added --global, --system, --local
## test before
## should contain this entry
git config --global --list
git config --unset --global alias.log
```

git show

Show information about an object e.g. commit

```
git show <commit-ish>
## example with commit-id
git show 342a
```

Needed commands for starters

```
git add -A
git status
git log // git log -4 // or beautified version if setup as alias git lg
git commit -am "commit message" // "commit message" can be freely chosen
## for more merge conflict resultion use only
git commit # to not change commit - message: must be message with merge
## the first time
git push -u origin master
## after that
git push
git pull
```

git branch

Create branch based on commit (also past commit)

```
git branch lookaround 5f10ca
```

Delete unmerged branch

```
git branch -d branchname # does not work in this case
git branch -D branchname # <- is the solution
```

git checkout

Checkout (change to) existing branch

git checkout feature/4711

Checkout and create branch

Only possible once
git checkout -b feature/4712

git merge

Merge without conflict with fast-forward

```
## Disadvantage: No proper history, because only one branch visible in log
## after fast-forward - merge

## Important that no changes are in master right before merging
git checkout master
git merge feature/4711
```

Merge (3-way) also on none-conflict (no conflicts present)

```
git merge --no-ff feature/4711
```

git tag

```
## set tag on current commit -> HEAD of branch
git tag -a v1.0 -m "my message for tag"
## publish
git push --tags

## set on specific commit
git tag -a v0.1 -m "Initial Release" a23c

## checkout files of a specific tag
git checkout v0.1
## or
git checkout tags/v0.1
```

Advanced Commands

git reflog

command

• show everything you (last 30 days), also stuff that is not visible in branch anymore

Example

git reflog

when many entries a pager like less (aka man less) will be used

you can get out of the page with pressing the key 'q'

git reset - Back in Time

Why?

- Back in time -> reset
- e.g. git reset --hard e2d5
- attention: only use it, when changes are not published (remotely) yet.
- → It is your command, IN CASE your are telling yourself, omg, what's that, what did i do here, let me undo that

Example

git reset --hard 2343

Tips & tricks

Beautified log

Walkthrough

```
git config --global alias.lg "log --color --graph --pretty=format:'%Cred%h%Creset \
    -%C(yellow)%d%Creset %s %Cgreen(%cr) %C(bold blue)<%an>%Creset'"
```

PRETTY FORMATS

- all documented in git help log (section PRETTY FORMAT)
- https://git-scm.com/docs/git-log

Change already committed files and message

```
## Walkthrough
touch newfile.txt
git add .
git commit -am "new file added"

## Uups forgotten README
touch README
git add .
git commit --amend # README will be in same commit as newfile.txt
## + you can also changed the commit message
```

Best practice - Delete origin, tracking and local branch after pull request/merge request

```
## After a successful merge or pull request und gitlab / github
## Follow these steps for a successful cleanup

## 1. Delete feature branch in web interface (e.g. gitlab / github)
## e.g. feature/4811

## 2. Locally on your system prune the remote tracking branch
git fetch --prune

## 3. Switch to master or main (depending on what you master branch is)
git checkout master

## 4. Delete local branch
git branch -d feature/4811
```

Exercises

merge feature/4712 - conflict

Exercise

- 1. You are in master-branch
- 2. Checkout new branch feature/4712
- 3. Change line1 in todo.txt
- 4. git add -A; git commit -am "feature-4712 done"
- 5. Change to master
- 6. Change line1 in todo.txt
- 7. git add -A; git commit -am "change line1 in todo.txt in master"
- 8. git merge feature/4712

merge request with bitbucket

```
## Local
git checkout -b feature/4822
ls -la
touch f1.txt
git add .
git commit -am "f1.txt"
touch f2.txt
git add .
git commit -am "f2.txt"
git push origin feature/4822
```

Online bitbucket

```
## create merge request
## and merge
```

Delete branch online after merge

Cleanup locally

```
git fetch --prune
git checkout master
git branch -D feature/4822
git pull --rebase
```

Snippets

publish lokal repo to server - bitbucket

```
# Step 1: Create repo on server without README and .gitignore /set both to NO when
creating

# Step 2: on commandline locally
cd /path/to/repo
git remote add origin https://erding2017@bitbucket.org/erding2017/git-remote-
jochen.git
git push -u origin master

# Step 3: for further commits
echo "test" > testdatei
git add .
git commit -am "added testdatei"
git push
```

failure-on-push-fix

```
## Step 1: push produces error
\#\# you have done git push -u origin master the last to setup remote tracking branch by
option -u
git push
Password for 'https://erding2017@bitbucket.org':
To https://bitbucket.org/erding2017/git-remote-jochen.git
! [rejected] (fetch first)
error: failed to push some refs to 'https://erding2017@bitbucket.org/erding2017/git-
remote-jochen.git'
hint: Updates were rejected because the remote contains work that you do
hint: not have locally. This is usually caused by another repository pushing
hint: to the same ref. You may want to first integrate the remote changes
hint: (e.g., 'git pull ...') before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help' for details.
## Step 2: Integrate changes from online
git pull
## Step 2a: Editor opens and you need to save and ext (without changing anything)
## Step 3: re-push
git push
```

failure-on-push-with-conflict

Failure push

```
## Step 1: push produces error
## you have done git push -u origin master the last to setup remote tracking branch by
option -u
git push
Password for 'https://erding2017@bitbucket.org':
To https://bitbucket.org/erding2017/git-remote-jochen.git
! [rejected] (fetch first)
## Step 2: Integrate changes from online
git pull
## Step 3: Solve conflict
Auto-merging agenda.txt
CONFLICT (content): Merge conflict in agenda.txt
Automatic merge failed; fix conflicts and then commit the result.
kurs@ubuntu-tr01:~/training$ git status
On branch master
Your branch and 'origin/master' have diverged,
and have 1 and 1 different commits each, respectively.
 (use "git pull" to merge the remote branch into yours)
## Step 3a: Open file agenda.txt
## Decide for which version
\#\# - remove all <<<<< and ===== and >>>>>> - lines
## Step 3b: then: save + exit from editor
## Step 3c: mark resolution
git status
git add todo.txt
## Step 3d:
git status
## as written there
git commit
## Step 4: re-push
git push
```

recipe

```
git push # failure
git pull
git add todo.txt
```

git commit git push

Extras

Best practices

- Delete branches, not needed anymore
- git merge --no-ff -> for merging local branches (to get a good history from local)
- from online: git pull --rebase // clean history from online, not to many branches
- nur auf einem Arbeiten mit max. 2 Teilnehmern, wenn mehr feature-branch

Teil 2:

- Be careful with git commands that change history.
 - o never change commits, that have already been pushed
- Choose workflow wisely
- Avoid git push -f in any case // should not be possible
- Disable possibility to push -f for branch or event repo

Using a mergetool to solve conflicts

Meld (Windows)

• https://meldmerge.org/

Configuration in Git for Windwos (git bash)

```
## you have to be in a git project
git config --global merge.tool meld
git config --global diff.tool meld
## Should be on Windows 10
git config --global mergetool.meld.path
"/c/Users/Admin/AppData/Local/Programs/Meld/Meld.exe"
## do not create an .orig - file before merge
git config --global mergetool.keepBackup false
```

How to use it

```
## when you have conflict you can open the mergetool (graphical tool with ) git mergetool
```

Help

Help from commandline

On Windows

```
## on git bash enter
git help <command>
## e.g.
git help log

## --> a webpage will open with content
```

Documentation

GIT Pdf

• http://schulung.t3isp.de/documents/pdfs/git/git-training.pdf

GIT Book EN

• https://git-scm.com/book/en/v2

GIT Book DE

• https://git-scm.com/book/de/v2

Third Party Tools

Continuous Integration / Continuous Deployment (CI/CD)

```
## Test often / Test automated (CI)

* Jenkins
* Github Actions
* Git Webhooks

## Publish new versions frequently (CD)

* Jenkins
* Github Action
* Git Webhooks
```