## **Module 1 Cheat Sheet: Python Basics**

Package/Method	Description	Code Example
Comments	Comments are lines of text that are ignored by the Python interpreter when executing the code<./td>	# This is a comment
Concatenation	Combines (concatenates) strings.	<pre>Syntax:     concatenated_string = string1 + string2  Example:     result = "Hello" + " John"</pre>
Data Types	- Integer - Float - Boolean - String	<pre>Example:  x=7   # Integer Value y=12.4   # Float Value is_valid = True   # Boolean Value is_valid = False   # Boolean Value F_Name = "John"   # String Value</pre>

Indexing	Accesses character at a specific index.	<pre>Example:     my_string="Hello"     char = my_string[0]</pre>
len()	Returns the length of a string.	<pre>Syntax:     len(string_name)  Example:     my_string="Hello"     length = len(my_string)</pre>
lower()	Converts string to lowercase.	<pre>Example:     my_string="Hello"     uppercase_text = my_string.lower()</pre>

		Example:
print()	Prints the message or variable inside `()`.	<pre>print("Hello, world") print(a+b)</pre>
Python Operators	- Addition (+): Adds two values together Subtraction (-): Subtracts one value from another Multiplication (*): Multiplies two values Division (/): Divides one value by another, returns a float Floor Division (//): Divides one value by another, returns the quotient as an integer Modulo (%): Returns the remainder after division.	<pre>Example:  x = 9 y = 4   result_add= x + y # Addition   result_sub= x - y # Subtraction   result_mul= x * y # Multiplication   result_div= x / y # Division   result_fdiv= x // y # Floor Division   result_mod= x % y # Modulo</pre>
replace()	Replaces substrings.	<pre>Example:     my_string="Hello"     new_text = my_string.replace("Hello", "Hi")</pre>
Slicing	Extracts a portion of the string.	<pre>Syntax:     substring = string_name[start:end]</pre>

		Example:
		<pre>my_string="Hello" substring = my_string[0:5]</pre>
	_	
		Example:
		<pre>my_string="Hello" split_text = my_string.split(",")</pre>
	California interalia	
split()	Splits string into a list based on a delimiter.	
		Example:
		<pre>my_string="Hello" trimmed = my_string.strip()</pre>
strip()	Removes leading/trailing whitespace.	
		Example:
		<pre>my_string="Hello" uppercase_text = my_string.upper()</pre>
		apper case_cent = my_ser ingrapper ()
upper()	Converts string to uppercase.	
	аррегово.	
Variable	Assigns a value to a	Syntax:
Assignment	variable.	variable_name = value
	1	l

|--|

<sup>©</sup> IBM Corporation. All rights reserved.