



# Linux CLI Cheat Sheet

*Built for operators. Maintained in the open.*

Essential Linux command-line commands for navigating systems, inspecting files, and performing safe day-to-day operations in servers, containers, and bastion hosts.

---

## Where Am I?

pwd → print working directory

whoami → current user

hostname → system hostname

uname -a → kernel and system info

---

## Directory Navigation

i → insert mode (start editing)

ls → list files

ls -la → detailed list (including hidden files)

cd /path → change directory

cd .. → up one directory

cd ~ → home directory

cd / → filesystem root

---

## Files & Directories

touch file.txt → create empty file

mkdir dir → create directory

rmdir dir → remove empty directory

cp src dst → copy file

cp -r dir1 dir2 → copy directory recursively

mv src dst → move or rename

rm file → delete file

rm -rf dir → delete directory recursively (DANGEROUS)

---



## Viewing Files

cat file.txt → print file contents  
less file.txt → paged view (q to quit)  
head file.txt → first 10 lines  
tail file.txt → last 10 lines  
tail -f file.txt → follow file output (logs)

---

## Searching & Filtering

grep text file → search for text in file  
grep -R text dir → recursive search  
→ pipe output to another command

## Example:

ps aux | grep nginx

---

## Processes

ps aux → list running processes  
top → live process view  
htop → enhanced process view (if installed)  
kill PID → terminate process  
kill -9 PID → force kill (last resort)

---

## Disk & Memory

df -h → disk usage by filesystem  
du -sh dir → size of directory  
free -h → memory usage

---



## Networking

ip a → network interfaces  
ss -lntp → listening ports  
curl url → HTTP request  
ping host → connectivity test

---

## Permissions & Ownership

ip a → network interfaces  
ls -l → view permissions  
chmod 644 file → change file permissions  
chmod +x script.sh → make executable  
chown user:group file → change ownership

---

## Environment & Shell

env → list environment variables  
echo \$VAR → print variable  
export VAR=value → set variable (current shell)  
history → command history  
clear → clear screen

---

## Operator Safety Tips

- Pause before running `rm -rf`
- Verify your path with `pwd`
- Use `less` instead of `cat` for large files
- Read commands twice before pressing Enter