# MAthesis

### Contents

| Time bins (stratigraphic stages)           | 2    |
|--|------|
| Maps                                       | 4    |
| fossil occurences of testudinidae          | . 4  |
| body size of testudinidae                  | . 5  |
| Sampling Accumulation Curves               | 20   |
| Histograms                                 | 29   |
| all  | . 29 |
| per time bin                               | . 32 |
| modern vs. fossil                          | . 33 |
| modern vs. fossil, continental vs. insular | . 34 |
| continental vs. insular                    | . 35 |
| continents                                 | . 36 |
| General statistics                         | . 37 |
| Boxplots                                   | 39   |
| genera per time bins                       | . 39 |
| continental vs. insular per time bin       | . 40 |
| fossil vs. modern                          | . 41 |
| fossil vs. modern, continental vs. insular | . 43 |
| continental vs. insular                    | . 46 |
| continental vs. insular per time bin       | . 48 |
| continents                                 | . 49 |
| continents, continental vs. insular        | . 53 |
| paleoTS analysis                           | 54   |
| all (continental and insular)              | . 54 |
| continental (excluding insular species)    | . 56 |

| insular (excluding continental) |  | <br> |  |  |  |  |  |  |  |  |  |  |      |  |  | 58 |
|---------------------------------|--|------|--|--|--|--|--|--|--|--|--|--|------|--|--|----|
| per continent                   |  | <br> |  |  |  |  |  |  |  |  |  |  | <br> |  |  | 60 |

## Time bins (stratigraphic stages)

Table 1: Smaller time bins with age range, epoch name, mean age and corresponding sample sizes (on individual, species and genus level)

| bin             | EpochBins              | Stages             | MeanBins | nIndividuals | nSpecies | nGenera |
|-----------------|------------------------|--------------------|----------|--------------|----------|---------|
| (0,0.0117]      | Modern                 | Modern             | 0.00585  | 253          | 65       | 18      |
| (0.0117, 0.126] | Upper Pleistocene      | Upper Pleistocene  | 0.06885  | 49           | 18       | 8       |
| (0.126, 0.781]  | Middle Pleistocene     | Middle Pleistocene | 0.45350  | 53           | 13       | 7       |
| (0.781, 1.81]   | Lower Pleistocene      | Lower Pleistocene  | 1.29350  | 57           | 27       | 12      |
| (1.81, 2.59]    | Gelasian               | Lower Pleistocene  | 2.19700  | 31           | 14       | 8       |
| (2.59, 3.6]     | Piacencian             | Upper Pliocene     | 3.09400  | 21           | 14       | 9       |
| (3.6, 5.33]     | Zanclean               | Lower Pliocene     | 4.46600  | 26           | 14       | 8       |
| (5.33, 7.25]    | Messinian              | Upper Miocene      | 6.28900  | 10           | 7        | 4       |
| (7.25, 11.6]    | Tortonian              | Upper Miocene      | 9.42700  | 45           | 20       | 9       |
| (11.6, 13.8]    | Serravallian           | Middle Miocene     | 12.71400 | 27           | 8        | 6       |
| (13.8,16]       | Langhian               | Middle Miocene     | 14.89500 | 14           | 10       | 7       |
| (16,23]         | Burdigalian/Aquitanian | Lower Miocene      | 19.50000 | 30           | 14       | 9       |




Figure 1: Scatterplot of carapace length over time, indicating insular (triangle) and continental (circles) and colour indicating continents. Lines indicate stratigraphic stages which were used as time bins, the dashed line is the border between the two stages of the Lower Miocene, which were consideres as one time bin.

### Maps

### fossil occurences of testudinidae




Figure 2: Map displaying all fossil occurrences of testudinids, with color indicating whether relevant literature was available (black if not) and if it was, whether body size data was available or not (yes and no, respectively).

### body size of testudinidae




Figure 3: Map displaying all localities for which body size data for testudinids was available in the literature. Size of points denotes sample size, color denotes approximate age.

Table 2: Overview over fossil species per time bin, with sample size and mean CL.

| EpochBins         | Taxon                    | n | meanCL   |
|-------------------|--------------------------|---|----------|
| Upper Pleistocene | Centrochelys robusta     | 1 | 850.0000 |
| Upper Pleistocene | Chelonoidis denticulata  | 1 | 616.0000 |
| Upper Pleistocene | Chelonoidis lutzae       | 1 | 830.0000 |
| Upper Pleistocene | Chelonoidis marcanoi     | 4 | 672.2500 |
| Upper Pleistocene | Chelonoidis monensis     | 1 | 500.0000 |
| Upper Pleistocene | Chelonoidis sombrerensis | 1 | 990.0000 |
| Upper Pleistocene | Chelonoidis sp.          | 3 | 666.6667 |
| Upper Pleistocene | Eurotestudo hermanni     | 1 | 187.0000 |

| EpochBins          | Taxon                        | n  | meanCL    |
|--------------------|------------------------------|----|-----------|
| Upper Pleistocene  | gen. indet.                  | 1  | 813.0000  |
| Upper Pleistocene  | Geochelone sp.               | 2  | 475.0000  |
| Upper Pleistocene  | Gopherus agassizi            | 1  | 252.0000  |
| Upper Pleistocene  | Gopherus polyphemus          | 20 | 292.9700  |
| Upper Pleistocene  | Gopherus praecedens          | 1  | 360.0000  |
| Upper Pleistocene  | Hesperotestudo crassiscutata | 6  | 435.1667  |
| Upper Pleistocene  | Hesperotestudo incisa        | 1  | 232.7600  |
| Upper Pleistocene  | Hesperotestudo sp.           | 2  | 806.5000  |
| Upper Pleistocene  | Hesperotestudo wilsoni       | 1  | 226.0000  |
| Upper Pleistocene  | Indotestudo elongata         | 1  | 270.0000  |
| Middle Pleistocene | Centrochelys burchardi       | 4  | 722.5000  |
| Middle Pleistocene | Chelonoidis cubensis         | 1  | 1139.0000 |
| Middle Pleistocene | Eurotestudo aff. hermanni    | 2  | 187.0000  |
| Middle Pleistocene | Eurotestudo hermanni         | 2  | 204.0500  |
| Middle Pleistocene | Geochelone sp.               | 1  | 170.0000  |
| Middle Pleistocene | Gopherus agassizi            | 1  | 445.0000  |
| Middle Pleistocene | Gopherus laticaudatus        | 1  | 375.0000  |
| Middle Pleistocene | Gopherus polyphemus          | 31 | 300.4316  |
| Middle Pleistocene | Hesperotestudo bermudae      | 2  | 385.0000  |
| Middle Pleistocene | Hesperotestudo equicomes     | 1  | 340.0000  |
| Middle Pleistocene | Hesperotestudo sp.           | 2  | 1650.0000 |
| Middle Pleistocene | Testudo kenitrensis          | 1  | 132.0000  |
| Middle Pleistocene | Testudo lunellensis          | 4  | 215.4250  |
| Lower Pleistocene  | Centrochelys atlantica       | 1  | 400.0000  |
| Lower Pleistocene  | Centrochelys robusta         | 3  | 883.3333  |
| Lower Pleistocene  | Cheirogaster cf. gymnesica   | 1  | 789.0000  |
| Lower Pleistocene  | Cheirogaster sp.             | 1  | 925.0000  |
| Lower Pleistocene  | Chelonoidis sp.              | 3  | 716.6667  |
| Lower Pleistocene  | Eurotestudo globosa          | 1  | 263.0000  |
| Lower Pleistocene  | Eurotestudo hermanni         | 2  | 205.0000  |
| Lower Pleistocene  | gen. indet.                  | 1  | 900.0000  |
|                    |                              |    |           |

| EpochBins         | Taxon                        | n  | meanCL    |
|-------------------|------------------------------|----|-----------|
| Lower Pleistocene | Geochelone sp.               | 1  | 340.0000  |
| Lower Pleistocene | Gopherus berlandieri         | 2  | 225.6500  |
| Lower Pleistocene | Gopherus flavomarginatus     | 1  | 450.0000  |
| Lower Pleistocene | Gopherus pertenuis           | 1  | 1050.0000 |
| Lower Pleistocene | Gopherus polyphemus          | 3  | 254.4667  |
| Lower Pleistocene | Gopherus sp.                 | 6  | 233.9667  |
| Lower Pleistocene | Hesperotestudo crassiscutata | 5  | 285.6000  |
| Lower Pleistocene | Hesperotestudo incisa        | 7  | 234.6286  |
| Lower Pleistocene | Hesperotestudo mlynarskii    | 2  | 184.2500  |
| Lower Pleistocene | Hesperotestudo sp.           | 1  | 1500.0000 |
| Lower Pleistocene | Hesperotestudo turgida       | 1  | 230.0000  |
| Lower Pleistocene | Megalochelys sondaari        | 2  | 909.0000  |
| Lower Pleistocene | Megalochelys sp.             | 3  | 1130.4667 |
| Lower Pleistocene | Psammobates antiquorum       | 1  | 107.8000  |
| Lower Pleistocene | Testudo changshanesis        | 1  | 330.0000  |
| Lower Pleistocene | Testudo graeca               | 1  | 195.0000  |
| Lower Pleistocene | Testudo hermanni             | 2  | 176.5500  |
| Lower Pleistocene | Testudo marginata            | 3  | 270.0000  |
| Lower Pleistocene | Titanochelon gymnesica       | 1  | 1300.0000 |
| Gelasian          | Centrochelys marocana        | 1  | 2050.0000 |
| Gelasian          | Eurotestudo cf. hermanni     | 1  | 150.0000  |
| Gelasian          | Gopherus sp.                 | 15 | 185.7467  |
| Gelasian          | Hesperotestudo campester     | 1  | 1000.0000 |
| Gelasian          | Hesperotestudo sp.           | 1  | 1000.0000 |
| Gelasian          | Manouria punjabiensis        | 1  | 900.0000  |
| Gelasian          | Megalochelys atlas           | 3  | 1683.3333 |
| Gelasian          | Testudo aff. kenitrensis     | 1  | 142.0000  |
| Gelasian          | Testudo oughlamensis         | 1  | 120.0000  |
| Gelasian          | Testudo ranovi               | 1  | 200.0000  |
| Gelasian          | Testudo sp.                  | 2  | 192.0000  |
| Gelasian          | Testudo transcaucasia        | 1  | 150.0000  |
|                   |                              |    |           |

| EpochBins  | Taxon                        | n | meanCL    |
|------------|------------------------------|---|-----------|
| Gelasian   | Titanochelon aff. schafferi  | 1 | 1860.0000 |
| Gelasian   | Titanochelon sp.             | 1 | 1420.0000 |
| Piacencian | "Aldabrachelys" laetoliensis | 1 | 1000.0000 |
| Piacencian | Aldabrachelys? sp.           | 2 | 1500.0000 |
| Piacencian | Centrochelys vulcanica       | 1 | 610.0000  |
| Piacencian | Chelonoidis alburyorum       | 4 | 442.7500  |
| Piacencian | Gopherus canyonensis         | 1 | 885.5000  |
| Piacencian | Hesperotestudo johnstoni     | 1 | 235.0000  |
| Piacencian | Hesperotestudo oelrichi      | 1 | 283.8000  |
| Piacencian | Hesperotestudo riggsi        | 2 | 180.5000  |
| Piacencian | Hesperotestudo sp.           | 1 | 176.0000  |
| Piacencian | Homopus fenestratus          | 1 | 90.0000   |
| Piacencian | Megalochelys atlas           | 2 | 1600.0000 |
| Piacencian | Testudo brevitesta           | 2 | 232.5000  |
| Piacencian | Testudo pecorinii            | 1 | 225.0000  |
| Piacencian | Titanochelon sp.             | 1 | 520.0000  |
| Zanclean   | Caudochelys rexroadensis     | 2 | 805.5000  |
| Zanclean   | Centrochelys robusta         | 3 | 913.3333  |
| Zanclean   | Cheirogaster gymnesica       | 1 | 739.0000  |
| Zanclean   | Ergilemys oskarkuhni         | 2 | 209.0000  |
| Zanclean   | Geochelone crassa            | 1 | 865.0000  |
| Zanclean   | Geochelone s. l.             | 1 | 1750.0000 |
| Zanclean   | Geochelone sp.               | 2 | 528.0000  |
| Zanclean   | Geochelone stromeri          | 2 | 387.5000  |
| Zanclean   | Hesperotestudo riggsi        | 1 | 195.8000  |
| Zanclean   | Testudo cf. graeca           | 1 | 185.0000  |
| Zanclean   | Testudo sp.                  | 4 | 1675.0000 |
| Zanclean   | Titanochelon bacharidisi     | 4 | 1040.0000 |
| Zanclean   | Titanochelon perpiniana      | 1 | 1140.0000 |
| Zanclean   | Titanochelon schafferi       | 1 | 2500.0000 |
| Messinian  | Hesperotestudo orthopygia    | 2 | 941.0000  |
|            |                              |   |           |

| EpochBins    | Taxon                     | n  | meanCL    |
|--------------|---------------------------|----|-----------|
| Messinian    | Megalochelys atlas        | 2  | 1950.0000 |
| Messinian    | Testudo amiatae           | 1  | 140.0000  |
| Messinian    | Testudo graeca            | 2  | 183.5000  |
| Messinian    | Testudo sp.               | 1  | 200.0000  |
| Messinian    | Titanochelon bolivari     | 1  | 1150.0000 |
| Messinian    | Titanochelon schafferi    | 1  | 1850.0000 |
| Tortonian    | "Hadrianus sp."           | 1  | 1000.0000 |
| Tortonian    | Cheirogaster richardi     | 1  | 1155.0000 |
| Tortonian    | Cheirogaster sp.          | 2  | 1355.0000 |
| Tortonian    | gen. indet.               | 3  | 660.0000  |
| Tortonian    | Geochelone hesterna       | 1  | 278.0000  |
| Tortonian    | Geochelone sp.            | 2  | 973.0000  |
| Tortonian    | Gopherus? sp.             | 1  | 500.0000  |
| Tortonian    | Gopherus mohavetus        | 5  | 324.8000  |
| Tortonian    | Hesperotestudo alleni     | 1  | 240.9000  |
| Tortonian    | Hesperotestudo riggsi     | 2  | 159.5000  |
| Tortonian    | Hesperotestudo sp.        | 1  | 1200.0000 |
| Tortonian    | Paleotestudo sp.          | 3  | 233.6667  |
| Tortonian    | Testudo burgenlandica     | 2  | 193.5000  |
| Tortonian    | Testudo catalaunica       | 4  | 157.0000  |
| Tortonian    | Testudo cf. promarginata  | 5  | 250.0000  |
| Tortonian    | Testudo graeca            | 1  | 210.0000  |
| Tortonian    | Testudo s. s.             | 1  | 189.0000  |
| Tortonian    | Testudo sp.               | 7  | 243.1571  |
| Tortonian    | Titanochelon bolivari     | 1  | 1300.0000 |
| Tortonian    | Titanochelon cf. bolivari | 1  | 1500.0000 |
| Serravallian | Cheirogaster sp.          | 2  | 1250.0000 |
| Serravallian | gen. indet.               | 1  | 270.0000  |
| Serravallian | Gopherus? sp.             | 1  | 500.0000  |
| Serravallian | Paleotestudo antiqua      | 18 | 203.0556  |
| Serravallian | Paleotestudo cf. sp.      | 1  | 270.0000  |
|              |                           |    |           |

| EpochBins              | Taxon                         | n | meanCL    |
|------------------------|-------------------------------|---|-----------|
| Serravallian           | Testudo catalaunica           | 1 | 232.0000  |
| Serravallian           | Testudo steinheimensis        | 2 | 169.3500  |
| Serravallian           | Titanochelon bolivari         | 1 | 1353.0000 |
| Langhian               | Caudochelys ducateli          | 1 | 339.9000  |
| Langhian               | Chelonoidis sp.               | 3 | 553.3333  |
| Langhian               | Ergilemys sp.                 | 1 | 1000.0000 |
| Langhian               | gen. indet.                   | 1 | 1000.0000 |
| Langhian               | Paleotestudo antiqua          | 1 | 275.0000  |
| Langhian               | Paleotestudo cf. sp.          | 1 | 270.0000  |
| Langhian               | Testudo kalksburgensis        | 1 | 275.0000  |
| Langhian               | Testudo sp.                   | 1 | 400.0000  |
| Langhian               | Titanochelon bolivari         | 2 | 1175.0000 |
| Langhian               | Titanochelon cf. bolivari     | 2 | 1450.0000 |
| Burdigalian/Aquitanian | Caudochelys williamsi         | 1 | 334.0000  |
| Burdigalian/Aquitanian | gen. indet.                   | 1 | 270.0000  |
| Burdigalian/Aquitanian | Geochelone sp.                | 2 | 900.0000  |
| Burdigalian/Aquitanian | Geochelone tedwhitei          | 2 | 405.0000  |
| Burdigalian/Aquitanian | Impregnochelys pachytectis    | 1 | 620.0000  |
| Burdigalian/Aquitanian | Mesocherus orangeus           | 5 | 180.0000  |
| Burdigalian/Aquitanian | Namibchersus aff. namaquensis | 3 | 696.6667  |
| Burdigalian/Aquitanian | Namibchersus namaquensis      | 6 | 428.8333  |
| Burdigalian/Aquitanian | Paleotestudo cf. antiqua      | 1 | 113.0000  |
| Burdigalian/Aquitanian | Paleotestudo sp.              | 1 | 179.3000  |
| Burdigalian/Aquitanian | Testudo kalksburgensis        | 2 | 227.5000  |
| Burdigalian/Aquitanian | Testudo promarginata          | 3 | 281.5667  |
| Burdigalian/Aquitanian | Testudo rectogularis          | 1 | 213.0000  |
| Burdigalian/Aquitanian | Titanochelon cf. perpiniana   | 1 | 1001.0000 |

Table 3: General overview over fossil species, with sample size and mean  ${\rm CL}$ 

| Taxon                        | n | meanCL    |
|------------------------------|---|-----------|
| "Aldabrachelys" laetoliensis | 1 | 1000.0000 |
| "Hadrianus sp."              | 1 | 1000.0000 |
| Aldabrachelys? sp.           | 2 | 1500.0000 |
| Caudochelys ducateli         | 1 | 339.9000  |
| Caudochelys rexroadensis     | 2 | 805.5000  |
| Caudochelys williamsi        | 1 | 334.0000  |
| Centrochelys atlantica       | 1 | 400.0000  |
| Centrochelys burchardi       | 4 | 722.5000  |
| Centrochelys marocana        | 1 | 2050.0000 |
| Centrochelys robusta         | 7 | 891.4286  |
| Centrochelys vulcanica       | 1 | 610.0000  |
| Cheirogaster cf. gymnesica   | 1 | 789.0000  |
| Cheirogaster gymnesica       | 1 | 739.0000  |
| Cheirogaster richardi        | 1 | 1155.0000 |
| Cheirogaster sp.             | 5 | 1227.0000 |
| Chelonoidis alburyorum       | 4 | 442.7500  |
| Chelonoidis cubensis         | 1 | 1139.0000 |
| Chelonoidis denticulata      | 1 | 616.0000  |
| Chelonoidis lutzae           | 1 | 830.0000  |
| Chelonoidis marcanoi         | 4 | 672.2500  |
| Chelonoidis monensis         | 1 | 500.0000  |
| Chelonoidis sombrerensis     | 1 | 990.0000  |
| Chelonoidis sp.              | 9 | 645.5556  |
| Ergilemys oskarkuhni         | 2 | 209.0000  |
| Ergilemys sp.                | 1 | 1000.0000 |
| Eurotestudo aff. hermanni    | 2 | 187.0000  |
| Eurotestudo cf. hermanni     | 1 | 150.0000  |
| Eurotestudo globosa          | 1 | 263.0000  |
|                              |   |           |

| -                            |    |           |
|------------------------------|----|-----------|
| Taxon                        | n  | meanCL    |
| Eurotestudo hermanni         | 5  | 201.0200  |
| gen. indet.                  | 8  | 654.1250  |
| Geochelone crassa            | 1  | 865.0000  |
| Geochelone hesterna          | 1  | 278.0000  |
| Geochelone s. l.             | 1  | 1750.0000 |
| Geochelone sp.               | 10 | 626.2000  |
| Geochelone stromeri          | 2  | 387.5000  |
| Geochelone tedwhitei         | 2  | 405.0000  |
| Gopherus? sp.                | 2  | 500.0000  |
| Gopherus agassizi            | 2  | 348.5000  |
| Gopherus berlandieri         | 2  | 225.6500  |
| Gopherus canyonensis         | 1  | 885.5000  |
| Gopherus flavomarginatus     | 1  | 450.0000  |
| Gopherus laticaudatus        | 1  | 375.0000  |
| Gopherus mohavetus           | 5  | 324.8000  |
| Gopherus pertenuis           | 1  | 1050.0000 |
| Gopherus polyphemus          | 54 | 295.1144  |
| Gopherus praecedens          | 1  | 360.0000  |
| Gopherus sp.                 | 21 | 199.5238  |
| Hesperotestudo alleni        | 1  | 240.9000  |
| Hesperotestudo bermudae      | 2  | 385.0000  |
| Hesperotestudo campester     | 1  | 1000.0000 |
| Hesperotestudo crassiscutata | 11 | 367.1818  |
| Hesperotestudo equicomes     | 1  | 340.0000  |
| Hesperotestudo incisa        | 8  | 234.3950  |
| Hesperotestudo johnstoni     | 1  | 235.0000  |
| Hesperotestudo mlynarskii    | 2  | 184.2500  |
| Hesperotestudo oelrichi      | 1  | 283.8000  |
| Hesperotestudo orthopygia    | 2  | 941.0000  |
| Hesperotestudo riggsi        | 5  | 175.1600  |
| Hesperotestudo sp.           | 8  | 1098.6250 |
|                              |    |           |

| Taxon                         | n  | meanCL    |
|-------------------------------|----|-----------|
| Hesperotestudo turgida        | 1  | 230.0000  |
| Hesperotestudo wilsoni        | 1  | 226.0000  |
| Homopus fenestratus           | 1  | 90.0000   |
| Impregnochelys pachytectis    | 1  | 620.0000  |
| Indotestudo elongata          | 1  | 270.0000  |
| Manouria punjabiensis         | 1  | 900.0000  |
| Megalochelys atlas            | 7  | 1735.7143 |
| Megalochelys sondaari         | 2  | 909.0000  |
| Megalochelys sp.              | 3  | 1130.4667 |
| Mesocherus orangeus           | 5  | 180.0000  |
| Namibchersus aff. namaquensis | 3  | 696.6667  |
| Namibchersus namaquensis      | 6  | 428.8333  |
| Paleotestudo antiqua          | 19 | 206.8421  |
| Paleotestudo cf. antiqua      | 1  | 113.0000  |
| Paleotestudo cf. sp.          | 2  | 270.0000  |
| Paleotestudo sp.              | 4  | 220.0750  |
| Psammobates antiquorum        | 1  | 107.8000  |
| Testudo aff. kenitrensis      | 1  | 142.0000  |
| Testudo amiatae               | 1  | 140.0000  |
| Testudo brevitesta            | 2  | 232.5000  |
| Testudo burgenlandica         | 2  | 193.5000  |
| Testudo catalaunica           | 5  | 172.0000  |
| Testudo cf. graeca            | 1  | 185.0000  |
| Testudo cf. promarginata      | 5  | 250.0000  |
| Testudo changshanesis         | 1  | 330.0000  |
| Testudo graeca                | 4  | 193.0000  |
| Testudo hermanni              | 2  | 176.5500  |
| Testudo kalksburgensis        | 3  | 243.3333  |
| Testudo kenitrensis           | 1  | 132.0000  |
| Testudo lunellensis           | 4  | 215.4250  |
| Testudo marginata             | 3  | 270.0000  |

| Taxon                       | n  | meanCL    |
|-----------------------------|----|-----------|
| Testudo oughlamensis        | 1  | 120.0000  |
| Testudo pecorinii           | 1  | 225.0000  |
| Testudo promarginata        | 3  | 281.5667  |
| Testudo ranovi              | 1  | 200.0000  |
| Testudo rectogularis        | 1  | 213.0000  |
| Testudo s. s.               | 1  | 189.0000  |
| Testudo sp.                 | 15 | 625.7400  |
| Testudo steinheimensis      | 2  | 169.3500  |
| Testudo transcaucasia       | 1  | 150.0000  |
| Titanochelon aff. schafferi | 1  | 1860.0000 |
| Titanochelon bacharidisi    | 4  | 1040.0000 |
| Titanochelon bolivari       | 5  | 1230.6000 |
| Titanochelon cf. bolivari   | 3  | 1466.6667 |
| Titanochelon cf. perpiniana | 1  | 1001.0000 |
| Titanochelon gymnesica      | 1  | 1300.0000 |
| Titanochelon perpiniana     | 1  | 1140.0000 |
| Titanochelon schafferi      | 2  | 2175.0000 |
| Titanochelon sp.            | 2  | 970.0000  |

Table 4: Overview over genera (modern and fossil) per time bin, with sample sizes and mean CL.

| EpochBins | Genus         | n  | meanCL   |
|-----------|---------------|----|----------|
| Modern    | Aldabrachelys | 12 | 974.5833 |
| Modern    | Astrochelys   | 14 | 366.2143 |
| Modern    | Centrochelys  | 3  | 493.3333 |
| Modern    | Chelonoidis   | 45 | 531.5178 |
| Modern    | Chersina      | 15 | 176.2667 |
| Modern    | Cylindraspis  | 5  | 724.0000 |
| Modern    | Geochelone    | 8  | 252.1250 |
| Modern    | Gopherus      | 23 | 302.4839 |

| EpochBins          | Genus          | n  | meanCL    |
|--------------------|----------------|----|-----------|
| Modern             | Hesperotestudo | 1  | 250.0000  |
| Modern             | Homopus        | 7  | 139.2857  |
| Modern             | Indotestudo    | 16 | 242.9875  |
| Modern             | Kinixys        | 15 | 213.0667  |
| Modern             | Malacochersus  | 2  | 166.5000  |
| Modern             | Manouria       | 9  | 380.7778  |
| Modern             | Psammobates    | 17 | 113.4118  |
| Modern             | Pyxis          | 16 | 124.1875  |
| Modern             | Stigmochelys   | 6  | 405.3333  |
| Modern             | Testudo        | 39 | 197.5436  |
| Upper Pleistocene  | Centrochelys   | 1  | 850.0000  |
| Upper Pleistocene  | Chelonoidis    | 11 | 693.1818  |
| Upper Pleistocene  | Eurotestudo    | 1  | 187.0000  |
| Upper Pleistocene  | gen.           | 1  | 813.0000  |
| Upper Pleistocene  | Geochelone     | 2  | 475.0000  |
| Upper Pleistocene  | Gopherus       | 22 | 294.1545  |
| Upper Pleistocene  | Hesperotestudo | 10 | 468.2760  |
| Upper Pleistocene  | Indotestudo    | 1  | 270.0000  |
| Middle Pleistocene | Centrochelys   | 4  | 722.5000  |
| Middle Pleistocene | Chelonoidis    | 1  | 1139.0000 |
| Middle Pleistocene | Eurotestudo    | 4  | 195.5250  |
| Middle Pleistocene | Geochelone     | 1  | 170.0000  |
| Middle Pleistocene | Gopherus       | 33 | 307.0721  |
| Middle Pleistocene | Hesperotestudo | 5  | 882.0000  |
| Middle Pleistocene | Testudo        | 5  | 198.7400  |
| Lower Pleistocene  | Centrochelys   | 4  | 762.5000  |
| Lower Pleistocene  | Cheirogaster   | 2  | 857.0000  |
| Lower Pleistocene  | Chelonoidis    | 3  | 716.6667  |
| Lower Pleistocene  | Eurotestudo    | 4  | 201.5250  |
| Lower Pleistocene  | gen.           | 1  | 900.0000  |
| Lower Pleistocene  | Geochelone     | 1  | 340.0000  |
|                    |                |    |           |

| EpochBins         | Genus          | n  | $\operatorname{meanCL}$ |
|-------------------|----------------|----|-------------------------|
| Lower Pleistocene | Gopherus       | 13 | 316.8077                |
| Lower Pleistocene | Hesperotestudo | 16 | 323.0562                |
| Lower Pleistocene | Megalochelys   | 5  | 1041.8800               |
| Lower Pleistocene | Psammobates    | 1  | 107.8000                |
| Lower Pleistocene | Testudo        | 6  | 259.1667                |
| Lower Pleistocene | Titanochelon   | 1  | 1300.0000               |
| Gelasian          | Centrochelys   | 1  | 2050.0000               |
| Gelasian          | Eurotestudo    | 1  | 150.0000                |
| Gelasian          | Gopherus       | 15 | 185.7467                |
| Gelasian          | Hesperotestudo | 2  | 1000.0000               |
| Gelasian          | Manouria       | 1  | 900.0000                |
| Gelasian          | Megalochelys   | 3  | 1683.3333               |
| Gelasian          | Testudo        | 6  | 166.0000                |
| Gelasian          | Titanochelon   | 2  | 1640.0000               |
| Piacencian        | Aldabrachelys  | 3  | 1333.3333               |
| Piacencian        | Centrochelys   | 1  | 610.0000                |
| Piacencian        | Chelonoidis    | 4  | 442.7500                |
| Piacencian        | Gopherus       | 1  | 885.5000                |
| Piacencian        | Hesperotestudo | 5  | 211.1600                |
| Piacencian        | Homopus        | 1  | 90.0000                 |
| Piacencian        | Megalochelys   | 2  | 1600.0000               |
| Piacencian        | Testudo        | 3  | 230.0000                |
| Piacencian        | Titanochelon   | 1  | 520.0000                |
| Zanclean          | Caudochelys    | 2  | 805.5000                |
| Zanclean          | Centrochelys   | 3  | 913.3333                |
| Zanclean          | Cheirogaster   | 1  | 739.0000                |
| Zanclean          | Ergilemys      | 2  | 209.0000                |
| Zanclean          | Geochelone     | 6  | 741.0000                |
| Zanclean          | Hesperotestudo | 1  | 195.8000                |
| Zanclean          | Testudo        | 5  | 1377.0000               |
| Zanclean          | Titanochelon   | 6  | 1300.0000               |
|                   |                |    |                         |

| EpochBins                      | Genus          | n  | meanCL    |
|--------------------------------|----------------|----|-----------|
| Messinian                      | Hesperotestudo | 2  | 941.0000  |
| Messinian                      | Megalochelys   | 2  | 1950.0000 |
| Messinian                      | Testudo        | 4  | 176.7500  |
| Messinian                      | Titanochelon   | 2  | 1500.0000 |
| Tortonian                      | "Hadrianus"    | 1  | 1000.0000 |
| Tortonian                      | Cheirogaster   | 3  | 1288.3333 |
| Tortonian                      | gen.           | 3  | 660.0000  |
| Tortonian                      | Geochelone     | 3  | 741.3333  |
| Tortonian                      | Gopherus       | 6  | 354.0000  |
| Tortonian                      | Hesperotestudo | 4  | 439.9750  |
| Tortonian                      | Paleotestudo   | 3  | 233.6667  |
| Tortonian                      | Testudo        | 20 | 218.3050  |
| Tortonian                      | Titanochelon   | 2  | 1400.0000 |
| Serravallian                   | Cheirogaster   | 2  | 1250.0000 |
| Serravallian                   | gen.           | 1  | 270.0000  |
| Serravallian                   | Gopherus       | 1  | 500.0000  |
| Serravallian                   | Paleotestudo   | 19 | 206.5789  |
| Serravallian                   | Testudo        | 3  | 190.2333  |
| Serravallian                   | Titanochelon   | 1  | 1353.0000 |
| Langhian                       | Caudochelys    | 1  | 339.9000  |
| Langhian                       | Chelonoidis    | 3  | 553.3333  |
| Langhian                       | Ergilemys      | 1  | 1000.0000 |
| Langhian                       | gen.           | 1  | 1000.0000 |
| Langhian                       | Paleotestudo   | 2  | 272.5000  |
| Langhian                       | Testudo        | 2  | 337.5000  |
| Langhian                       | Titanochelon   | 4  | 1312.5000 |
| Burdigalian/Aquitanian         | Caudochelys    | 1  | 334.0000  |
| Burdigalian/Aquitanian         | gen.           | 1  | 270.0000  |
| Burdigalian/Aquitanian         | Geochelone     | 4  | 652.5000  |
| Burdigalian/Aquitanian         | Impregnochelys | 1  | 620.0000  |
| ${\bf Burdigalian/Aquitanian}$ | Mesocherus     | 5  | 180.0000  |
|                                |                |    |           |


| EpochBins              | Genus        | n | meanCL    |
|------------------------|--------------|---|-----------|
| Burdigalian/Aquitanian | Namibchersus | 9 | 518.1111  |
| Burdigalian/Aquitanian | Paleotestudo | 2 | 146.1500  |
| Burdigalian/Aquitanian | Testudo      | 6 | 252.1167  |
| Burdigalian/Aquitanian | Titanochelon | 1 | 1001.0000 |


Table 5: General overview over genera, with sample sizes and mean  ${\rm CL}$ .

| Genus          | n   | meanCL    |
|----------------|-----|-----------|
| "Hadrianus"    | 1   | 1000.0000 |
| Aldabrachelys  | 15  | 1046.3333 |
| Astrochelys    | 14  | 366.2143  |
| Caudochelys    | 4   | 571.2250  |
| Centrochelys   | 17  | 804.1176  |
| Cheirogaster   | 8   | 1102.2500 |
| Chelonoidis    | 67  | 571.0940  |
| Chersina       | 15  | 176.2667  |
| Cylindraspis   | 5   | 724.0000  |
| Ergilemys      | 3   | 472.6667  |
| Eurotestudo    | 10  | 192.5200  |
| gen.           | 8   | 654.1250  |
| Geochelone     | 25  | 510.2800  |
| Gopherus       | 114 | 298.0361  |
| Hesperotestudo | 46  | 465.3296  |
| Homopus        | 8   | 133.1250  |
| Impregnochelys | 1   | 620.0000  |
| Indotestudo    | 17  | 244.5765  |
| Kinixys        | 15  | 213.0667  |
| Malacochersus  | 2   | 166.5000  |
| Manouria       | 10  | 432.7000  |
| Megalochelys   | 12  | 1446.6167 |

| Genus        | n  | meanCL    |
|--------------|----|-----------|
| Mesocherus   | 5  | 180.0000  |
| Namibchersus | 9  | 518.1111  |
| Paleotestudo | 26 | 210.1269  |
| Psammobates  | 18 | 113.1000  |
| Pyxis        | 16 | 124.1875  |
| Stigmochelys | 6  | 405.3333  |
| Testudo      | 99 | 269.2465  |
| Titanochelon | 20 | 1315.2000 |

### Sampling Accumulation Curves








Figure 4: Sampling Accumulation Curve of fossil genera per reference




Figure 5: Sampling Accumulation Curve of fossil genera per reference, Eurasia




Figure 6: Sampling Accumulation Curve of fossil genera per reference, Europe




Figure 7: Sampling Accumulation Curve of fossil genera per reference, Africa




Figure 8: Sampling Accumulation Curve of fossil genera per reference, America




Figure 9: Sampling Accumulation Curve of fossil genera per reference, N-America




Figure 10: Sampling Accumulation Curve of fossil genera per reference, S-America






Figure 11: Sampling Accumulation Curve of fossil genera per reference, Asia

### Histograms


all



### Normal Q-Q Plot



### Normal Q-Q Plot



### per time bin




Figure 12: Distribution of body size data per time bin, logtransformed.

### modern vs. fossil




Figure 13: Distribution of body size data modern vs. fossil, logtransformed.

### modern vs. fossil, continental vs. insular




Figure 14: Distribution of body size data modern vs. fossil, continental vs. insular logtransformed.

### continental vs. insular




Figure 15: Distribution of body site data of continental (n) and insular(y) species, logtransformed.

### continents




Figure 16: Distribution of body site data per continent, logtransformed.

#### General statistics

Table 6: General statistics of body size data: all, per time bin, insular and continental, per continent (all referring to CL: min, max, variance, mean, logmean, median, logmedian, skewness, logskewness, kurosis, logkurtosis

| nCL | min    | max  | var       | mean  | logm | med   | logmed | skew | logsk | kurt  | logku | Variable              |
|-----|--------|------|-----------|-------|------|-------|--------|------|-------|-------|-------|-----------------------|
| 616 | 80.00  | 2500 | 164537.80 | 437.2 | 2.5  | 270.5 | 2.4    | 2.14 | 0.69  | 8.00  | 2.73  | all                   |
| 253 | 80.00  | 1300 | 67485.50  | 330.3 | 2.4  | 242.0 | 2.4    | 1.83 | 0.58  | 5.87  | 2.69  | Modern                |
| 49  | 102.44 | 1250 | 69690.66  | 445.9 | 2.6  | 334.7 | 2.5    | 1.20 | 0.24  | 3.61  | 2.56  | Upper Pleistocene     |
| 53  | 132.00 | 1800 | 97910.83  | 387.1 | 2.5  | 292.9 | 2.5    | 3.03 | 1.52  | 12.24 | 5.55  | Middle Pleistocene    |
| 57  | 107.80 | 2000 | 161948.82 | 463.5 | 2.5  | 263.0 | 2.4    | 1.74 | 0.73  | 5.76  | 2.40  | Lower Pleistocene     |
| 31  | 118.90 | 2050 | 411224.51 | 555.2 | 2.5  | 194.9 | 2.3    | 1.31 | 0.93  | 3.12  | 2.11  | Gelasian              |
| 21  | 90.00  | 1600 | 270535.82 | 610.6 | 2.6  | 428.0 | 2.6    | 1.00 | 0.14  | 2.50  | 1.99  | Piacencian            |
| 26  | 176.00 | 2500 | 476162.71 | 955.2 | 2.9  | 857.5 | 2.9    | 1.11 | -0.40 | 3.56  | 2.30  | Zanclean              |
| 10  | 140.00 | 2100 | 602611.21 | 948.9 | 2.8  | 916.0 | 2.9    | 0.26 | -0.22 | 1.49  | 1.29  | Messinian             |
| 45  | 107.00 | 1540 | 175470.12 | 462.7 | 2.5  | 250.0 | 2.4    | 1.49 | 0.81  | 3.74  | 2.54  | Tortonian             |
| 27  | 111.00 | 1500 | 126060.40 | 337.7 | 2.4  | 220.0 | 2.3    | 2.49 | 1.77  | 7.77  | 5.30  | Serravallian          |
| 14  | 270.00 | 1600 | 230451.33 | 747.9 | 2.8  | 700.0 | 2.8    | 0.30 | 0.03  | 1.55  | 1.18  | Langhian              |
| 30  | 113.00 | 1100 | 76288.76  | 406.8 | 2.5  | 302.4 | 2.5    | 1.27 | 0.45  | 3.45  | 2.26  | Burdigalian/Aquitania |
| 253 | 80.00  | 1300 | 67485.50  | 330.3 | 2.4  | 242.0 | 2.4    | 1.83 | 0.58  | 5.87  | 2.69  | Modern                |
| 363 | 90.00  | 2500 | 219004.66 | 511.7 | 2.6  | 285.6 | 2.5    | 1.83 | 0.68  | 6.11  | 2.42  | Fossil                |
| 469 | 81.00  | 2500 | 157808.79 | 392.9 | 2.5  | 250.0 | 2.4    | 2.65 | 1.07  | 10.57 | 3.74  | continental           |
| 147 | 80.00  | 2000 | 160834.35 | 578.5 | 2.6  | 500.0 | 2.7    | 1.02 | -0.27 | 3.95  | 2.05  | insular               |
| 157 | 81.00  | 830  | 17009.02  | 244.0 | 2.3  | 221.0 | 2.3    | 1.92 | 0.29  | 8.09  | 2.98  | modern-con            |
| 96  | 80.00  | 1300 | 118641.09 | 471.5 | 2.6  | 353.0 | 2.5    | 0.82 | 0.01  | 2.47  | 1.77  | modern-ins            |
| 312 | 90.00  | 2500 | 212116.79 | 467.9 | 2.5  | 270.0 | 2.4    | 2.11 | 0.96  | 7.25  | 2.96  | fossil-con            |
| 51  | 150.00 | 2000 | 180825.40 | 780.0 | 2.8  | 750.0 | 2.9    | 1.11 | -0.40 | 4.02  | 3.18  | fossil-ins            |
| 142 | 80.00  | 2050 | 112417.26 | 347.7 | 2.4  | 193.5 | 2.3    | 2.10 | 0.68  | 7.97  | 2.48  | Africa                |
| 242 | 102.44 | 1800 | 82209.71  | 415.0 | 2.5  | 302.2 | 2.5    | 1.92 | 0.75  | 6.79  | 2.91  | America               |
| 59  | 150.00 | 2100 | 323123.20 | 585.5 | 2.6  | 280.0 | 2.4    | 1.43 | 0.85  | 3.61  | 2.24  | Asia                  |
| 173 | 107.00 | 2500 | 254222.84 | 491.2 | 2.5  | 245.0 | 2.4    | 1.86 | 0.81  | 6.30  | 2.34  | Europe                |
|     |        |      |           |       |      |       |        |      |       |       |       |                       |

nCL min max var mean logm med logmed skew logsk kurt logku Variable

## Boxplots

### genera per time bins




Figure 17: Boxplots of mean CL per time bin, including mean and sd CL for each genus (as pointrange).

### continental vs. insular per time bin




Figure 18: Boxplots of each genus per time bin, continental vs. insular species.

### fossil vs. modern





Figure 19: Boxplots fossil vs. modern.

## Fossil, random sampling



```
## [1] 330.3495
```

## [1] 511.3584

##

## Wilcoxon rank sum test with continuity correction

##

## data: Modern and Fossil

## W = 23202, p-value = 8.506e-08

 $\mbox{\tt \#\#}$  alternative hypothesis: true location shift is less than 0

Wilcoxon Rank Sum Test (unpaired data):

 $modern < fossil (P = 8.5059039 \times 10^{-8})$ 

### fossil vs. modern, continental vs. insular





Figure 20: Boxplots fossil vs. modern, continental vs. insular species.


- ## [1] 51
- ## [1] 51

## Modern, insular, random sampling



```
##
## Wilcoxon rank sum test with continuity correction
##
## data: ModernIsland and FossilIsland
## W = 805, p-value = 0.000461
## alternative hypothesis: true location shift is less than 0
## [1] 157
## [1] 157
```

### Fossil, continental, random sampling



```
##
## Wilcoxon rank sum test with continuity correction
##
## data: ModernCon and FossilCon
## W = 7834.5, p-value = 1.193e-08
## alternative hypothesis: true location shift is less than 0
Wilcoxon Rank Sum Test (unpaired data):
modern continental < fossil continental (P = 1.1927441 \times 10^{-8})
modern insular < fossil insular (P = 4.6097539 \times 10^{-4})
```

### continental vs. insular





Figure 21: Boxplot continental vs. insular, genera summarised

- ## [1] 147
- ## [1] 147

## Continental, random sampling



```
##
## Wilcoxon rank sum test with continuity correction
##
## data: Insular and Continental
## W = 15088, p-value = 2.095e-09
## alternative hypothesis: true location shift is greater than 0
Wilcoxon Rank Sum Test (unpaired data):
continental < insular (P = 2.0951882 \times 10^{-9})
```

## continental vs. insular per time bin




Figure 22: Boxplot continental vs. insular, genera summarised

#### continents






Figure 23: Boxplot: body size on different continents, genera summarised

- ## [1] 142
- ## [1] 347.6887
- ## [1] 142
- ## [1] 435.7187
- ## [1] 59
- ## [1] 173
- ## [1] 142
- ## [1] 482.7845


# America, random sampling



# **Europe, random sampling**



## Eurasia, random sampling



```
##
## Kruskal-Wallis rank sum test
##
## data: list(Africa, America, Eurasia, Europe)
## Kruskal-Wallis chi-squared = 34.001, df = 3, p-value = 1.98e-07
Kruskal-Wallis-Test:
```

Continent means differ  $(P = 1.9801172 \times 10^{-7})$  (still have to look into the details...)

### continents, continental vs. insular




Figure 24: Boxplot: body size on different continents, genera summarised

## paleoTS analysis

### all (continental and insular)

genera (all)

Table 7: paleoTS object, all data

| tt         | mm        | vv        | nn |
|------------|-----------|-----------|----|
| 0.0000005  | 401.9641  | 102306.64 | 4  |
| 0.0058500  | 314.1859  | 42607.58  | 18 |
| 0.0688500  | 506.3265  | 64620.11  | 8  |
| 0.4535000  | 516.4053  | 155241.85 | 7  |
| 1.2935000  | 593.8669  | 147507.20 | 12 |
| 2.1970000  | 971.8850  | 580540.76 | 8  |
| 3.0940000  | 658.0826  | 271043.73 | 9  |
| 4.4660000  | 785.0792  | 187937.61 | 8  |
| 6.2890000  | 1141.9375 | 584378.85 | 4  |
| 9.4270000  | 703.9570  | 195766.19 | 9  |
| 12.7140000 | 628.3020  | 285258.36 | 6  |
| 14.8950000 | 687.9619  | 169914.58 | 7  |
| 19.5000000 | 441.5420  | 78467.65  | 9  |

Table 8: Model-fitting results for testudinidae, genera, all

|        | $\log L$  | K | AICc     | Akaike.wt |
|--------|-----------|---|----------|-----------|
| GRW    | -81.31790 | 2 | 167.9691 | 0.161     |
| URW    | -82.05721 | 1 | 166.5144 | 0.332     |
| Stasis | -80.16802 | 2 | 165.6694 | 0.507     |




Figure 25: paleoTS plot with genus mean, all

### continental (excluding insular species)

#### genera (continental)

Table 9: paleoTS object, continental

|    |            |           | ·          |
|----|------------|-----------|------------|
| nn | vv         | mm        | tt         |
| 3  | 8331.753   | 233.1680  | 0.0000005  |
| 15 | 13004.928  | 241.7917  | 0.0058500  |
| 6  | 50619.392  | 397.4606  | 0.0688500  |
| 5  | 200982.124 | 416.9341  | 0.4535000  |
| 7  | 66240.066  | 346.8484  | 1.2935000  |
| 7  | 595507.933 | 1103.1067 | 2.1970000  |
| 6  | 414253.291 | 725.4156  | 3.0940000  |
| 6  | 259173.082 | 771.3833  | 4.4660000  |
| 4  | 531455.932 | 1054.4375 | 6.2890000  |
| 9  | 195766.185 | 703.9570  | 9.4270000  |
| 6  | 285258.362 | 628.3020  | 12.7140000 |
| 7  | 169914.577 | 687.9619  | 14.8950000 |
| 9  | 78467.646  | 441.5420  | 19.5000000 |

Table 10: Model-fitting results for testudinidae, genera, continental

|        | $\log L$  | K | AICc     | Akaike.wt |
|--------|-----------|---|----------|-----------|
| GRW    | -82.26287 | 2 | 169.8591 | 0.300     |
| URW    | -83.12577 | 1 | 168.6515 | 0.548     |
| Stasis | -82.93984 | 2 | 171.2130 | 0.152     |




Figure 26: paleoTS plot with genus mean, continental

## insular (excluding continental)

genera (insular)

Table 11: paleoTS object, insular

| nn | VV        | mm        | tt        |
|----|-----------|-----------|-----------|
| 1  | 0.00      | 860.9268  | 0.0000005 |
| 12 | 68570.44  | 379.5354  | 0.0058500 |
| 4  | 14997.58  | 727.5938  | 0.0688500 |
| 3  | 142649.08 | 748.8333  | 0.4535000 |
| 6  | 112964.44 | 829.6744  | 1.2935000 |
| 3  | 821158.33 | 1178.3333 | 2.1970000 |
| 4  | 27058.77  | 449.4375  | 3.0940000 |
| 2  | 15196.06  | 826.1667  | 4.4660000 |
| 1  | 0.00      | 1850.0000 | 6.2890000 |

Table 12: Model-fitting results for testudinidae, genera, insular

|        | $\log L$  | K | AICc     | Akaike.wt |
|--------|-----------|---|----------|-----------|
| GRW    | -68.57344 | 2 | 143.5469 | 0         |
| URW    | -75.76576 | 1 | 154.1982 | 0         |
| Stasis | -60.41581 | 2 | 127.2316 | 1         |




Figure 27: paleoTS plot with genus mean, insular

### per continent

#### Europe, genera

Table 13: paleoTS object, Europe

| tt       | vv          | nn | mm        |
|----------|-------------|----|-----------|
| 0.00585  | 3338.406    | 2  | 148.8559  |
| 0.06885  | 138802.333  | 3  | 616.6667  |
| 0.45350  | 89203.953   | 3  | 377.8167  |
| 1.29350  | 218431.974  | 5  | 697.3717  |
| 2.19700  | 1110050.000 | 2  | 895.0000  |
| 3.09400  | 39433.333   | 3  | 453.3333  |
| 4.46600  | 159317.256  | 5  | 1215.8667 |
| 6.28900  | 875495.281  | 2  | 838.3750  |
| 9.42700  | 263434.389  | 6  | 800.0508  |
| 12.71400 | 351634.528  | 5  | 653.9625  |
| 14.89500 | 223154.375  | 5  | 772.0000  |
| 19.50000 | 183706.682  | 5  | 533.8533  |

Table 14: Model-fitting results for testudinidae, genera, Europe

|        | $\log L$  | K | AICc     | Akaike.wt |
|--------|-----------|---|----------|-----------|
| GRW    | -84.14010 | 2 | 173.7802 | 0.006     |
| URW    | -85.90727 | 1 | 174.2590 | 0.005     |
| Stasis | -79.01365 | 2 | 163.5273 | 0.990     |




Figure 28: Genera, Europe

#### Europe, smaller original bins (see Table 2), genera, continental

Table 15: paleoTs object, Europe, continental

| mm        | nn | vv          | tt       |
|-----------|----|-------------|----------|
| 149.5381  | 2  | 3450.8267   | 0.00585  |
| 187.0000  | 1  | 0.0000      | 0.06885  |
| 205.4750  | 2  | 198.0050    | 0.45350  |
| 204.9292  | 2  | 23.1767     | 1.29350  |
| 1420.0000 | 1  | 0.0000      | 2.19700  |
| 232.5000  | 1  | 0.0000      | 3.09400  |
| 1475.6667 | 3  | 57926.3333  | 4.46600  |
| 663.3750  | 2  | 473607.7812 | 6.28900  |
| 800.0508  | 6  | 263434.3893 | 9.42700  |
| 653.9625  | 5  | 351634.5281 | 12.71400 |
| 772.0000  | 5  | 223154.3750 | 14.89500 |
| 533.8533  | 5  | 183706.6821 | 19.50000 |

Table 16: Model-fitting results for testudinidae, genera, Europe, continental

|        | $\log L$  | K | AICc     | Akaike.wt |
|--------|-----------|---|----------|-----------|
| GRW    | -87.93137 | 2 | 181.3627 | 0.009     |
| URW    | -92.56882 | 1 | 187.5821 | 0.000     |
| Stasis | -83.21073 | 2 | 171.9215 | 0.991     |




Figure 29: paleoTS, genera, Europe, continental

#### Europe, smaller original bins (see Table 2), genera, insular

Table 17: paleoTs object, Europe, insular

| mm        | nn | vv         | tt      |
|-----------|----|------------|---------|
| 187.5077  | 1  | 0.00       | 0.00585 |
| 831.5000  | 2  | 684.50     | 0.06885 |
| 722.5000  | 1  | 0.00       | 0.45350 |
| 835.0833  | 4  | 168423.36  | 1.29350 |
| 1005.0000 | 2  | 1462050.00 | 2.19700 |
| 451.6667  | 3  | 40558.33   | 3.09400 |
| 826.1667  | 2  | 15196.06   | 4.46600 |
| 1850.0000 | 1  | 0.00       | 6.28900 |




Figure 30: paleoTS, genera, Europe, insular

 $\label{thm:eq:table 18: Model-fitting results for testudinidae, genera, Europe, insular$ 

|        | $\log L$  | K | AICc     | Akaike.wt |
|--------|-----------|---|----------|-----------|
| GRW    | -67.12192 | 2 | 141.2438 | 0.000     |
| URW    | -57.51634 | 1 | 117.8327 | 0.074     |
| Stasis | -52.89638 | 2 | 112.7928 | 0.926     |

### Eurasia, smaller original bins (See Table 2), genera

Table 19: paleoTS object, Eurasia

| nn | vv         | mm        | tt         |
|----|------------|-----------|------------|
| 1  | 0.000      | 137.2637  | 0.0000005  |
| 5  | 9760.467   | 236.8217  | 0.0058500  |
| 4  | 122579.333 | 530.0000  | 0.0688500  |
| 3  | 89203.953  | 377.8167  | 0.4535000  |
| 7  | 162641.142 | 777.5579  | 1.2935000  |
| 5  | 562217.222 | 909.6667  | 2.1970000  |
| 5  | 381770.000 | 892.0000  | 3.0940000  |
| 6  | 296417.219 | 1048.0556 | 4.4660000  |
| 3  | 849651.021 | 1208.9167 | 6.2890000  |
| 6  | 263434.389 | 800.0508  | 9.4270000  |
| 5  | 351634.528 | 653.9625  | 12.7140000 |
| 5  | 223154.375 | 772.0000  | 14.8950000 |
| 5  | 162399.349 | 513.8533  | 19.5000000 |

Table 20: Model-fitting results for testudinidae, genera, Eurasia

|        | $\log L$  | K | AICc     | Akaike.wt |
|--------|-----------|---|----------|-----------|
| GRW    | -85.25195 | 2 | 175.8372 | 0.149     |
| URW    | -85.39072 | 1 | 173.1814 | 0.562     |
| Stasis | -84.58890 | 2 | 174.5111 | 0.289     |




Figure 31: paleoTS, genera, Eurasia

#### Eurasia, smaller original bins (See Table 2), genera, continental

Table 21: paleoTS object, Eurasia, continental

| tt         | mm        | vv         | nn |
|------------|-----------|------------|----|
| 0.0000005  | 137.2637  | 0.000      | 1  |
| 0.0058500  | 238.0120  | 9654.865   | 5  |
| 0.0688500  | 228.5000  | 3444.500   | 2  |
| 0.4535000  | 205.4750  | 198.005    | 2  |
| 1.2935000  | 595.5388  | 191487.404 | 4  |
| 2.1970000  | 1044.5833 | 442006.250 | 4  |
| 3.0940000  | 1110.8333 | 581102.083 | 3  |
| 4.4660000  | 1159.0000 | 439728.667 | 4  |
| 6.2890000  | 1092.2500 | 788605.188 | 3  |
| 9.4270000  | 800.0508  | 263434.389 | 6  |
| 12.7140000 | 653.9625  | 351634.528 | 5  |
| 14.8950000 | 772.0000  | 223154.375 | 5  |
| 19.5000000 | 513.8533  | 162399.349 | 5  |

Table 22: Model-fitting results for testudinidae, genera, Eurasia, continental

|        | $\log L$  | K | AICc     | Akaike.wt |
|--------|-----------|---|----------|-----------|
| GRW    | -82.20698 | 2 | 169.7473 | 0.222     |
| URW    | -82.42344 | 1 | 167.2469 | 0.776     |
| Stasis | -87.19538 | 2 | 179.7241 | 0.002     |




Figure 32: paleoTS, genera, Eurasia, continental

#### Eurasia, smaller original bins (See Table 2), genera, insular

Table 23: paleoTS object, Eurasia, insular

| nn | VV         | mm        | tt         |
|----|------------|-----------|------------|
| 1  | 0.000      | 137.2637  | 0.0000005  |
| 4  | 5668.485   | 271.4596  | 0.0058500  |
| 3  | 105436.333 | 644.3333  | 0.0688500  |
| 1  | 0.000      | 722.5000  | 0.4535000  |
| 6  | 105684.077 | 882.0356  | 1.2935000  |
| 5  | 652233.889 | 953.6667  | 2.1970000  |
| 5  | 383430.000 | 891.0000  | 3.0940000  |
| 3  | 134562.926 | 620.4444  | 4.4660000  |
| 2  | 5000.000   | 1900.0000 | 6.2890000  |
| 1  | 0.000      | 800.0000  | 19.5000000 |

Table 24: Model-fitting results for testudinidae, genera, Eurasia, insular

|        | $\log L$  | K | AICc     | Akaike.wt |
|--------|-----------|---|----------|-----------|
| GRW    | -69.56419 | 2 | 145.1284 | 0.193     |
| URW    | -71.67437 | 1 | 145.9202 | 0.130     |
| Stasis | -68.31026 | 2 | 142.6205 | 0.677     |

Table 25: Data set, fossil.

| Genus         | Taxon                    | $\operatorname{CL}$ | estimated | EpochBins | Age      | Island | ( |
|---------------|--------------------------|---------------------|-----------|-----------|----------|--------|---|
| Homopus       | Homopus aerolatus        | 88.00               | m         | Modern    | 0.000001 | n      | A |
| Chersina      | Chersina angulata        | 120.00              | m         | Modern    | 0.000001 | n      | F |
| Aldabrachelys | Aldabrachelys gigantea   | 870.00              | m         | Modern    | 0.000001 | у      | A |
| Chersina      | Chersina angulata        | 170.00              | m         | Modern    | 0.000001 | n      | A |
| Indotestudo   | Indotestudo travancorica | 224.00              | m         | Modern    | 0.000001 | n      | A |

| Genus         | Taxon                   | CL      | estimated     | EpochBins          | Age      | Island | . ( |
|---------------|-------------------------|---------|---------------|--------------------|----------|--------|-----|
| Cylindraspis  | Cylindraspis vosmaeri   | 500.00  | m             | Modern             | 0.000001 | У      | A   |
| Centrochelys  | Centrochelys sulcata    | 435.00  | m             | Modern             | 0.000001 | n      | A   |
| Kinixys       | Kinixys homeana         | 193.00  | m             | Modern             | 0.000001 | n      | A   |
| Stigmochelys  | Stigmochelys pardalis   | 315.00  | m             | Modern             | 0.000001 | n      | A   |
| Kinixys       | Kinixys belliana        | 180.00  | m             | Modern             | 0.000001 | n      | A   |
| Testudo       | Testudo kenitrensis     | 132.00  | mo            | Middle Pleistocene | 0.453500 | n      | A   |
| Cylindraspis  | Cylindraspis indica     | 600.00  | m             | Modern             | 0.000001 | У      | A   |
| Psammobates   | Psammobates geometricus | 92.00   | m             | Modern             | 0.000001 | n      | 1   |
| Aldabrachelys | Aldabrachelys gigantea  | 800.00  | m             | Modern             | 0.000001 | У      | A   |
| Cylindraspis  | Cylindraspis triserrata | 1100.00 | m             | Modern             | 0.000001 | У      | A   |
| Astrochelys   | Astrochelys yniphora    | 307.00  | m             | Modern             | 0.000001 | У      | A   |
| Stigmochelys  | Stigmochelys pardalis   | 405.00  | m             | Modern             | 0.000001 | n      | I   |
| Astrochelys   | Astrochelys radiata     | 334.00  | m             | Modern             | 0.000001 | У      | 1   |
| Stigmochelys  | Stigmochelys pardalis   | 297.00  | m             | Modern             | 0.000001 | n      | A   |
| Astrochelys   | Astrochelys radiata     | 285.00  | m             | Modern             | 0.000001 | У      | A   |
| Testudo       | Testudo sp.             | 200.00  | $\mathrm{mf}$ | Gelasian           | 2.500000 | n      | A   |
| Astrochelys   | Astrochelys radiata     | 242.00  | m             | Modern             | 0.000001 | У      | A   |
| Astrochelys   | Astrochelys radiata     | 355.00  | m             | Modern             | 0.000001 | У      | 1   |
| Pyxis         | Pyxis planicauda        | 126.00  | m             | Modern             | 0.000001 | У      | A   |
| Homopus       | Homopus aerolatus       | 300.00  | m             | Modern             | 0.000001 | n      | 1   |
| Aldabrachelys | Aldabrachelys gigantea  | 770.00  | m             | Modern             | 0.000001 | У      | 1   |
| Aldabrachelys | Aldabrachelys gigantea  | 720.00  | m             | Modern             | 0.000001 | У      | A   |
| Centrochelys  | Centrochelys sulcata    | 215.00  | m             | Modern             | 0.000001 | n      | A   |
| Homopus       | Homopus solus           | 109.00  | m             | Modern             | 0.000001 | n      | A   |
| Psammobates   | Psammobates oculifer    | 101.00  | m             | Modern             | 0.000001 | n      | A   |
| Homopus       | Homopus signatus        | 94.00   | m             | Modern             | 0.000001 | n      | A   |
| Kinixys       | Kinixys belliana        | 194.00  | m             | Modern             | 0.000001 | n      | A   |
| Kinixys       | Kinixys belliana        | 230.00  | m             | Modern             | 0.000001 | n      | A   |
| Kinixys       | Kinixys belliana        | 174.00  | m             | Modern             | 0.000001 | n      | I   |
| Psammobates   | Psammobates geometricus | 107.00  | m             | Modern             | 0.000001 | n      | 1   |
| Kinixys       | Kinixys lobatsiana      | 200.00  | m             | Modern             | 0.000001 | n      | I   |
|               |                         |         |               |                    |          |        |     |

| Genus         | Taxon                        | $\operatorname{CL}$ | estimated | EpochBins  | Age      | Island | ( |
|---------------|------------------------------|---------------------|-----------|------------|----------|--------|---|
| Kinixys       | Kinixys natalensis           | 160.00              | m         | Modern     | 0.000001 | n      | A |
| Chersina      | Chersina angulata            | 202.00              | m         | Modern     | 0.000001 | n      | A |
| Chersina      | Chersina angulata            | 351.00              | m         | Modern     | 0.000001 | у      | A |
| Aldabrachelys | Aldabrachelys gigantea       | 1030.00             | m         | Modern     | 0.000001 | У      | A |
| Chersina      | Chersina angulata            | 160.00              | m         | Modern     | 0.000001 | n      | A |
| Chersina      | Chersina angulata            | 148.00              | m         | Modern     | 0.000001 | n      | A |
| Chersina      | Chersina angulata            | 181.00              | m         | Modern     | 0.000001 | n      | A |
| Psammobates   | Psammobates tentorius        | 145.00              | m         | Modern     | 0.000001 | n      | A |
| Pyxis         | Pyxis arachnoides            | 150.00              | m         | Modern     | 0.000001 | У      | A |
| Pyxis         | Pyxis planicauda             | 160.00              | m         | Modern     | 0.000001 | У      | A |
| Stigmochelys  | Stigmochelys pardalis        | 720.00              | m         | Modern     | 0.000001 | n      | A |
| Malacochersus | Malacochersus tornieri       | 153.00              | m         | Modern     | 0.000001 | n      | A |
| Chersina      | Chersina angulata            | 179.30              | m         | Modern     | 0.000001 | n      | A |
| Aldabrachelys | Aldabrachelys gigantea       | 810.00              | m         | Modern     | 0.000001 | У      | A |
| Testudo       | Testudo kleinmanni           | 144.00              | m         | Modern     | 0.000001 | n      | A |
| Astrochelys   | Astrochelys yniphora         | 415.00              | m         | Modern     | 0.000001 | У      | A |
| Cylindraspis  | Cylindraspis inepta          | 1000.00             | m         | Modern     | 0.000001 | У      | A |
| Cylindraspis  | Cylindraspis peltastes       | 420.00              | m         | Modern     | 0.000001 | У      | A |
| Astrochelys   | Astrochelys yniphora         | 486.00              | m         | Modern     | 0.000001 | У      | A |
| Pyxis         | Pyxis planicauda             | 148.00              | m         | Modern     | 0.000001 | У      | A |
| Astrochelys   | Astrochelys yniphora         | 426.00              | m         | Modern     | 0.000001 | У      | A |
| Pyxis         | Pyxis arachnoides            | 110.00              | m         | Modern     | 0.000001 | у      | A |
| Aldabrachelys | "Aldabrachelys" laetoliensis | 1000.00             | mo        | Piacencian | 2.703000 | n      | A |
| Centrochelys  | Centrochelys sulcata         | 830.00              | m         | Modern     | 0.000001 | n      | A |
| Homopus       | Homopus fenestratus          | 90.00               | mo        | Piacencian | 3.056500 | n      | A |
| Astrochelys   | Astrochelys radiata          | 395.00              | m         | Modern     | 0.000001 | У      | A |
| Pyxis         | Pyxis arachnoides            | 110.00              | m         | Modern     | 0.000001 | У      | A |
| Psammobates   | Psammobates tentorius        | 116.00              | m         | Modern     | 0.000001 | У      | A |
| Pyxis         | Pyxis planicauda             | 132.00              | m         | Modern     | 0.000001 | У      | A |
| Pyxis         | Pyxis planicauda             | 114.00              | m         | Modern     | 0.000001 | У      | A |
| Pyxis         | Pyxis planicauda             | 134.00              | m         | Modern     | 0.000001 | у      | A |

| Genus          | Taxon                         | CL      | estimated     | EpochBins              | Age       | Island | ( |
|----------------|-------------------------------|---------|---------------|------------------------|-----------|--------|---|
| Homopus        | Homopus signatus              | 106.00  | m             | Modern                 | 0.000001  | n      |   |
| Kinixys        | Kinixys erosa                 | 164.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Pyxis          | Pyxis arachnoides             | 111.00  | m             | Modern                 | 0.000001  | У      | 1 |
| Mesocherus     | Mesocherus orangeus           | 180.00  | mo            | Burdigalian/Aquitanian | 17.250000 | n      | 1 |
| Pyxis          | Pyxis arachnoides             | 80.00   | m             | Modern                 | 0.000001  | У      | 1 |
| Pyxis          | Pyxis arachnoides             | 144.00  | m             | Modern                 | 0.000001  | У      | 1 |
| Kinixys        | Kinixys erosa                 | 400.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Kinixys        | Kinixys homeana               | 223.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Kinixys        | Kinixys belliana              | 157.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Kinixys        | Kinixys belliana              | 162.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Chersina       | Chersina angulata             | 166.40  | m             | Modern                 | 0.000001  | n      | 1 |
| Chersina       | Chersina angulata             | 171.60  | m             | Modern                 | 0.000001  | У      | 1 |
| Chersina       | Chersina angulata             | 136.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Mesocherus     | Mesocherus orangeus           | 180.00  | mo            | Burdigalian/Aquitanian | 17.250000 | n      | 1 |
| Chersina       | Chersina angulata             | 161.30  | m             | Modern                 | 0.000001  | У      | 1 |
| Kinixys        | Kinixys erosa                 | 271.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Psammobates    | Psammobates oculifer          | 111.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Namibchersus   | Namibchersus aff. namaquensis | 550.00  | mo            | Burdigalian/Aquitanian | 17.250000 | n      | 1 |
| Astrochelys    | Astrochelys radiata           | 305.00  | m             | Modern                 | 0.000001  | У      | 1 |
| Impregnochelys | Impregnochelys pachytectis    | 620.00  | m             | Burdigalian/Aquitanian | 19.500000 | n      | 1 |
| Stigmochelys   | Stigmochelys pardalis         | 345.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Stigmochelys   | Stigmochelys pardalis         | 350.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Aldabrachelys  | Aldabrachelys gigantea        | 875.00  | m             | Modern                 | 0.000001  | У      | 1 |
| Namibchersus   | Namibchersus aff. namaquensis | 1100.00 | mo            | Burdigalian/Aquitanian | 17.250000 | n      | 1 |
| Geochelone     | Geochelone sp.                | 1446.00 | eh            | Tortonian              | 8.476000  | n      | 1 |
| Testudo        | Testudo sp.                   | 184.00  | $\mathrm{mf}$ | Gelasian               | 2.500000  | n      | 1 |
| Chersina       | Chersina angulata             | 153.50  | m             | Modern                 | 0.000001  | n      | 1 |
| Psammobates    | Psammobates oculifer          | 119.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Psammobates    | Psammobates oculifer          | 107.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Psammobates    | Psammobates geometricus       | 165.00  | m             | Modern                 | 0.000001  | n      | 1 |
| Aldabrachelys  | Aldabrachelys grandidieri     | 1250.00 | mo            | Modern                 | 0.001500  | У      | 1 |

| Genus         | Taxon                         | CL      | estimated     | EpochBins              | Age       | Island | ( |
|---------------|-------------------------------|---------|---------------|------------------------|-----------|--------|---|
| Psammobates   | Psammobates oculifer          | 103.00  | m             | Modern                 | 0.000001  | n      |   |
| Centrochelys  | Centrochelys atlantica        | 400.00  | mo            | Lower Pleistocene      | 1.300000  | У      | A |
| Pyxis         | Pyxis arachnoides             | 86.00   | m             | Modern                 | 0.000001  | у      | A |
| Pyxis         | Pyxis arachnoides             | 154.00  | m             | Modern                 | 0.000001  | у      | A |
| Psammobates   | Psammobates geometricus       | 118.00  | m             | Modern                 | 0.000001  | n      | A |
| Aldabrachelys | Aldabrachelys gigantea        | 1190.00 | m             | Modern                 | 0.000001  | У      | A |
| Psammobates   | Psammobates tentorius         | 95.00   | m             | Modern                 | 0.000001  | n      | A |
| Psammobates   | Psammobates tentorius         | 81.00   | m             | Modern                 | 0.000001  | n      | A |
| Psammobates   | Psammobates tentorius         | 111.00  | m             | Modern                 | 0.000001  | n      | A |
| Astrochelys   | Astrochelys yniphora          | 370.00  | m             | Modern                 | 0.000001  | У      | A |
| Testudo       | Testudo aff. kenitrensis      | 142.00  | $\mathrm{mf}$ | Gelasian               | 2.500000  | n      | A |
| Pyxis         | Pyxis planicauda              | 120.00  | m             | Modern                 | 0.000001  | У      | A |
| Psammobates   | Psammobates oculifer          | 147.00  | m             | Modern                 | 0.000001  | n      | A |
| Namibchersus  | Namibchersus namaquensis      | 815.00  | m             | Burdigalian/Aquitanian | 18.000000 | n      | A |
| Psammobates   | Psammobates oculifer          | 105.00  | m             | Modern                 | 0.000001  | n      | A |
| Kinixys       | Kinixys sp.                   | 268.00  | ef            | Modern                 | 0.009500  | n      | A |
| Aldabrachelys | Aldabrachelys grandidieri     | 1240.00 | m             | Modern                 | 0.001500  | У      | A |
| Namibchersus  | Namibchersus namaquensis      | 264.00  | m             | Burdigalian/Aquitanian | 19.500000 | n      | A |
| Psammobates   | Psammobates geometricus       | 105.00  | m             | Modern                 | 0.000001  | n      | A |
| Chersina      | Chersina angulata             | 162.00  | m             | Modern                 | 0.000001  | n      | A |
| Astrochelys   | Astrochelys radiata           | 400.00  | m             | Modern                 | 0.000001  | У      | A |
| Astrochelys   | Astrochelys yniphora          | 446.00  | m             | Modern                 | 0.000001  | У      | I |
| Homopus       | Homopus boulengeri            | 110.00  | m             | Modern                 | 0.000001  | n      | I |
| Astrochelys   | Astrochelys yniphora          | 361.00  | m             | Modern                 | 0.000001  | У      | A |
| Aldabrachelys | Aldabrachelys abrupta         | 1000.00 | mo            | Modern                 | 0.002000  | У      | A |
| Namibchersus  | Namibchersus namaquensis      | 470.00  | m             | Burdigalian/Aquitanian | 18.000000 | n      | A |
| Namibchersus  | Namibchersus namaquensis      | 254.00  | m             | Burdigalian/Aquitanian | 18.000000 | n      | A |
| Namibchersus  | Namibchersus aff. namaquensis | 440.00  | mo            | Burdigalian/Aquitanian | 17.250000 | n      | A |
| Mesocherus    | Mesocherus orangeus           | 200.00  | mo            | Burdigalian/Aquitanian | 17.250000 | n      | Ā |
| Testudo       | Testudo oughlamensis          | 120.00  | mo            | Gelasian               | 2.500000  | n      | A |
| Geochelone    | Geochelone stromeri           | 425.00  | m             | Zanclean               | 4.466000  | n      | A |

| Genus         | Taxon                    | $\operatorname{CL}$ | estimated     | EpochBins              | Age       | Island | ( |
|---------------|--------------------------|---------------------|---------------|------------------------|-----------|--------|---|
| Mesocherus    | Mesocherus orangeus      | 180.00              | mo            | Burdigalian/Aquitanian | 17.250000 | n      | A |
| Chersina      | Chersina angulata        | 181.90              | m             | Modern                 | 0.000001  | У      | A |
| Geochelone    | Geochelone stromeri      | 350.00              | m             | Zanclean               | 4.466000  | n      | A |
| Mesocherus    | Mesocherus orangeus      | 160.00              | mo            | Burdigalian/Aquitanian | 17.250000 | n      | A |
| Malacochersus | Malacochersus tornieri   | 180.00              | m             | Modern                 | 0.000001  | n      | A |
| Homopus       | Homopus femoralis        | 168.00              | m             | Modern                 | 0.000001  | n      | A |
| Centrochelys  | Centrochelys marocana    | 2050.00             | mo            | Gelasian               | 2.500000  | n      | I |
| Kinixys       | Kinixys spekii           | 220.00              | m             | Modern                 | 0.000001  | n      | A |
| Psammobates   | Psammobates antiquorum   | 107.80              | m             | Lower Pleistocene      | 1.800000  | n      | A |
| Geochelone    | Geochelone crassa        | 865.00              | $\mathrm{mf}$ | Zanclean               | 4.145000  | n      | I |
| Namibchersus  | Namibchersus namaquensis | 470.00              | m             | Burdigalian/Aquitanian | 18.000000 | n      | A |
| Namibchersus  | Namibchersus namaquensis | 300.00              | m             | Burdigalian/Aquitanian | 19.500000 | n      | A |
| Aldabrachelys | Aldabrachelys gigantea   | 1140.00             | m             | Modern                 | 0.000001  | у      | A |
| Geochelone    | Geochelone elegans       | 208.00              | m             | Modern                 | 0.000001  | n      | A |
| Geochelone    | Geochelone elegans       | 245.00              | m             | Modern                 | 0.000001  | n      | A |
| Geochelone    | Geochelone elegans       | 221.00              | m             | Modern                 | 0.000001  | n      | A |
| Geochelone    | Geochelone elegans       | 220.00              | m             | Modern                 | 0.000001  | у      | A |
| Geochelone    | Geochelone elegans       | 221.00              | m             | Modern                 | 0.000001  | n      | I |
| Geochelone    | Geochelone platynota     | 222.00              | m             | Modern                 | 0.000001  | n      | I |
| Indotestudo   | Indotestudo forstenii    | 202.00              | m             | Modern                 | 0.000001  | у      | A |
| Indotestudo   | Indotestudo travancorica | 249.70              | m             | Modern                 | 0.000001  | n      | A |
| Indotestudo   | Indotestudo forstenii    | 309.00              | m             | Modern                 | 0.000001  | у      | A |
| Aldabrachelys | Aldabrachelys? sp.       | 1500.00             | mo            | Piacencian             | 3.000000  | n      | A |
| Indotestudo   | Indotestudo forstenii    | 199.00              | m             | Modern                 | 0.000001  | у      | A |
| Indotestudo   | Indotestudo elongata     | 244.20              | m             | Modern                 | 0.000001  | n      | A |
| Indotestudo   | Indotestudo travancorica | 244.20              | m             | Modern                 | 0.000001  | n      | A |
| gen.          | gen. indet.              | 900.00              | mo            | Lower Pleistocene      | 1.684500  | n      | A |
| Testudo       | Testudo changshanesis    | 330.00              | mo            | Lower Pleistocene      | 1.684500  | n      | A |
| Indotestudo   | Indotestudo elongata     | 276.00              | m             | Modern                 | 0.000001  | n      | I |
| Indotestudo   | Indotestudo elongata     | 235.00              | m             | Modern                 | 0.000001  | n      | A |
| Indotestudo   | Indotestudo elongata     | 208.00              | m             | Modern                 | 0.000001  | n      | A |

| Genus         | Taxon                    | CL      | estimated | EpochBins              | Age       | Island | ( |
|---------------|--------------------------|---------|-----------|------------------------|-----------|--------|---|
| Indotestudo   | Indotestudo elongata     | 166.00  | m         | Modern                 | 0.000001  | n      | I |
| Geochelone    | Geochelone sp.           | 800.00  | ev        | Burdigalian/Aquitanian | 16.500000 | n      | A |
| Megalochelys  | Megalochelys sp.         | 1200.00 | ev        | Lower Pleistocene      | 0.900000  | у      | A |
| Testudo       | Testudo graeca           | 280.00  | m         | Modern                 | 0.000001  | У      | A |
| Manouria      | Manouria emys            | 212.00  | m         | Modern                 | 0.000001  | n      | I |
| Manouria      | Manouria emys            | 445.00  | m         | Modern                 | 0.000001  | n      | I |
| Manouria      | Manouria emys            | 330.00  | m         | Modern                 | 0.000001  | n      | I |
| Ergilemys     | Ergilemys oskarkuhni     | 198.00  | m         | Zanclean               | 3.950000  | n      | A |
| Testudo       | Testudo transcaucasia    | 150.00  | mo        | Gelasian               | 2.190500  | n      | A |
| Manouria      | Manouria impressa        | 165.00  | m         | Modern                 | 0.000001  | n      | A |
| Testudo       | Testudo horsfieldii      | 280.00  | m         | Modern                 | 0.000001  | n      | I |
| Indotestudo   | Indotestudo travancorica | 219.60  | m         | Modern                 | 0.000001  | n      | I |
| Aldabrachelys | Aldabrachelys? sp.       | 1500.00 | mo        | Piacencian             | 3.000000  | n      | I |
| Manouria      | Manouria emys            | 600.00  | m         | Modern                 | 0.000001  | n      | I |
| Manouria      | Manouria impressa        | 275.00  | m         | Modern                 | 0.000001  | n      | I |
| Megalochelys  | Megalochelys sondaari    | 1000.00 | ec        | Lower Pleistocene      | 1.350000  | У      | I |
| Testudo       | Testudo graeca           | 250.00  | m         | Modern                 | 0.000001  | n      | I |
| Megalochelys  | Megalochelys sp.         | 191.40  | m         | Lower Pleistocene      | 1.684500  | У      | I |
| Geochelone    | Geochelone platynota     | 300.00  | m         | Modern                 | 0.000001  | n      | I |
| Megalochelys  | Megalochelys atlas       | 1400.00 | mo        | Gelasian               | 2.000000  | У      | I |
| Indotestudo   | Indotestudo elongata     | 270.00  | m         | Upper Pleistocene      | 0.037000  | n      | I |
| Manouria      | Manouria oyamai          | 450.00  | mo        | Modern                 | 0.011000  | у      | A |
| Indotestudo   | Indotestudo forstenii    | 200.50  | m         | Modern                 | 0.000001  | у      | A |
| Indotestudo   | Indotestudo elongata     | 219.60  | m         | Modern                 | 0.000001  | n      | A |
| Ergilemys     | Ergilemys oskarkuhni     | 220.00  | m         | Zanclean               | 3.950000  | n      | A |
| Testudo       | Testudo ranovi           | 200.00  | mo        | Gelasian               | 2.190500  | n      | I |
| Megalochelys  | Megalochelys atlas       | 1600.00 | mo        | Piacencian             | 3.094000  | n      | A |
| Megalochelys  | Megalochelys atlas       | 1600.00 | mo        | Piacencian             | 3.094000  | n      | A |
| Manouria      | Manouria impressa        | 350.00  | m         | Modern                 | 0.000001  | n      | A |
| Megalochelys  | Megalochelys sp.         | 2000.00 | m         | Lower Pleistocene      | 1.684500  | У      | A |
| Manouria      | Manouria punjabiensis    | 900.00  | mo        | Gelasian               | 2.190500  | n      | I |
|               |                          |         |           |                        |           |        |   |

| Genus          | Taxon                    | $\operatorname{CL}$ | estimated | EpochBins          | Age      | Island | ( |
|----------------|--------------------------|---------------------|-----------|--------------------|----------|--------|---|
| Indotestudo    | Indotestudo elongata     | 360.00              | m         | Modern             | 0.000001 | n      |   |
| Indotestudo    | Indotestudo travancorica | 331.00              | m         | Modern             | 0.000001 | n      |   |
| Megalochelys   | Megalochelys atlas       | 1800.00             | m         | Messinian          | 5.423000 | n      |   |
| Megalochelys   | Megalochelys sondaari    | 818.00              | ec        | Lower Pleistocene  | 1.350000 | У      | 1 |
| Megalochelys   | Megalochelys atlas       | 1650.00             | mo        | Gelasian           | 2.000000 | У      |   |
| Megalochelys   | Megalochelys atlas       | 2000.00             | mo        | Gelasian           | 2.190500 | n      | ı |
| Megalochelys   | Megalochelys atlas       | 2100.00             | mo        | Messinian          | 5.423000 | n      | ı |
| Manouria       | Manouria emys            | 600.00              | m         | Modern             | 0.000001 | n      | ı |
| Geochelone     | Geochelone elegans       | 380.00              | m         | Modern             | 0.000001 | n      | ı |
| Testudo        | Testudo graeca           | 300.00              | m         | Modern             | 0.000001 | n      | ı |
| Chelonoidis    | Chelonoidis marcanoi     | 778.00              | eh        | Upper Pleistocene  | 0.069000 | У      | 1 |
| Chelonoidis    | Chelonoidis sp.          | 440.00              | mo        | Modern             | 0.001000 | У      | ı |
| Gopherus       | Gopherus morafkai        | 299.00              | m         | Modern             | 0.000001 | n      | ı |
| Chelonoidis    | Chelonoidis alburyorum   | 424.00              | m         | Piacencian         | 3.201500 | У      | ı |
| Chelonoidis    | Chelonoidis sp.          | 400.00              | mo        | Upper Pleistocene  | 0.069000 | У      | 1 |
| Chelonoidis    | Chelonoidis marcanoi     | 614.00              | eh        | Upper Pleistocene  | 0.069000 | У      | 4 |
| Gopherus       | Gopherus flavomarginatus | 450.00              | m         | Lower Pleistocene  | 1.050000 | n      | 1 |
| Gopherus       | Gopherus berlandieri     | 256.30              | m         | Lower Pleistocene  | 1.050000 | n      | 1 |
| Chelonoidis    | Chelonoidis cubensis     | 1139.00             | ef        | Middle Pleistocene | 0.393500 | У      | 4 |
| Chelonoidis    | Chelonoidis monensis     | 500.00              | m         | Upper Pleistocene  | 0.064500 | У      | 1 |
| Hesperotestudo | Hesperotestudo sp.       | 1500.00             | mo        | Lower Pleistocene  | 0.966000 | n      | 4 |
| Geochelone     | Geochelone sp.           | 340.00              | mo        | Lower Pleistocene  | 1.050000 | n      | 4 |
| Chelonoidis    | Chelonoidis marcanoi     | 530.00              | eh        | Upper Pleistocene  | 0.069000 | У      |   |
| Gopherus       | Gopherus donlaloi        | 580.00              | mo        | Modern             | 0.000175 | n      |   |
| Chelonoidis    | Chelonoidis sombrerensis | 990.00              | m         | Upper Pleistocene  | 0.069000 | у      | 1 |
| Chelonoidis    | Chelonoidis marcanoi     | 767.00              | eh        | Upper Pleistocene  | 0.069000 | У      |   |
| Chelonoidis    | Chelonoidis alburyorum   | 428.00              | m         | Piacencian         | 3.201500 | У      |   |
| Chelonoidis    | Chelonoidis sp.          | 750.00              | mo        | Lower Pleistocene  | 1.357000 | У      |   |
| Chelonoidis    | Chelonoidis sp.          | 600.00              | mo        | Lower Pleistocene  | 1.357000 | У      |   |
| Hesperotestudo | Hesperotestudo bermudae  | 270.00              | m         | Middle Pleistocene | 0.310000 | у      | 1 |
| Chelonoidis    | Chelonoidis alburyorum   | 453.00              | m         | Piacencian         | 3.201500 | У      |   |

| Genus          | Taxon                     | CL      | estimated     | EpochBins          | Age       | Island | ( |
|----------------|---------------------------|---------|---------------|--------------------|-----------|--------|---|
| Gopherus       | Gopherus flavomarginatus  | 400.00  | m             | Modern             | 0.000001  | n      |   |
| Gopherus       | Gopherus berlandieri      | 240.00  | m             | Modern             | 0.000001  | n      | 1 |
| Chelonoidis    | Chelonoidis sp.           | 660.00  | mo            | Modern             | 0.001000  | У      | 1 |
| Chelonoidis    | Chelonoidis sp.           | 800.00  | mo            | Lower Pleistocene  | 1.357000  | У      | 1 |
| Chelonoidis    | Chelonoidis sp.           | 550.00  | mo            | Modern             | 0.001000  | У      | 1 |
| Chelonoidis    | Chelonoidis sp.           | 854.00  | mo            | Modern             | 0.001000  | У      | I |
| Chelonoidis    | Chelonoidis sp.           | 600.00  | mo            | Upper Pleistocene  | 0.069000  | У      | 1 |
| Gopherus       | Gopherus berlandieri      | 195.00  | m             | Lower Pleistocene  | 1.050000  | n      | 1 |
| Chelonoidis    | Chelonoidis alburyorum    | 466.00  | m             | Piacencian         | 3.201500  | у      | 1 |
| Hesperotestudo | Hesperotestudo bermudae   | 500.00  | m             | Middle Pleistocene | 0.310000  | У      | 1 |
| Chelonoidis    | Chelonoidis sp.           | 512.00  | mo            | Modern             | 0.001000  | У      | 1 |
| Chelonoidis    | Chelonoidis sp.           | 550.00  | m             | Modern             | 0.001000  | у      | 1 |
| Ergilemys      | Ergilemys sp.             | 1000.00 | m             | Langhian           | 14.000000 | n      | ] |
| Testudo        | Testudo graeca            | 195.00  | $\mathrm{mf}$ | Lower Pleistocene  | 1.770000  | n      | ] |
| Testudo        | Testudo hermanni          | 138.50  | m             | Modern             | 0.000001  | n      | I |
| Testudo        | Testudo lunellensis       | 194.00  | $\mathrm{mf}$ | Middle Pleistocene | 0.450000  | n      | I |
| Titanochelon   | Titanochelon bacharidisi  | 900.00  | mo            | Zanclean           | 3.950000  | n      | ] |
| Paleotestudo   | Paleotestudo antiqua      | 183.70  | m             | Serravallian       | 12.150000 | n      | ] |
| Paleotestudo   | Paleotestudo antiqua      | 229.00  | $\mathrm{mf}$ | Serravallian       | 13.000000 | n      | ] |
| Pyxis          | Pyxis arachnoides         | 108.00  | m             | Modern             | 0.000001  | n      | ] |
| Testudo        | Testudo hermanni          | 145.90  | m             | Modern             | 0.000001  | у      | ] |
| Titanochelon   | Titanochelon sp.          | 1420.00 | mo            | Gelasian           | 1.850000  | n      | ] |
| Centrochelys   | Centrochelys robusta      | 850.00  | mo            | Zanclean           | 4.917000  | У      | ] |
| Testudo        | Testudo marginata         | 246.00  | m             | Modern             | 0.000001  | n      | ] |
| Testudo        | Testudo horsfieldii       | 114.00  | m             | Modern             | 0.000001  | n      | ] |
| Cheirogaster   | Cheirogaster sp.          | 1000.00 | mo            | Serravallian       | 12.200000 | n      | ] |
| Testudo        | Testudo graeca            | 178.20  | m             | Modern             | 0.000001  | n      | I |
| Eurotestudo    | Eurotestudo aff. hermanni | 179.30  | $\mathrm{mf}$ | Middle Pleistocene | 0.740000  | n      | ] |
| Titanochelon   | Titanochelon bacharidisi  | 1164.00 | m             | Zanclean           | 3.950000  | n      | ] |
| Testudo        | Testudo marginata         | 242.50  | m             | Modern             | 0.000001  | У      | ] |
| Testudo        | Testudo hermanni          | 130.00  | m             | Modern             | 0.000001  | n      | ] |
|                |                           |         |               |                    |           |        |   |

| Genus        | Taxon                    | $\operatorname{CL}$ | estimated     | EpochBins              | Age       | Island | ( |
|--------------|--------------------------|---------------------|---------------|------------------------|-----------|--------|---|
| Testudo      | Testudo horsfieldii      | 136.00              | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo graeca           | 200.00              | $\mathrm{mf}$ | Messinian              | 5.500000  | n      | ] |
| Testudo      | Testudo kalksburgensis   | 225.00              | mo            | Burdigalian/Aquitanian | 18.000000 | n      | ] |
| Testudo      | Testudo horsfieldii      | 132.00              | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo brevitesta       | 165.00              | $\mathrm{mf}$ | Piacencian             | 2.600000  | n      | ] |
| Testudo      | Testudo hermanni         | 200.00              | m             | Modern                 | 0.000001  | у      | ] |
| Testudo      | Testudo hermanni         | 168.30              | m             | Modern                 | 0.000001  | у      | ] |
| Testudo      | Testudo marginata        | 310.00              | m             | Lower Pleistocene      | 1.300000  | у      | ] |
| Centrochelys | Centrochelys robusta     | 1200.00             | ev            | Lower Pleistocene      | 1.300000  | у      | ] |
| Testudo      | Testudo graeca           | 167.00              | m             | Messinian              | 5.500000  | n      | ] |
| Eurotestudo  | Eurotestudo cf. hermanni | 150.00              | mo            | Gelasian               | 2.000000  | у      | ] |
| Titanochelon | Titanochelon bacharidisi | 900.00              | mo            | Zanclean               | 3.950000  | n      | ] |
| Testudo      | Testudo hermanni         | 143.50              | m             | Modern                 | 0.000001  | у      | ] |
| gen.         | gen. indet.              | 270.00              | mo            | Burdigalian/Aquitanian | 16.400000 | n      | ] |
| Testudo      | Testudo marginata        | 290.00              | m             | Modern                 | 0.000001  | n      | ] |
| Centrochelys | Centrochelys burchardi   | 940.00              | mo            | Middle Pleistocene     | 0.435000  | у      | ] |
| Testudo      | Testudo lunellensis      | 260.70              | $\mathrm{mf}$ | Middle Pleistocene     | 0.450000  | n      | ] |
| Geochelone   | Geochelone s. l.         | 1750.00             | mo            | Zanclean               | 4.466000  | n      | ] |
| Testudo      | Testudo marginata        | 210.00              | m             | Lower Pleistocene      | 1.720000  | n      | ] |
| Testudo      | Testudo hermanni         | 183.30              | m             | Modern                 | 0.000001  | у      | ] |
| Testudo      | Testudo hermanni         | 196.00              | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo hermanni         | 176.90              | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo graeca           | 194.60              | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo hermanni         | 250.00              | m             | Modern                 | 0.000001  | n      | ] |
| Paleotestudo | Paleotestudo sp.         | 179.30              | m             | Burdigalian/Aquitanian | 16.550000 | n      | ] |
| gen.         | gen. indet.              | 660.00              | m             | Tortonian              | 8.750000  | n      | ] |
| Testudo      | Testudo marginata        | 400.00              | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo hermanni         | 176.60              | m             | Modern                 | 0.000001  | у      | ] |
| Testudo      | Testudo catalaunica      | 232.00              | m             | Serravallian           | 12.350000 | n      | ] |
| gen.         | gen. indet.              | 1000.00             | mo            | Langhian               | 14.700000 | n      | ] |
| Paleotestudo | Paleotestudo sp.         | 261.00              | mf            | Tortonian              | 9.500000  | n      | ] |

| Genus        | Taxon                       | CL      | estimated     | EpochBins              | Age       | Island | ( |
|--------------|-----------------------------|---------|---------------|------------------------|-----------|--------|---|
| gen.         | gen. indet.                 | 270.00  | mo            | Serravallian           | 12.200000 | n      |   |
| Paleotestudo | Paleotestudo antiqua        | 275.00  | $\mathrm{mf}$ | Langhian               | 15.000000 | n      | ] |
| Testudo      | Testudo horsfieldii         | 123.00  | m             | Modern                 | 0.000001  | n      | I |
| Testudo      | Testudo marginata           | 242.50  | m             | Modern                 | 0.000001  | У      | ] |
| Testudo      | Testudo sp.                 | 200.00  | $\mathrm{mf}$ | Messinian              | 6.165000  | n      | ] |
| Cheirogaster | Cheirogaster sp.            | 925.00  | ef            | Lower Pleistocene      | 0.965000  | у      | I |
| Titanochelon | Titanochelon cf. perpiniana | 1001.00 | mo            | Burdigalian/Aquitanian | 16.370000 | n      | I |
| Testudo      | Testudo marginata           | 250.00  | m             | Modern                 | 0.000001  | У      | ] |
| Testudo      | Testudo lunellensis         | 231.00  | ev            | Middle Pleistocene     | 0.453500  | n      | I |
| Testudo      | Testudo sp.                 | 2500.00 | $\mathrm{mf}$ | Zanclean               | 3.900000  | n      | I |
| Centrochelys | Centrochelys burchardi      | 500.00  | mo            | Middle Pleistocene     | 0.435000  | у      | I |
| Cheirogaster | Cheirogaster sp.            | 1170.00 | m             | Tortonian              | 10.250000 | n      | I |
| Testudo      | Testudo sp.                 | 1200.00 | $\mathrm{mf}$ | Zanclean               | 3.960000  | n      | I |
| Paleotestudo | Paleotestudo antiqua        | 145.00  | $\mathrm{mf}$ | Serravallian           | 13.000000 | n      | ] |
| Testudo      | Testudo hermanni            | 160.00  | m             | Modern                 | 0.000001  | У      | ] |
| Testudo      | Testudo hermanni            | 157.00  | m             | Modern                 | 0.000001  | у      | ] |
| Eurotestudo  | Testudo hermanni            | 133.10  | $\mathrm{mf}$ | Lower Pleistocene      | 1.220000  | n      | ] |
| Testudo      | Testudo marginata           | 246.00  | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo marginata           | 290.00  | m             | Lower Pleistocene      | 1.300000  | у      | ] |
| Testudo      | Testudo kalksburgensis      | 230.00  | m             | Burdigalian/Aquitanian | 19.965000 | n      | ] |
| Testudo      | Testudo marginata           | 246.70  | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo kalksburgensis      | 275.00  | m             | Langhian               | 14.500000 | n      | ] |
| Testudo      | Testudo lunellensis         | 176.00  | mo            | Middle Pleistocene     | 0.453500  | n      | ] |
| Paleotestudo | Paleotestudo antiqua        | 240.00  | $\mathrm{mf}$ | Serravallian           | 13.600000 | n      | I |
| Centrochelys | Centrochelys robusta        | 1100.00 | mo            | Zanclean               | 4.917000  | у      | I |
| Testudo      | Testudo catalaunica         | 107.00  | m             | Tortonian              | 11.500000 | n      | I |
| Testudo      | Testudo brevitesta          | 300.00  | $\mathrm{mf}$ | Piacencian             | 2.600000  | n      | I |
| gen.         | gen. indet.                 | 813.00  | ef            | Upper Pleistocene      | 0.012500  | у      | I |
| Testudo      | Testudo hermanni            | 147.00  | m             | Modern                 | 0.000001  | n      | I |
| Centrochelys | Centrochelys vulcanica      | 610.00  | mo            | Piacencian             | 3.094000  | у      | Ι |
| Eurotestudo  | Eurotestudo hermanni        | 170.50  | $\mathrm{mf}$ | Middle Pleistocene     | 0.600000  | n      | I |
|              |                             |         |               |                        |           |        |   |

| Genus        | Taxon                     | $\operatorname{CL}$ | estimated     | EpochBins              | Age       | Island | ( |
|--------------|---------------------------|---------------------|---------------|------------------------|-----------|--------|---|
| Testudo      | Testudo horsfieldii       | 111.00              | m             | Modern                 | 0.000001  | n      | ] |
| Titanochelon | Titanochelon sp.          | 520.00              | mo            | Piacencian             | 2.600000  | у      | ] |
| Paleotestudo | Paleotestudo cf. sp.      | 270.00              | mo            | Langhian               | 14.700000 | n      | ] |
| Testudo      | Testudo burgenlandica     | 112.00              | m             | Tortonian              | 8.750000  | n      | ] |
| Testudo      | Testudo promarginata      | 310.00              | $\mathrm{mf}$ | Burdigalian/Aquitanian | 18.000000 | n      | I |
| Centrochelys | Centrochelys burchardi    | 800.00              | m             | Middle Pleistocene     | 0.435000  | У      | ] |
| Testudo      | Testudo steinheimensis    | 111.00              | m             | Serravallian           | 12.150000 | n      | ] |
| Paleotestudo | Paleotestudo antiqua      | 152.00              | m             | Serravallian           | 13.000000 | n      | ] |
| Paleotestudo | Paleotestudo antiqua      | 185.00              | $\mathrm{mf}$ | Serravallian           | 13.000000 | n      | ] |
| Titanochelon | Titanochelon bacharidisi  | 1196.00             | m             | Zanclean               | 3.950000  | n      | ] |
| gen.         | gen. indet.               | 880.00              | m             | Tortonian              | 8.750000  | n      | ] |
| Testudo      | Testudo hermanni          | 154.00              | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo hermanni          | 173.00              | m             | Modern                 | 0.000001  | У      | ] |
| Testudo      | Testudo hermanni          | 161.00              | m             | Modern                 | 0.000001  | n      | ] |
| Testudo      | Testudo hermanni          | 195.00              | m             | Modern                 | 0.000001  | У      | ] |
| Titanochelon | Titanochelon perpiniana   | 1140.00             | m             | Zanclean               | 3.900000  | n      | ] |
| Geochelone   | Geochelone sp.            | 1000.00             | m             | Burdigalian/Aquitanian | 16.650000 | n      | ] |
| Testudo      | Testudo pecorinii         | 225.00              | m             | Piacencian             | 3.094000  | У      | ] |
| Titanochelon | Titanochelon bolivari     | 1353.00             | mo            | Serravallian           | 12.500000 | n      | ] |
| Testudo      | Testudo cf. graeca        | 185.00              | m             | Zanclean               | 3.900000  | n      | ] |
| Cheirogaster | Cheirogaster sp.          | 1540.00             | ef            | Tortonian              | 8.300000  | n      | ] |
| Testudo      | Testudo sp.               | 245.00              | m             | Tortonian              | 8.300000  | n      | ] |
| Eurotestudo  | Eurotestudo globosa       | 263.00              | m             | Lower Pleistocene      | 1.800000  | n      | I |
| Cheirogaster | Cheirogaster sp.          | 1500.00             | e             | Serravallian           | 13.800000 | n      | ] |
| Cheirogaster | Cheirogaster gymnesica    | 739.00              | ef            | Zanclean               | 4.450000  | у      | ] |
| Paleotestudo | Paleotestudo antiqua      | 180.00              | m             | Serravallian           | 13.000000 | n      | 1 |
| Paleotestudo | Paleotestudo cf. sp.      | 270.00              | mo            | Serravallian           | 12.400000 | n      | I |
| Eurotestudo  | Eurotestudo hermanni      | 237.60              | $\mathrm{mf}$ | Middle Pleistocene     | 0.600000  | n      | 1 |
| Eurotestudo  | Eurotestudo aff. hermanni | 194.70              | $\mathrm{mf}$ | Middle Pleistocene     | 0.740000  | n      | I |
| Titanochelon | Titanochelon schafferi    | 2500.00             | mo            | Zanclean               | 4.466000  | n      | ] |
| Paleotestudo | Paleotestudo cf. antiqua  | 113.00              | $\mathrm{mf}$ | Burdigalian/Aquitanian | 17.300000 | n      | ] |
|              |                           |                     |               |                        |           |        |   |

| Genus        | Taxon                     | $\operatorname{CL}$ | estimated     | EpochBins              | Age       | Island | ( |
|--------------|---------------------------|---------------------|---------------|------------------------|-----------|--------|---|
| Testudo      | Testudo marginata         | 241.70              | m             | Modern                 | 0.000001  | n      | ] |
| Titanochelon | Titanochelon bolivari     | 1100.00             | mo            | Langhian               | 15.000000 | n      | ] |
| Testudo      | Testudo sp.               | 245.00              | m             | Tortonian              | 8.300000  | n      | ] |
| Paleotestudo | Paleotestudo antiqua      | 195.00              | $\mathrm{mf}$ | Serravallian           | 13.000000 | n      | ] |
| Testudo      | Testudo cf. promarginata  | 250.00              | m             | Tortonian              | 8.300000  | n      | ] |
| Testudo      | Testudo sp.               | 245.00              | m             | Tortonian              | 8.300000  | n      | ] |
| Cheirogaster | Cheirogaster richardi     | 1155.00             | mo            | Tortonian              | 10.400000 | n      | ] |
| Centrochelys | Centrochelys burchardi    | 650.00              | mo            | Middle Pleistocene     | 0.435000  | У      | ] |
| Titanochelon | Titanochelon cf. bolivari | 1600.00             | ef            | Langhian               | 14.895000 | n      | ] |
| Titanochelon | Titanochelon bolivari     | 1250.00             | mo            | Langhian               | 15.000000 | n      | ] |
| Titanochelon | Titanochelon cf. bolivari | 1300.00             | ev            | Langhian               | 14.895000 | n      | ] |
| Paleotestudo | Paleotestudo sp.          | 270.00              | $\mathrm{mf}$ | Tortonian              | 9.500000  | n      | ] |
| Paleotestudo | Paleotestudo antiqua      | 159.50              | m             | Serravallian           | 13.000000 | n      | ] |
| Paleotestudo | Paleotestudo antiqua      | 213.00              | $\mathrm{mf}$ | Serravallian           | 13.600000 | n      | ] |
| "Hadrianus"  | "Hadrianus sp."           | 1000.00             | m             | Tortonian              | 8.300000  | n      | ] |
| Testudo      | Testudo sp.               | 245.00              | m             | Tortonian              | 8.300000  | n      | ] |
| Titanochelon | Titanochelon schafferi    | 1850.00             | m             | Messinian              | 6.250000  | у      | ] |
| Paleotestudo | Paleotestudo antiqua      | 191.00              | $\mathrm{mf}$ | Serravallian           | 13.600000 | n      | ] |
| Testudo      | Testudo amiatae           | 140.00              | mo            | Messinian              | 5.815000  | n      | ] |
| Testudo      | Testudo sp.               | 245.00              | m             | Tortonian              | 8.300000  | n      | ] |
| Testudo      | Testudo catalaunica       | 175.00              | m             | Tortonian              | 11.500000 | n      | ] |
| Testudo      | Testudo rectogularis      | 213.00              | mo            | Burdigalian/Aquitanian | 16.370000 | n      | ] |
| Eurotestudo  | Eurotestudo hermanni      | 284.00              | $\mathrm{mf}$ | Lower Pleistocene      | 1.350000  | n      | ] |
| Centrochelys | Centrochelys robusta      | 600.00              | ev            | Lower Pleistocene      | 1.300000  | У      | ] |
| Paleotestudo | Paleotestudo antiqua      | 240.00              | m             | Serravallian           | 13.000000 | n      | ] |
| Testudo      | Testudo cf. promarginata  | 250.00              | m             | Tortonian              | 8.300000  | n      | ] |
| Testudo      | Testudo sp.               | 500.00              | mo            | Zanclean               | 3.900000  | n      | ] |
| Testudo      | Testudo sp.               | 2500.00             | $\mathrm{mf}$ | Zanclean               | 3.900000  | n      | ] |
| Paleotestudo | Paleotestudo antiqua      | 283.80              | $\mathrm{mf}$ | Serravallian           | 12.500000 | n      | ] |
| Paleotestudo | Paleotestudo antiqua      | 234.00              | $\mathrm{mf}$ | Serravallian           | 13.600000 | n      | ] |
| Testudo      | Testudo cf. promarginata  | 250.00              | m             | Tortonian              | 8.300000  | n      | ] |

| Genus          | Taxon                       | CL      | estimated     | EpochBins              | Age       | Island | ( |
|----------------|-----------------------------|---------|---------------|------------------------|-----------|--------|---|
| Testudo        | Testudo sp.                 | 232.10  | m             | Tortonian              | 10.750000 | n      |   |
| Titanochelon   | Titanochelon bolivari       | 1300.00 | $\mathrm{mf}$ | Tortonian              | 9.500000  | n      | ] |
| Paleotestudo   | Paleotestudo antiqua        | 195.00  | m             | Serravallian           | 13.000000 | n      | ] |
| Testudo        | Testudo promarginata        | 304.70  | $\mathrm{mf}$ | Burdigalian/Aquitanian | 21.500000 | n      | ] |
| Titanochelon   | Titanochelon aff. schafferi | 1860.00 | m             | Gelasian               | 2.000000  | У      | ] |
| Paleotestudo   | Paleotestudo antiqua        | 220.00  | $\mathrm{mf}$ | Serravallian           | 13.000000 | n      | ] |
| Paleotestudo   | Paleotestudo antiqua        | 206.00  | $\mathrm{mf}$ | Serravallian           | 13.000000 | n      | ] |
| Testudo        | Testudo promarginata        | 230.00  | $\mathrm{mf}$ | Burdigalian/Aquitanian | 21.500000 | n      | ] |
| Testudo        | Testudo hermanni            | 220.00  | $\mathrm{mf}$ | Lower Pleistocene      | 1.300000  | n      | ] |
| Testudo        | Testudo s. s.               | 189.00  | m             | Tortonian              | 8.000000  | n      | ] |
| Testudo        | Testudo sp.                 | 245.00  | m             | Tortonian              | 8.300000  | n      | ] |
| Eurotestudo    | Eurotestudo hermanni        | 126.00  | $\mathrm{mf}$ | Lower Pleistocene      | 1.150000  | n      | ] |
| Centrochelys   | Centrochelys robusta        | 850.00  | ev            | Lower Pleistocene      | 1.300000  | у      | ] |
| Centrochelys   | Centrochelys robusta        | 790.00  | ef            | Zanclean               | 4.917000  | у      | ] |
| Eurotestudo    | Eurotestudo hermanni        | 187.00  | $\mathrm{mf}$ | Upper Pleistocene      | 0.110500  | n      | ] |
| Testudo        | Testudo catalaunica         | 181.00  | m             | Tortonian              | 11.500000 | n      | ] |
| Testudo        | Testudo steinheimensis      | 227.70  | $\mathrm{mf}$ | Serravallian           | 13.000000 | n      | ] |
| Paleotestudo   | Paleotestudo sp.            | 170.00  | $\mathrm{mf}$ | Tortonian              | 9.500000  | n      | ] |
| Testudo        | Testudo burgenlandica       | 275.00  | m             | Tortonian              | 8.750000  | n      | ] |
| Paleotestudo   | Paleotestudo antiqua        | 203.00  | m             | Serravallian           | 12.150000 | n      | ] |
| Cheirogaster   | Cheirogaster cf. gymnesica  | 789.00  | mo            | Lower Pleistocene      | 1.800000  | у      | ] |
| gen.           | gen. indet.                 | 440.00  | m             | Tortonian              | 8.750000  | n      | ] |
| Testudo        | Testudo catalaunica         | 165.00  | m             | Tortonian              | 11.500000 | n      | ] |
| Testudo        | Testudo graeca              | 210.00  | $\mathrm{mf}$ | Tortonian              | 8.450000  | n      | ] |
| Titanochelon   | Titanochelon gymnesica      | 1300.00 | ef            | Lower Pleistocene      | 1.300000  | у      | ] |
| Centrochelys   | Centrochelys robusta        | 850.00  | mo            | Upper Pleistocene      | 0.066000  | у      | ] |
| Testudo        | Testudo cf. promarginata    | 250.00  | m             | Tortonian              | 8.300000  | n      | ] |
| Titanochelon   | Titanochelon cf. bolivari   | 1500.00 | $\mathrm{mf}$ | Tortonian              | 9.433000  | n      | ] |
| Titanochelon   | Titanochelon bolivari       | 1150.00 | m             | Messinian              | 6.289000  | n      | ] |
| Testudo        | Testudo cf. promarginata    | 250.00  | m             | Tortonian              | 8.300000  | n      | ] |
| Hesperotestudo | Hesperotestudo mlynarskii   | 165.00  | m             | Lower Pleistocene      | 1.250000  | n      | 1 |

| Genus          | Taxon                        | CL      | estimated | EpochBins          | Age      | Island | ( |
|----------------|------------------------------|---------|-----------|--------------------|----------|--------|---|
| Gopherus       | Gopherus agassizi            | 252.00  | m         | Upper Pleistocene  | 0.025500 | n      |   |
| Gopherus       | Gopherus polyphemus          | 273.24  | mo        | Upper Pleistocene  | 0.069000 | n      | I |
| Gopherus       | Gopherus flavomarginatus     | 371.00  | m         | Modern             | 0.000001 | n      | I |
| Gopherus       | Gopherus polyphemus          | 301.97  | mo        | Upper Pleistocene  | 0.069000 | n      | I |
| Gopherus       | Gopherus polyphemus          | 238.90  | m         | Modern             | 0.000001 | n      | 1 |
| Gopherus       | Gopherus polyphemus          | 268.80  | m         | Modern             | 0.000001 | У      | 1 |
| Gopherus       | Gopherus sp.                 | 216.37  | m         | Modern             | 0.000001 | n      | 1 |
| Hesperotestudo | Hesperotestudo crassiscutata | 180.40  | m         | Upper Pleistocene  | 0.069000 | n      | A |
| Gopherus       | Gopherus polyphemus          | 102.44  | mo        | Upper Pleistocene  | 0.069000 | n      | A |
| Gopherus       | Gopherus polyphemus          | 308.00  | m         | Modern             | 0.000001 | n      | Ā |
| Hesperotestudo | Hesperotestudo crassiscutata | 327.00  | m         | Lower Pleistocene  | 1.300000 | n      | I |
| Gopherus       | Gopherus polyphemus          | 350.00  | mo        | Upper Pleistocene  | 0.069000 | n      | I |
| Hesperotestudo | Hesperotestudo crassiscutata | 425.00  | mo        | Upper Pleistocene  | 0.012000 | n      | I |
| Hesperotestudo | Hesperotestudo wilsoni       | 226.00  | m         | Upper Pleistocene  | 0.018000 | n      | I |
| Gopherus       | Gopherus flavomarginatus     | 246.00  | m         | Modern             | 0.000001 | n      | 1 |
| Gopherus       | Gopherus polyphemus          | 431.48  | mo        | Upper Pleistocene  | 0.069000 | n      | 1 |
| Hesperotestudo | Hesperotestudo incisa        | 216.00  | m         | Lower Pleistocene  | 1.300000 | n      | 1 |
| Gopherus       | Gopherus polyphemus          | 303.00  | m         | Modern             | 0.000001 | У      | 1 |
| Hesperotestudo | Hesperotestudo crassiscutata | 1250.00 | ev        | Upper Pleistocene  | 0.012000 | n      | 1 |
| Hesperotestudo | Hesperotestudo sp.           | 1000.00 | mo        | Gelasian           | 2.000000 | n      | 1 |
| Gopherus       | Gopherus polyphemus          | 391.90  | mo        | Upper Pleistocene  | 0.069000 | n      | 1 |
| Gopherus       | Gopherus polyphemus          | 155.50  | mo        | Upper Pleistocene  | 0.069000 | n      | A |
| Hesperotestudo | Hesperotestudo crassiscutata | 282.70  | m         | Upper Pleistocene  | 0.069000 | n      | I |
| Gopherus       | Gopherus polyphemus          | 239.80  | mo        | Middle Pleistocene | 0.250000 | n      | I |
| Hesperotestudo | Hesperotestudo incisa        | 224.00  | m         | Lower Pleistocene  | 1.300000 | n      | I |
| Hesperotestudo | Hesperotestudo equicomes     | 340.00  | ev        | Middle Pleistocene | 0.300000 | n      | I |
| Gopherus       | Gopherus sp.                 | 194.90  | mo        | Gelasian           | 1.900000 | n      | 1 |
| Hesperotestudo | Hesperotestudo incisa        | 212.00  | m         | Lower Pleistocene  | 1.300000 | n      | I |
| Hesperotestudo | Hesperotestudo crassiscutata | 180.00  | m         | Lower Pleistocene  | 1.300000 | n      | I |
| Gopherus       | Gopherus sp.                 | 241.56  | m         | Modern             | 0.000001 | n      | I |
| Gopherus       | Gopherus polyphemus          | 279.94  | mo        | Upper Pleistocene  | 0.069000 | n      | I |
|                |                              |         |           |                    |          |        |   |

| Genus          | Taxon                        | $\operatorname{CL}$ | estimated | EpochBins          | Age       | Island | 1 ( |
|----------------|------------------------------|---------------------|-----------|--------------------|-----------|--------|-----|
| Hesperotestudo | Hesperotestudo crassiscutata | 188.00              | mo        | Upper Pleistocene  | 0.012000  | n      | Ā   |
| Gopherus       | Gopherus sp.                 | 211.31              | m         | Modern             | 0.000001  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 304.70              | mo        | Middle Pleistocene | 0.400000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 327.60              | mo        | Upper Pleistocene  | 0.069000  | n      | A   |
| Gopherus       | Gopherus sp.                 | 264.11              | m         | Modern             | 0.000001  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 260.11              | mo        | Upper Pleistocene  | 0.069000  | n      | A   |
| Gopherus       | Gopherus sp.                 | 259.50              | mo        | Lower Pleistocene  | 1.800000  | n      | A   |
| Hesperotestudo | Hesperotestudo incisa        | 232.76              | m         | Upper Pleistocene  | 0.069000  | n      | A   |
| Hesperotestudo | Hesperotestudo crassiscutata | 284.90              | m         | Upper Pleistocene  | 0.069000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 302.40              | mo        | Upper Pleistocene  | 0.069000  | n      | A   |
| Gopherus       | Gopherus sp.                 | 209.60              | mo        | Gelasian           | 1.900000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 342.00              | m         | Modern             | 0.000001  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 300.00              | m         | Modern             | 0.000001  | У      | A   |
| Gopherus       | Gopherus polyphemus          | 272.48              | mo        | Middle Pleistocene | 0.250000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 283.41              | mo        | Middle Pleistocene | 0.250000  | n      | A   |
| Hesperotestudo | Hesperotestudo sp.           | 639.00              | m         | Upper Pleistocene  | 0.060000  | n      | A   |
| Gopherus       | Gopherus sp.                 | 181.00              | mo        | Gelasian           | 1.900000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 387.00              | m         | Modern             | 0.000001  | n      | A   |
| Gopherus       | Gopherus praecedens          | 360.00              | mo        | Upper Pleistocene  | 0.069000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 348.70              | mo        | Middle Pleistocene | 0.400000  | n      | A   |
| Testudo        | Testudo sp.                  | 400.00              | mo        | Langhian           | 14.181000 | n      | A   |
| Hesperotestudo | Hesperotestudo sp.           | 1500.00             | mo        | Middle Pleistocene | 0.700000  | n      | A   |
| Gopherus       | Gopherus sp.                 | 204.40              | mo        | Gelasian           | 1.900000  | n      | A   |
| Hesperotestudo | Hesperotestudo crassiscutata | 561.00              | m         | Lower Pleistocene  | 1.250000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 292.00              | mo        | Middle Pleistocene | 0.250000  | n      | A   |
| Gopherus       | Gopherus sp.                 | 163.50              | mo        | Gelasian           | 1.900000  | n      | A   |
| Hesperotestudo | Hesperotestudo turgida       | 230.00              | mo        | Lower Pleistocene  | 1.684500  | n      | A   |
| Gopherus       | Gopherus flavomarginatus     | 222.00              | m         | Modern             | 0.000001  | n      | A   |
| Caudochelys    | Caudochelys ducateli         | 339.90              | m         | Langhian           | 15.000000 | n      | A   |
| Gopherus       | Gopherus flavomarginatus     | 281.00              | m         | Modern             | 0.000001  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 272.57              | mo        | Middle Pleistocene | 0.400000  | n      | Ā   |

| Genus          | Taxon                        | $\operatorname{CL}$ | estimated | EpochBins              | Age       | Island | ( |
|----------------|------------------------------|---------------------|-----------|------------------------|-----------|--------|---|
| Gopherus       | Gopherus polyphemus          | 314.60              | mo        | Middle Pleistocene     | 0.250000  | n      | A |
| Gopherus       | Gopherus polyphemus          | 217.90              | mo        | Lower Pleistocene      | 1.200000  | n      | A |
| Gopherus       | Gopherus polyphemus          | 294.16              | mo        | Upper Pleistocene      | 0.069000  | n      | A |
| Geochelone     | Geochelone sp.               | 350.00              | ef        | Upper Pleistocene      | 0.069000  | n      | A |
| Gopherus       | Gopherus mohavetus           | 412.50              | m         | Tortonian              | 8.476000  | n      | A |
| Gopherus       | Gopherus sp.                 | 230.10              | mo        | Lower Pleistocene      | 1.800000  | n      | A |
| Gopherus       | Gopherus polyphemus          | 334.70              | mo        | Upper Pleistocene      | 0.069000  | n      | A |
| Gopherus       | Gopherus polyphemus          | 285.60              | mo        | Middle Pleistocene     | 0.400000  | n      | A |
| Gopherus       | Gopherus sp.                 | 256.08              | m         | Modern                 | 0.000001  | n      | A |
| Gopherus       | Gopherus mohavetus           | 334.50              | m         | Tortonian              | 8.476000  | n      | A |
| Hesperotestudo | Hesperotestudo incisa        | 231.00              | m         | Lower Pleistocene      | 1.300000  | n      | A |
| Hesperotestudo | Hesperotestudo incisa        | 228.00              | m         | Lower Pleistocene      | 1.300000  | n      | A |
| Gopherus       | Gopherus sp.                 | 118.90              | mo        | Gelasian               | 1.900000  | n      | A |
| Gopherus       | Gopherus polyphemus          | 304.20              | mo        | Upper Pleistocene      | 0.069000  | n      | A |
| Gopherus       | Gopherus agassizi            | 445.00              | mo        | Middle Pleistocene     | 0.156000  | n      | A |
| Gopherus       | Gopherus polyphemus          | 278.00              | mo        | Upper Pleistocene      | 0.069000  | n      | A |
| Caudochelys    | Caudochelys rexroadensis     | 781.00              | m         | Zanclean               | 4.550000  | n      | A |
| Gopherus       | Gopherus polyphemus          | 252.56              | mo        | Upper Pleistocene      | 0.069000  | n      | A |
| Gopherus       | Gopherus polyphemus          | 284.90              | mo        | Upper Pleistocene      | 0.069000  | n      | A |
| Gopherus       | Gopherus sp.                 | 180.90              | mo        | Gelasian               | 1.900000  | n      | A |
| Gopherus       | Gopherus polyphemus          | 306.00              | mo        | Middle Pleistocene     | 0.250000  | n      | A |
| Hesperotestudo | Hesperotestudo crassiscutata | 168.00              | m         | Lower Pleistocene      | 1.300000  | n      | A |
| Hesperotestudo | Hesperotestudo incisa        | 241.00              | m         | Lower Pleistocene      | 1.300000  | n      | A |
| Geochelone     | Geochelone tedwhitei         | 440.00              | m         | Burdigalian/Aquitanian | 18.500000 | n      | A |
| Gopherus       | Gopherus polyphemus          | 257.80              | mo        | Middle Pleistocene     | 0.250000  | n      | A |
| Hesperotestudo | Hesperotestudo mlynarskii    | 203.50              | m         | Lower Pleistocene      | 1.250000  | n      | A |
| Geochelone     | Geochelone tedwhitei         | 370.00              | m         | Burdigalian/Aquitanian | 18.500000 | n      | A |
| Caudochelys    | Caudochelys williamsi        | 334.00              | m         | Burdigalian/Aquitanian | 17.750000 | n      | A |
| Gopherus       | Gopherus polyphemus          | 267.00              | mo        | Middle Pleistocene     | 0.250000  | n      | A |
| Gopherus       | Gopherus pertenuis           | 1050.00             | mo        | Lower Pleistocene      | 1.684500  | n      | A |
| Hesperotestudo | Hesperotestudo sp.           | 974.00              | ep        | Upper Pleistocene      | 0.060000  | n      | A |

| Genus          | Taxon                        | CL      | estimated     | EpochBins          | Age       | Island | . ( |
|----------------|------------------------------|---------|---------------|--------------------|-----------|--------|-----|
| Hesperotestudo | Hesperotestudo incisa        | 290.40  | m             | Lower Pleistocene  | 1.300000  | n      | A   |
| Geochelone     | Geochelone sp.               | 880.00  | m             | Zanclean           | 4.500000  | n      | A   |
| Caudochelys    | Caudochelys rexroadensis     | 830.00  | m             | Zanclean           | 4.550000  | n      | A   |
| Hesperotestudo | Hesperotestudo sp.           | 176.00  | $\mathrm{mf}$ | Piacencian         | 3.100000  | n      | A   |
| Hesperotestudo | Hesperotestudo oelrichi      | 283.80  | m             | Piacencian         | 3.000000  | n      | A   |
| Gopherus       | Gopherus sp.                 | 224.10  | mo            | Lower Pleistocene  | 1.800000  | n      | A   |
| Hesperotestudo | Hesperotestudo johnstoni     | 235.00  | m             | Piacencian         | 3.350000  | n      | A   |
| Hesperotestudo | Hesperotestudo riggsi        | 185.00  | m             | Piacencian         | 3.000000  | n      | A   |
| Gopherus       | Gopherus agassizii           | 400.00  | m             | Modern             | 0.000001  | n      | I   |
| Gopherus       | Gopherus polyphemus          | 292.94  | mo            | Middle Pleistocene | 0.250000  | n      | Ā   |
| Hesperotestudo | Hesperotestudo crassiscutata | 192.00  | m             | Lower Pleistocene  | 1.300000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 258.30  | mo            | Upper Pleistocene  | 0.069000  | n      | Ā   |
| Gopherus       | Gopherus sp.                 | 236.70  | mo            | Gelasian           | 1.900000  | n      | 1   |
| Gopherus       | Gopherus sp.                 | 218.80  | mo            | Gelasian           | 1.900000  | n      | I   |
| Hesperotestudo | Hesperotestudo orthopygia    | 682.00  | mo            | Messinian          | 5.500000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 293.57  | mo            | Middle Pleistocene | 0.400000  | n      | A   |
| Gopherus       | Gopherus polyphemus          | 302.40  | mo            | Middle Pleistocene | 0.250000  | n      | I   |
| Hesperotestudo | Hesperotestudo sp.           | 1800.00 | mo            | Middle Pleistocene | 0.700000  | n      | I   |
| Geochelone     | Geochelone sp.               | 170.00  | $\mathrm{mf}$ | Middle Pleistocene | 0.700000  | n      | I   |
| Gopherus       | Gopherus canyonensis         | 885.50  | m             | Piacencian         | 2.700000  | n      | 1   |
| Gopherus       | Gopherus polyphemus          | 276.60  | mo            | Lower Pleistocene  | 1.200000  | n      | I   |
| Gopherus       | Gopherus? sp.                | 500.00  | m             | Serravallian       | 11.850000 | n      | 1   |
| Hesperotestudo | Hesperotestudo riggsi        | 176.00  | m             | Piacencian         | 3.000000  | n      | I   |
| Gopherus       | Gopherus polyphemus          | 324.00  | mo            | Upper Pleistocene  | 0.069000  | n      | I   |
| Geochelone     | Geochelone sp.               | 600.00  | mo            | Upper Pleistocene  | 0.012500  | У      | 1   |
| Gopherus       | Gopherus mohavetus           | 315.00  | m             | Tortonian          | 8.476000  | n      | I   |
| Gopherus       | Gopherus mohavetus           | 360.00  | m             | Tortonian          | 8.476000  | n      | 1   |
| Gopherus       | Gopherus polyphemus          | 260.51  | mo            | Middle Pleistocene | 0.400000  | n      | I   |
| Gopherus       | Gopherus polyphemus          | 283.00  | mo            | Middle Pleistocene | 0.250000  | n      | I   |
| Hesperotestudo | Hesperotestudo campester     | 1000.00 | mo            | Gelasian           | 2.190500  | n      | I   |
| Gopherus       | Gopherus polyphemus          | 306.00  | mo            | Middle Pleistocene | 0.250000  | n      | 1   |
|                |                              |         |               |                    |           |        |     |

| Genus          | Taxon                     | CL      | estimated     | EpochBins          | Age       | Island       | d ( |
|----------------|---------------------------|---------|---------------|--------------------|-----------|--------------|-----|
| Gopherus       | Gopherus polyphemus       | 352.00  | mo            | Upper Pleistocene  | 0.012000  | n            | I   |
| Gopherus       | Gopherus sp.              | 181.00  | mo            | Gelasian           | 1.900000  | n            | I   |
| Gopherus       | Gopherus flavomarginatus  | 303.00  | m             | Modern             | 0.000001  | $\mathbf{n}$ | A   |
| Gopherus       | Gopherus polyphemus       | 350.83  | mo            | Middle Pleistocene | 0.400000  | n            | A   |
| Gopherus       | Gopherus laticaudatus     | 375.00  | mo            | Middle Pleistocene | 0.396350  | n            | A   |
| Gopherus       | Gopherus sp.              | 188.30  | mo            | Gelasian           | 1.900000  | n            | I   |
| Gopherus       | Gopherus polyphemus       | 285.20  | mo            | Middle Pleistocene | 0.250000  | n            | A   |
| Gopherus       | Gopherus polyphemus       | 308.20  | mo            | Middle Pleistocene | 0.400000  | n            | A   |
| Gopherus       | Gopherus? sp.             | 500.00  | m             | Tortonian          | 10.100000 | n            | I   |
| Gopherus       | Gopherus sp.              | 143.90  | mo            | Gelasian           | 1.900000  | n            | A   |
| Gopherus       | Gopherus sp.              | 193.30  | mo            | Gelasian           | 1.900000  | n            | I   |
| Geochelone     | Geochelone sp.            | 176.00  | e             | Zanclean           | 5.000000  | n            | A   |
| Gopherus       | Gopherus sp.              | 182.30  | mo            | Gelasian           | 1.900000  | n            | A   |
| Hesperotestudo | Hesperotestudo riggsi     | 195.80  | m             | Zanclean           | 4.550000  | $\mathbf{n}$ | A   |
| Hesperotestudo | Hesperotestudo orthopygia | 1200.00 | mo            | Messinian          | 5.500000  | $\mathbf{n}$ | A   |
| Gopherus       | Gopherus polyphemus       | 293.00  | mo            | Middle Pleistocene | 0.400000  | $\mathbf{n}$ | A   |
| Gopherus       | Gopherus sp.              | 188.70  | mo            | Gelasian           | 1.900000  | n            | A   |
| Gopherus       | Gopherus polyphemus       | 268.90  | mo            | Lower Pleistocene  | 1.200000  | $\mathbf{n}$ | A   |
| Gopherus       | Gopherus polyphemus       | 295.90  | mo            | Middle Pleistocene | 0.400000  | $\mathbf{n}$ | A   |
| Hesperotestudo | Hesperotestudo incisa     | 250.00  | e             | Modern             | 0.007500  | $\mathbf{n}$ | A   |
| Geochelone     | Geochelone sp.            | 500.00  | m             | Tortonian          | 10.100000 | n            | A   |
| Gopherus       | Gopherus polyphemus       | 353.30  | mo            | Middle Pleistocene | 0.400000  | $\mathbf{n}$ | A   |
| Gopherus       | Gopherus sp.              | 241.90  | mo            | Lower Pleistocene  | 1.800000  | n            | I   |
| Gopherus       | Gopherus polyphemus       | 260.50  | mo            | Middle Pleistocene | 0.400000  | $\mathbf{n}$ | A   |
| Gopherus       | Gopherus polyphemus       | 539.00  | $\mathrm{mf}$ | Middle Pleistocene | 0.700000  | n            | A   |
| Gopherus       | Gopherus sp.              | 202.80  | mo            | Lower Pleistocene  | 1.800000  | $\mathbf{n}$ | A   |
| Hesperotestudo | Hesperotestudo riggsi     | 159.50  | mo            | Tortonian          | 7.600000  | $\mathbf{n}$ | A   |
| Hesperotestudo | Hesperotestudo riggsi     | 159.50  | mo            | Tortonian          | 7.600000  | n            | I   |
| Gopherus       | Gopherus polyphemus       | 256.44  | mo            | Middle Pleistocene | 0.250000  | n            | A   |
| Gopherus       | Gopherus polyphemus       | 253.70  | mo            | Middle Pleistocene | 0.250000  | n            | A   |
| Gopherus       | Gopherus polyphemus       | 322.63  | mo            | Middle Pleistocene | 0.250000  | n            | A   |
|                |                           |         |               |                    |           |              |     |

| Genus          | Taxon                    | CL      | estimated | EpochBins          | Age       | Island |   |
|----------------|--------------------------|---------|-----------|--------------------|-----------|--------|---|
| Gopherus       | Gopherus polyphemus      | 337.30  | mo        | Middle Pleistocene | 0.250000  | n      |   |
| Gopherus       | Gopherus flavomarginatus | 278.00  | m         | Modern             | 0.000001  | n      | A |
| Hesperotestudo | Hesperotestudo alleni    | 240.90  | m         | Tortonian          | 10.950000 | n      | I |
| Gopherus       | Gopherus sp.             | 245.40  | mo        | Lower Pleistocene  | 1.800000  | n      | 1 |
| Gopherus       | Gopherus polyphemus      | 274.30  | mo        | Middle Pleistocene | 0.250000  | n      | A |
| Hesperotestudo | Hesperotestudo sp.       | 1200.00 | ev        | Tortonian          | 9.500000  | n      | I |
| Gopherus       | Gopherus mohavetus       | 202.00  | m         | Tortonian          | 8.476000  | n      | I |
| Chelonoidis    | Chelonoidis sp.          | 300.00  | mo        | Langhian           | 15.900000 | n      | 1 |
| Chelonoidis    | Chelonoidis becki        | 1050.00 | m         | Modern             | 0.000001  | У      | A |
| Chelonoidis    | Chelonoidis carbonaria   | 226.00  | m         | Modern             | 0.000001  | n      | 1 |
| Chelonoidis    | Chelonoidis denticulata  | 333.40  | m         | Modern             | 0.000001  | n      | I |
| Chelonoidis    | Chelonoidis denticulata  | 333.00  | m         | Modern             | 0.000001  | n      | I |
| Chelonoidis    | Chelonoidis carbonaria   | 593.00  | m         | Modern             | 0.000001  | n      | 1 |
| Chelonoidis    | Chelonoidis denticulata  | 466.00  | m         | Modern             | 0.000001  | n      | 1 |
| Chelonoidis    | Chelonoidis darwini      | 965.00  | m         | Modern             | 0.000001  | у      | 1 |
| Chelonoidis    | Chelonoidis sp.          | 300.00  | mo        | Langhian           | 15.900000 | n      | I |
| Chelonoidis    | Chelonoidis sp.          | 1060.00 | ec        | Langhian           | 15.900000 | n      | 1 |
| Chelonoidis    | Chelonoidis chathamensis | 890.00  | m         | Modern             | 0.000001  | у      | I |
| Chelonoidis    | Chelonoidis abingdonii   | 980.00  | m         | Modern             | 0.000001  | у      | I |
| Chelonoidis    | Chelonoidis carbonaria   | 253.00  | m         | Modern             | 0.000001  | n      | I |
| Chelonoidis    | Chelonoidis denticulata  | 317.00  | m         | Modern             | 0.000001  | n      | I |
| Chelonoidis    | Chelonoidis nigra        | 745.70  | m         | Modern             | 0.000001  | у      | I |
| Chelonoidis    | Chelonoidis vicina       | 1250.00 | m         | Modern             | 0.000001  | у      | I |
| Geochelone     | Geochelone hesterna      | 278.00  | m         | Tortonian          | 8.500000  | n      | 1 |
| Chelonoidis    | Chelonoidis nigra        | 595.00  | m         | Modern             | 0.000001  | У      | 1 |
| Chelonoidis    | Chelonoidis denticulata  | 377.00  | m         | Modern             | 0.000001  | n      | 1 |
| Chelonoidis    | Chelonoidis nigra        | 610.00  | m         | Modern             | 0.000001  | У      | 1 |
| Chelonoidis    | Chelonoidis nigra        | 717.00  | m         | Modern             | 0.000001  | У      | I |
| Chelonoidis    | Chelonoidis chilensis    | 222.00  | m         | Modern             | 0.000001  | n      | 1 |
| Chelonoidis    | Chelonoidis denticulata  | 820.00  | m         | Modern             | 0.000001  | n      | 1 |
| Chelonoidis    | Chelonoidis chilensis    | 157.00  | m         | Modern             | 0.000001  | n      | 1 |
|                |                          |         |           |                    |           |        |   |

| Genus       | Taxon                   | CL      | estimated | EpochBins         | Age      | Island | ( |
|-------------|-------------------------|---------|-----------|-------------------|----------|--------|---|
| Chelonoidis | Chelonoidis carbonaria  | 189.00  | m         | Modern            | 0.000001 | n      | F |
| Chelonoidis | Chelonoidis chilensis   | 169.00  | m         | Modern            | 0.000001 | n      | F |
| Chelonoidis | Chelonoidis chilensis   | 450.00  | m         | Modern            | 0.000001 | n      | F |
| Chelonoidis | Chelonoidis carbonaria  | 242.00  | m         | Modern            | 0.000001 | n      | F |
| Chelonoidis | Chelonoidis carbonaria  | 290.00  | m         | Modern            | 0.000001 | У      | F |
| Chelonoidis | Chelonoidis carbonaria  | 333.40  | m         | Modern            | 0.000001 | n      | F |
| Chelonoidis | Chelonoidis carbonaria  | 296.50  | m         | Modern            | 0.000001 | n      | F |
| Chelonoidis | Chelonoidis duncanensis | 840.00  | m         | Modern            | 0.000001 | у      | F |
| Chelonoidis | Chelonoidis lutzae      | 830.00  | m         | Upper Pleistocene | 0.038500 | n      | F |
| Chelonoidis | Chelonoidis sp.         | 1000.00 | mo        | Upper Pleistocene | 0.069000 | n      | A |
| Chelonoidis | Chelonoidis nigra       | 1300.00 | m         | Modern            | 0.000001 | у      | F |
| Chelonoidis | Chelonoidis nigra       | 588.00  | m         | Modern            | 0.000001 | у      | F |
| Chelonoidis | Chelonoidis chilensis   | 200.00  | m         | Modern            | 0.000001 | n      | F |
| Chelonoidis | Chelonoidis carbonaria  | 247.00  | m         | Modern            | 0.000001 | n      | F |
| Chelonoidis | Chelonoidis phantastica | 860.00  | m         | Modern            | 0.000001 | у      | F |
| Chelonoidis | Chelonoidis chilensis   | 186.00  | m         | Modern            | 0.000001 | n      | F |
| Chelonoidis | Chelonoidis nigra       | 731.30  | m         | Modern            | 0.000001 | у      | A |
| Chelonoidis | Chelonoidis chilensis   | 183.00  | m         | Modern            | 0.000001 | n      | A |
| Chelonoidis | Chelonoidis hoodensis   | 813.00  | m         | Modern            | 0.000001 | у      | A |
| Chelonoidis | Chelonoidis chilensis   | 169.00  | m         | Modern            | 0.000001 | n      | A |
| Chelonoidis | Chelonoidis denticulata | 365.00  | m         | Modern            | 0.000001 | n      | A |
| Chelonoidis | Chelonoidis denticulata | 616.00  | m         | Upper Pleistocene | 0.120000 | n      | P |

| Genus         | Taxon                  | CollNr    | SCL   | CCL   | SCW   | CCW  | СН    | $\operatorname{PL}$ | PW   | es |
|---------------|------------------------|-----------|-------|-------|-------|------|-------|---------------------|------|----|
| Kinixys       | Kinixys belliana       | ZMB 37388 | 162.0 | 16.20 | 22.5  | 15.5 | 21.5  | 164.0               | 12.6 | m  |
| Aldabrachelys | Aldabrachelys gigantea | ZMB 51996 | 770.0 | 77.00 | 106.0 | 52.0 | 112.0 | NA                  | NA   | m  |
| Astrochelys   | Astrochelys yniphora   | -         | 426.0 | 42.60 | NA    | NA   | NA    | NA                  | NA   | m  |
| Centrochelys  | Centrochelys sulcata   | ZMB 63203 | 215.0 | 21.50 | 29.5  | 16.5 | 27.0  | 214.0               | 14.8 | m  |
| Malacochersus | Malacochersus tornieri | ZMB 63174 | 153.0 | 15.30 | 17.0  | 10.5 | 14.0  | 149.0               | 9.8  | m  |

| Genus         | Taxon                    | CollNr    | SCL   | CCL   | SCW   | CCW  | СН    | $\operatorname{PL}$ | PW   | es |
|---------------|--------------------------|-----------|-------|-------|-------|------|-------|---------------------|------|----|
| Astrochelys   | Astrochelys radiata      | -         | 395.0 | 39.50 | NA    | NA   | NA    | NA                  | NA   | m  |
| Pyxis         | Pyxis arachnoides        | ZMB 37616 | 110.0 | 11.00 | 15.0  | 8.0  | 14.0  | 75.0                | 7.6  | m  |
| Kinixys       | Kinixys homeana          | ZMB 17747 | 193.0 | 19.30 | 25.0  | 14.0 | 21.0  | 175.0               | 11.8 | m  |
| Aldabrachelys | Aldabrachelys gigantea   | ZMB 47494 | 870.0 | 87.00 | 116.0 | 57.0 | 110.0 | NA                  | NA   | m  |
| Psammobates   | Psammobates tentorius    | ZMB 28782 | 111.0 | 11.10 | 15.0  | 8.5  | 14.0  | 95.0                | 7.9  | m  |
| Psammobates   | Psammobates oculifer     | ZMB 25439 | 119.0 | 11.90 | 17.0  | 9.0  | 14.5  | 99.0                | 8.4  | m  |
| Psammobates   | Psammobates oculifer     | ZMB 37472 | 107.0 | 10.70 | 15.0  | 8.4  | 13.5  | 106.0               | 8    | m  |
| Astrochelys   | Astrochelys yniphora     | -         | 307.0 | 30.70 | NA    | NA   | NA    | NA                  | NA   | m  |
| Homopus       | Homopus aerolatus        | ZMB 229   | 88.0  | 8.80  | 10.5  | 6.9  | 9.0   | 78.0                | 6.1  | m  |
| Homopus       | Homopus signatus         | ZMB 63173 | 94.0  | 9.40  | 12.5  | 7.7  | 11.0  | 82.0                | 5.6  | m  |
| Kinixys       | Kinixys belliana         | ZMB 63191 | 194.0 | 19.40 | 25.5  | 12.5 | 19.0  | 173.0               | 12   | m  |
| Astrochelys   | Astrochelys radiata      | -         | 285.0 | 28.50 | NA    | NA   | NA    | NA                  | NA   | m  |
| Kinixys       | Kinixys belliana         | ZMB 63192 | 174.0 | 17.40 | 24.5  | 11.5 | 20.5  | 143.0               | 11.1 | m  |
| Kinixys       | Kinixys belliana         | ZMB 63193 | 157.0 | 15.70 | 21.0  | 9.9  | 16.5  | 141.0               | 9.4  | m  |
| Aldabrachelys | Aldabrachelys gigantea   | ZMB 37545 | 810.0 | 81.00 | 110.0 | 52.0 | NA    | NA                  | NA   | m  |
| Chersina      | Chersina angulata        | ZMB 49400 | 162.0 | 16.20 | 21.5  | 10.9 | 17.5  | 170.0               | 9.2  | m  |
| Chersina      | Chersina angulata        | ZMB 63181 | 170.0 | 17.00 | 23.0  | 11.4 | 19.0  | 169.0               | 10   | m  |
| Chersina      | Chersina angulata        | ZMB 63183 | 120.0 | 12.00 | 17.0  | 8.6  | 15.5  | 118.0               | 7.3  | m  |
| Chersina      | Chersina angulata        | ZMB 63182 | 136.0 | 13.60 | 18.0  | 9.9  | 16.0  | 138.0               | 8    | m  |
| Kinixys       | Kinixys erosa            | ZMB 63190 | 164.0 | 16.40 | 21.0  | 11.2 | 16.5  | 163.0               | 10.6 | m  |
| Centrochelys  | Centrochelys sulcata     | ZMB 37387 | 435.0 | 43.50 | 54.0  | 29.9 | 53.0  | 405.0               | 29.1 | m  |
| Indotestudo   | Indotestudo travancorica | ZMB 37717 | 224.0 | 22.40 | 28.0  | 15.2 | 23.0  | 200.0               | 15.4 | m  |
| Stigmochelys  | Stigmochelys pardalis    | ZMB 37344 | 405.0 | 40.50 | 55.0  | 27.0 | 50.5  | 350.0               | 24.3 | m  |
| Stigmochelys  | Stigmochelys pardalis    | ZMB 63235 | 315.0 | 31.50 | 43.5  | 23.4 | 39.0  | 298.0               | 22.1 | m  |
| Stigmochelys  | Stigmochelys pardalis    | ZMB 37495 | 297.0 | 29.70 | 41.5  | 21.4 | 36.0  | 271.0               | 19.2 | m  |
| Stigmochelys  | Stigmochelys pardalis    | ZMB 42400 | 345.0 | 34.50 | 46.5  | 24.0 | 40.0  | 285.0               | 21.3 | m  |
| Stigmochelys  | Stigmochelys pardalis    | ZMB 63232 | 350.0 | 35.00 | 46.0  | 23.9 | 45.0  | 303.0               | 21.1 | m  |
| Psammobates   | Psammobates geometricus  | ZMB 192   | 92.0  | 9.20  | 13.5  | 7.1  | 13.0  | 68.0                | 6.3  | m  |
| Chersina      | Chersina angulata        | -         | 181.9 | 18.19 | NA    | NA   | NA    | NA                  | NA   | m  |
| Aldabrachelys | Aldabrachelys gigantea   | ZMB 47443 | 800.0 | 80.00 | 105.0 | 51.5 | 105.0 | NA                  | NA   | m  |
| Astrochelys   | Astrochelys yniphora     | -         | 415.0 | 41.50 | NA    | NA   | NA    | NA                  | NA   | m  |

| Genus         | Taxon                   | CollNr    | SCL    | CCL    | SCW   | CCW  | СН    | PL    | PW   | es |
|---------------|-------------------------|-----------|--------|--------|-------|------|-------|-------|------|----|
| Astrochelys   | Astrochelys yniphora    | -         | 370.0  | 37.00  | NA    | NA   | NA    | NA    | NA   | m  |
| Aldabrachelys | Aldabrachelys gigantea  | ZMB 51995 | 1030.0 | 103.00 | 138.0 | NA   | NA    | NA    | NA   | m  |
| Aldabrachelys | Aldabrachelys gigantea  | ZMB ???   | 720.0  | 72.00  | 105.5 | 55.0 | 117.0 | NA    | NA   | m  |
| Cylindraspis  | Cylindraspis triserrata | -         | 1100.0 | 110.00 | NA    | NA   | NA    | NA    | NA   | m  |
| Cylindraspis  | Cylindraspis vosmaeri   | -         | 500.0  | 50.00  | NA    | NA   | NA    | NA    | NA   | m  |
| Astrochelys   | Astrochelys radiata     | -         | 334.0  | 33.40  | NA    | NA   | NA    | NA    | NA   | m  |
| Astrochelys   | Astrochelys radiata     | -         | 305.0  | 30.50  | NA    | NA   | NA    | NA    | NA   | m  |
| Centrochelys  | Centrochelys sulcata    | -         | 830.0  | 83.00  | NA    | NA   | NA    | NA    | NA   | m  |
| Psammobates   | Psammobates geometricus | ZMB 186   | 105.0  | 10.50  | 13.5  | 7.4  | 13.0  | 90.0  | 6.9  | m  |
| Astrochelys   | Astrochelys radiata     | -         | 242.0  | 24.20  | NA    | NA   | NA    | NA    | NA   | m  |
| Psammobates   | Psammobates tentorius   | ZMB 37627 | 116.0  | 11.60  | 15.0  | 9.4  | 14.5  | 117.0 | 8.9  | m  |
| Psammobates   | Psammobates tentorius   | ZMB 50571 | 95.0   | 9.50   | 12.0  | 7.3  | 12.0  | 79.0  | 7    | m  |
| Psammobates   | Psammobates tentorius   | ZMB 14766 | 81.0   | 8.10   | 10.5  | 6.8  | 10.0  | 67.0  | 5.9  | m  |
| Pyxis         | Pyxis planicauda        | -         | 114.0  | 11.40  | NA    | NA   | NA    | NA    | NA   | m  |
| Pyxis         | Pyxis planicauda        | -         | 134.0  | 13.40  | NA    | NA   | NA    | NA    | NA   | m  |
| Pyxis         | Pyxis planicauda        | -         | 120.0  | 12.00  | NA    | NA   | NA    | NA    | NA   | m  |
| Psammobates   | Psammobates oculifer    | ZMB 16399 | 111.0  | 11.10  | 16.0  | 8.8  | 14.0  | 108.0 | 7.9  | m  |
| Psammobates   | Psammobates oculifer    | ZMB 14772 | 101.0  | 10.10  | 15.0  | 8.0  | 14.0  | 98.0  | 7.3  | m  |
| Psammobates   | Psammobates oculifer    | ZMB 24261 | 103.0  | 10.30  | 14.0  | 8.2  | 13.5  | 100.0 | 7.8  | m  |
| Psammobates   | Psammobates oculifer    | ZMB 37623 | 105.0  | 10.50  | 14.5  | 7.9  | 13.5  | 93.0  | 7.4  | m  |
| Kinixys       | Kinixys belliana        | ZMB 37489 | 180.0  | 18.00  | 24.0  | 12.0 | 20.5  | 176.0 | 11.8 | m  |
| Pyxis         | Pyxis planicauda        | -         | 160.0  | 16.00  | NA    | NA   | NA    | NA    | NA   | m  |
| Psammobates   | Psammobates geometricus | ZMB 50568 | 107.0  | 10.70  | 15.0  | 7.9  | 14.5  | 79.0  | 7.3  | m  |
| Aldabrachelys | Aldabrachelys gigantea  | -         | 875.0  | 87.50  | NA    | NA   | NA    | NA    | NA   | m  |
| Aldabrachelys | Aldabrachelys gigantea  | -         | 1190.0 | 119.00 | NA    | NA   | NA    | NA    | NA   | m  |
| Chersina      | Chersina angulata       | -         | 202.0  | 20.20  | NA    | NA   | NA    | NA    | NA   | m  |
| Chersina      | Chersina angulata       | -         | 351.0  | 35.10  | NA    | NA   | NA    | NA    | NA   | m  |
| Astrochelys   | Astrochelys yniphora    | -         | 446.0  | 44.60  | NA    | NA   | NA    | NA    | NA   | m  |
| Chersina      | Chersina angulata       | ZMB 37393 | 160.0  | 16.00  | 20.0  | 10.0 | 17.5  | 158.0 | 9.2  | m  |
| Kinixys       | Kinixys erosa           | ZMB 50198 | 271.0  | 27.10  | 31.5  | 18.5 | 26.0  | 231.0 | 15.9 | m  |
| Chersina      | Chersina angulata       | ZMB 37392 | 181.0  | 18.10  | 22.5  | 11.6 | 19.0  | 177.0 | 9.7  | m  |
|               |                         |           |        |        |       |      |       |       |      |    |

| Genus         | Taxon                   | CollNr    | SCL   | CCL   | SCW  | CCW  | СН   | PL    | PW  | es |
|---------------|-------------------------|-----------|-------|-------|------|------|------|-------|-----|----|
| Psammobates   | Psammobates oculifer    | -         | 147.0 | 14.70 | NA   | NA   | NA   | NA    | NA  | m  |
| Psammobates   | Psammobates tentorius   | -         | 145.0 | 14.50 | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis arachnoides       | -         | 150.0 | 15.00 | NA   | NA   | NA   | NA    | NA  | m  |
| Psammobates   | Psammobates geometricus | ZMB 185   | 118.0 | 11.80 | 18.0 | 9.1  | 16.5 | 112.0 | 8.2 | m  |
| Stigmochelys  | Stigmochelys pardalis   | -         | 720.0 | 72.00 | NA   | NA   | NA   | NA    | NA  | m  |
| Chersina      | Chersina angulata       | -         | 179.3 | 17.93 | NA   | NA   | NA   | NA    | NA  | m  |
| Astrochelys   | Astrochelys radiata     | -         | 355.0 | 35.50 | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis planicauda        | -         | 126.0 | 12.60 | NA   | NA   | NA   | NA    | NA  | m  |
| Testudo       | Testudo kleinmanni      | -         | 144.0 | 14.40 | NA   | NA   | NA   | NA    | NA  | m  |
| Cylindraspis  | Cylindraspis indica     | -         | 600.0 | 60.00 | NA   | NA   | NA   | NA    | NA  | m  |
| Astrochelys   | Astrochelys yniphora    | -         | 361.0 | 36.10 | NA   | NA   | NA   | NA    | NA  | m  |
| Astrochelys   | Astrochelys yniphora    | -         | 486.0 | 48.60 | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis planicauda        | -         | 148.0 | 14.80 | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis arachnoides       | -         | 111.0 | 11.10 | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis arachnoides       | -         | 110.0 | 11.00 | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis arachnoides       | -         | 80.0  | 8.00  | NA   | NA   | NA   | NA    | NA  | m  |
| Kinixys       | Kinixys lobatsiana      | -         | 200.0 | 20.00 | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis arachnoides       | -         | 86.0  | 8.60  | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis arachnoides       | -         | 154.0 | 15.40 | NA   | NA   | NA   | NA    | NA  | m  |
| Kinixys       | Kinixys homeana         | -         | 223.0 | 22.30 | NA   | NA   | NA   | NA    | NA  | m  |
| Homopus       | Homopus femoralis       | -         | 168.0 | 16.80 | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis planicauda        | -         | 132.0 | 13.20 | NA   | NA   | NA   | NA    | NA  | m  |
| Homopus       | Homopus aerolatus       | -         | 300.0 | 30.00 | NA   | NA   | NA   | NA    | NA  | m  |
| Homopus       | Homopus boulengeri      | -         | 110.0 | 11.00 | NA   | NA   | NA   | NA    | NA  | m  |
| Kinixys       | Kinixys erosa           | -         | 400.0 | 40.00 | NA   | NA   | NA   | NA    | NA  | m  |
| Chersina      | Chersina angulata       | ZMB 37479 | 148.0 | 14.80 | 20.0 | 10.1 | 17.0 | 142.0 | 9.5 | m  |
| Psammobates   | Psammobates geometricus | -         | 165.0 | 16.50 | NA   | NA   | NA   | NA    | NA  | m  |
| Homopus       | Homopus solus           | -         | 109.0 | 10.90 | NA   | NA   | NA   | NA    | NA  | m  |
| Malacochersus | Malacochersus tornieri  | -         | 180.0 | 18.00 | NA   | NA   | NA   | NA    | NA  | m  |
| Chersina      | Chersina angulata       | -         | 153.5 | 15.35 | NA   | NA   | NA   | NA    | NA  | m  |
| Pyxis         | Pyxis arachnoides       | -         | 144.0 | 14.40 | NA   | NA   | NA   | NA    | NA  | m  |
|               |                         |           |       |       |      |      |      |       |     |    |

| Genus         | Taxon                    | CollNr    | SCL    | CCL    | SCW  | CCW  | СН   | PL    | PW   | es |
|---------------|--------------------------|-----------|--------|--------|------|------|------|-------|------|----|
| Kinixys       | Kinixys belliana         | -         | 230.0  | 23.00  | NA   | NA   | NA   | NA    | NA   | m  |
| Aldabrachelys | Aldabrachelys gigantea   | -         | 1140.0 | 114.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Astrochelys   | Astrochelys radiata      | -         | 400.0  | 40.00  | NA   | NA   | NA   | NA    | NA   | m  |
| Chersina      | Chersina angulata        | -         | 166.4  | 16.64  | NA   | NA   | NA   | NA    | NA   | m  |
| Chersina      | Chersina angulata        | -         | 171.6  | 17.16  | NA   | NA   | NA   | NA    | NA   | m  |
| Cylindraspis  | Cylindraspis peltastes   | -         | 420.0  | 42.00  | NA   | NA   | NA   | NA    | NA   | m  |
| Chersina      | Chersina angulata        | -         | 161.3  | 16.13  | NA   | NA   | NA   | NA    | NA   | m  |
| Homopus       | Homopus signatus         | -         | 106.0  | 10.60  | NA   | NA   | NA   | NA    | NA   | m  |
| Kinixys       | Kinixys spekii           | -         | 220.0  | 22.00  | NA   | NA   | NA   | NA    | NA   | m  |
| Cylindraspis  | Cylindraspis inepta      | -         | 1000.0 | 100.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Kinixys       | Kinixys natalensis       | -         | 160.0  | 16.00  | NA   | NA   | NA   | NA    | NA   | m  |
| Geochelone    | Geochelone elegans       | ZMB 63222 | 208.0  | 20.80  | 29.5 | 14.6 | 28.5 | 199.0 | 13.3 | m  |
| Geochelone    | Geochelone elegans       | ZMB 37523 | 245.0  | 24.50  | 32.0 | 16.6 | 32.0 | 228.0 | 14.6 | m  |
| Geochelone    | Geochelone elegans       | ZMB 63220 | 221.0  | 22.10  | 32.0 | 16.0 | 31.0 | 179.0 | 13.5 | m  |
| Geochelone    | Geochelone elegans       | ZMB 63221 | 220.0  | 22.00  | 31.0 | 15.4 | 27.0 | 209.0 | 14   | m  |
| Geochelone    | Geochelone elegans       | ZMB 63218 | 221.0  | 22.10  | 31.5 | 15.1 | 30.0 | 203.0 | 13.7 | m  |
| Geochelone    | Geochelone platynota     | ZMB 6096  | 222.0  | 22.20  | 29.5 | 15.1 | 27.0 | NA    | MA   | m  |
| Manouria      | Manouria emys            | -         | 600.0  | 60.00  | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo   | Indotestudo forstenii    | -         | 202.0  | 20.20  | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo   | Indotestudo travancorica | -         | 249.7  | 24.97  | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo   | Indotestudo forstenii    | -         | 309.0  | 30.90  | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo   | Indotestudo elongata     | -         | 360.0  | 36.00  | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo   | Indotestudo forstenii    | -         | 199.0  | 19.90  | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo   | Indotestudo elongata     | -         | 244.2  | 24.42  | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo   | Indotestudo travancorica | -         | 244.2  | 24.42  | NA   | NA   | NA   | NA    | NA   | m  |
| Manouria      | Manouria impressa        | ZMB 63172 | 165.0  | 16.50  | 20.0 | 12.9 | 18.0 | 157.0 | 10.5 | m  |
| Indotestudo   | Indotestudo elongata     | ZMB 50492 | 276.0  | 27.60  | 33.0 | 19.4 | 28.5 | 246.0 | 17.1 | m  |
| Indotestudo   | Indotestudo elongata     | ZMB 63175 | 235.0  | 23.50  | 30.5 | 16.0 | 29.5 | 202.0 | 14.4 | m  |
| Indotestudo   | Indotestudo elongata     | ZMB 4174  | 208.0  | 20.80  | 26.0 | 13.4 | 20.0 | 180.0 | 11.6 | m  |
| Indotestudo   | Indotestudo elongata     | ZMB 6106  | 166.0  | 16.60  | 21.0 | 11.3 | 18.0 | 151.0 | 11.3 | m  |
| Manouria      | Manouria emys            | -         | 600.0  | 60.00  | NA   | NA   | NA   | NA    | NA   | m  |

| Genus       | Taxon                    | CollNr    | $\operatorname{SCL}$ | CCL   | SCW  | CCW  | СН   | PL    | PW   | es |
|-------------|--------------------------|-----------|----------------------|-------|------|------|------|-------|------|----|
| Testudo     | Testudo graeca           | -         | 250.0                | 25.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo graeca           | -         | 280.0                | 28.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Manouria    | Manouria emys            | ZMB 49049 | 212.0                | 21.20 | 26.5 | 16.5 | 25.0 | NA    | NA   | m  |
| Manouria    | Manouria emys            | ZMB 37350 | 445.0                | 44.50 | 52.0 | 32.0 | 50.0 | 455.0 | 29.8 | m  |
| Manouria    | Manouria emys            | ZMB 37342 | 330.0                | 33.00 | 40.5 | 26.7 | 37.0 | 330.0 | 23.4 | m  |
| Indotestudo | Indotestudo travancorica | -         | 331.0                | 33.10 | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo | Indotestudo travancorica | -         | 219.6                | 21.96 | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo | Indotestudo forstenii    | -         | 200.5                | 20.05 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo horsfieldii      | -         | 280.0                | 28.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Manouria    | Manouria impressa        | -         | 350.0                | 35.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Geochelone  | Geochelone elegans       | -         | 380.0                | 38.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Manouria    | Manouria impressa        | -         | 275.0                | 27.50 | NA   | NA   | NA   | NA    | NA   | m  |
| Indotestudo | Indotestudo elongata     | -         | 219.6                | 21.96 | NA   | NA   | NA   | NA    | NA   | m  |
| Geochelone  | Geochelone platynota     | -         | 300.0                | 30.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo graeca           | -         | 300.0                | 30.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Gopherus    | Gopherus flavomarginatus | -         | 400.0                | 40.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Gopherus    | Gopherus morafkai        | -         | 299.0                | 29.90 | NA   | NA   | NA   | NA    | NA   | m  |
| Gopherus    | Gopherus berlandieri     | -         | 240.0                | 24.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo horsfieldii      | ZMB 63259 | 111.0                | 11.10 | 14.0 | 10.0 | 15.0 | 108.0 | 9.5  | m  |
| Pyxis       | Pyxis arachnoides        | ZMB 37615 | 108.0                | 10.80 | 15.0 | 7.9  | 13.0 | 96.0  | 7.1  | m  |
| Testudo     | Testudo marginata        | -         | 241.7                | 24.17 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo horsfieldii      | ZMB 63258 | 123.0                | 12.30 | 14.5 | 10.9 | 15.0 | 121.0 | 9.8  | m  |
| Testudo     | Testudo hermanni         | -         | 183.3                | 18.33 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo hermanni         | -         | 176.9                | 17.69 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo horsfieldii      | ZMB 63257 | 114.0                | 11.40 | 14.5 | 10.2 | 14.0 | 110.0 | 9.9  | m  |
| Testudo     | Testudo marginata        | -         | 246.7                | 24.67 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo hermanni         | -         | 196.0                | 19.60 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo hermanni         | -         | 143.5                | 14.35 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo graeca           | -         | 194.6                | 19.46 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo hermanni         | -         | 200.0                | 20.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo     | Testudo hermanni         | -         | 250.0                | 25.00 | NA   | NA   | NA   | NA    | NA   | m  |

| Genus    | Taxon                    | CollNr                 | SCL   | CCL   | SCW  | CCW  | СН   | PL    | PW   | es |
|----------|--------------------------|------------------------|-------|-------|------|------|------|-------|------|----|
| Testudo  | Testudo marginata        | -                      | 246.0 | 24.60 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo marginata        | -                      | 242.5 | 24.25 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo marginata        | -                      | 246.0 | 24.60 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 147.0 | 14.70 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo marginata        | -                      | 290.0 | 29.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo marginata        | -                      | 250.0 | 25.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 145.9 | 14.59 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo graeca           | -                      | 178.2 | 17.82 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo marginata        | -                      | 400.0 | 40.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo horsfieldii      | ZMB 63255              | 136.0 | 13.60 | 18.0 | 13.0 | 16.5 | 129.0 | 12.2 | m  |
| Testudo  | Testudo horsfieldii      | ZMB 63256              | 132.0 | 13.20 | 17.0 | 12.4 | 17.0 | 133.0 | 11.3 | m  |
| Testudo  | Testudo hermanni         | -                      | 168.3 | 16.83 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 160.0 | 16.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 154.0 | 15.40 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 138.5 | 13.85 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 173.0 | 17.30 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo marginata        | -                      | 242.5 | 24.25 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 195.0 | 19.50 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 157.0 | 15.70 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 176.6 | 17.66 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 130.0 | 13.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Testudo  | Testudo hermanni         | -                      | 161.0 | 16.10 | NA   | NA   | NA   | NA    | NA   | m  |
| Gopherus | Gopherus polyphemus      | -                      | 300.0 | 30.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Gopherus | Gopherus sp.             | $\mathrm{MVZ}\ 210020$ | NA    | NA    | NA   | NA   | NA   | 219.6 | NA   | m  |
| Gopherus | Gopherus sp.             | MVZ 210003             | NA    | NA    | NA   | NA   | NA   | 192.1 | NA   | m  |
| Gopherus | Gopherus polyphemus      | -                      | 268.8 | 26.88 | NA   | NA   | NA   | NA    | NA   | m  |
| Gopherus | Gopherus sp.             | MVZ 120004             | NA    | NA    | NA   | NA   | NA   | 196.7 | NA   | m  |
| Gopherus | Gopherus sp.             | MVZ 210009             | NA    | NA    | NA   | NA   | NA   | 232.8 | NA   | m  |
| Gopherus | Gopherus sp.             | MVZ 210010             | NA    | NA    | NA   | NA   | NA   | 240.1 | NA   | m  |
| Gopherus | Gopherus agassizii       | -                      | 400.0 | 40.00 | NA   | NA   | NA   | NA    | NA   | m  |
| Gopherus | Gopherus flavomarginatus | KU 39415               | 303.0 | 30.30 | NA   | 23.2 | NA   | NA    | NA   | m  |
|          |                          |                        |       |       |      |      |      |       |      |    |

| Gopherus         Gopherus polyphemus         -         303.0         30.0         NA   | Genus       | Taxon                    | CollNr       | SCL    | CCL    | SCW  | CCW  | СН | PL    | PW | es |
|--|-------------|--------------------------|--------------|--------|--------|------|------|----|-------|----|----|
| Gopherus         Gopherus polyphemus         -         387.0         38.70         NA  | Gopherus    | Gopherus polyphemus      | -            | 308.0  | 30.80  | NA   | NA   | NA | NA    | NA | m  |
| Gopherus         Gopherus polyphemus         -         342.0         34.20         NA  | Gopherus    | Gopherus polyphemus      | -            | 303.0  | 30.30  | NA   | NA   | NA | NA    | NA | m  |
| Gopherus         Gopherus flavomarginatus         USNM 61253         222.0         22.20         NA         16.6         NA         212.0         NA           Gopherus         Gopherus flavomarginatus         USNM 61254         371.0         37.10         NA         29.2         NA         358.0         NA           Gopherus         Gopherus polyphemus         -         238.9         23.89         NA         NA<   | Gopherus    | Gopherus polyphemus      | -            | 387.0  | 38.70  | NA   | NA   | NA | NA    | NA | m  |
| Gopherus         Gopherus Gopherus         Gopherus Gopherus         USNM 61254         371.0         37.10         NA         29.2         NA         358.0         NA           Gopherus         Gopherus polyphemus         -         238.9         23.89         NA         N   | Gopherus    | Gopherus polyphemus      | -            | 342.0  | 34.20  | NA   | NA   | NA | NA    | NA | m  |
| Gopherus Gopherus polyphenus - 238.9 23.89 NA  | Gopherus    | Gopherus flavomarginatus | USNM 61253   | 222.0  | 22.20  | NA   | 16.6 | NA | 212.0 | NA | m  |
| Gopherus         Gopherus flavomarginatus         USNM 60976         246.0         24.60         NA         21.2         NA         252.0         NA           Gopherus         Gopherus flavomarginatus         IU 42953         281.0         281.0         NA         22.0         NA         NA         NA           Gopherus         Gopherus flavomarginatus         IU 42954         278.0         27.80         NA         21.4         NA         NA         NA           Chelonoidis         Chelonoidis rigra         USNM 51069         588.0         58.80         68.3         44.5         NA         506.0         NA           Chelonoidis         Chelonoidis rigra         USNM 102904         610.0         61.00         67.5         44.4         NA         515.0         NA           Chelonoidis         Chelonoidis carbonaria         -         593.0         59.30         NA  | Gopherus    | Gopherus flavomarginatus | USNM 61254   | 371.0  | 37.10  | NA   | 29.2 | NA | 358.0 | NA | m  |
| Gopherus         Gopherus flavomarginatus         IU 42953         281.0         28.10         NA         22.0         NA         N   | Gopherus    | Gopherus polyphemus      | -            | 238.9  | 23.89  | NA   | NA   | NA | NA    | NA | m  |
| Gopherus         Gopherus flavomarginatus         IU 42954         27.80         27.80         NA         21.4         NA         NA         NA           Chelonoidis         Chelonoidis nigra         USNM 51069         588.0         58.80         68.3         44.5         NA         506.0         NA           Chelonoidis         Chelonoidis nigra         USNM 102904         610.0         61.00         67.5         44.4         NA         515.0         NA           Chelonoidis         Chelonoidis carbonaria         -         593.0         59.30         NA         NA <td< td=""><td>Gopherus</td><td>Gopherus flavomarginatus</td><td>USNM 60976</td><td>246.0</td><td>24.60</td><td>NA</td><td>21.2</td><td>NA</td><td>252.0</td><td>NA</td><td>m</td></td<>                | Gopherus    | Gopherus flavomarginatus | USNM 60976   | 246.0  | 24.60  | NA   | 21.2 | NA | 252.0 | NA | m  |
| Chelonoidis         Chelonoidis nigra         USNM 51069         588.0         58.80         68.3         44.5         NA         506.0         NA           Chelonoidis         Chelonoidis nigra         USNM1 102904         610.0         61.00         67.5         44.4         NA         515.0         NA           Chelonoidis         Chelonoidis carbonaria         -         593.0         59.30         NA         NA <td< td=""><td>Gopherus</td><td>Gopherus flavomarginatus</td><td>IU 42953</td><td>281.0</td><td>28.10</td><td>NA</td><td>22.0</td><td>NA</td><td>NA</td><td>NA</td><td>m</td></td<>                               | Gopherus    | Gopherus flavomarginatus | IU 42953     | 281.0  | 28.10  | NA   | 22.0 | NA | NA    | NA | m  |
| Chelonoidis         Chelonoidis nigra         USNM1 102904         610.0         67.5         44.4         NA         515.0         NA           Chelonoidis         Chelonoidis carbonaria         -         593.0         593.0         NA         NA <td>Gopherus</td> <td>Gopherus flavomarginatus</td> <td>IU 42954</td> <td>278.0</td> <td>27.80</td> <td>NA</td> <td>21.4</td> <td>NA</td> <td>NA</td> <td>NA</td> <td>m</td>  | Gopherus    | Gopherus flavomarginatus | IU 42954     | 278.0  | 27.80  | NA   | 21.4 | NA | NA    | NA | m  |
| Chelonoidis         Chelonoidis carbonaria         -         593.0         593.0         NA  | Chelonoidis | Chelonoidis nigra        | USNM 51069   | 588.0  | 58.80  | 68.3 | 44.5 | NA | 506.0 | NA | m  |
| Chelonoidis         Chelonoidis abingdonii         -         980.0         98.00         NA  | Chelonoidis | Chelonoidis nigra        | USNM1 102904 | 610.0  | 61.00  | 67.5 | 44.4 | NA | 515.0 | NA | m  |
| Chelonoidis         Chelonoidis denticulata         -         333.4         33.34         NA   | Chelonoidis | Chelonoidis carbonaria   | -            | 593.0  | 59.30  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis         Chelonoidis chilensis         UF33604         169.0         16.90         21.5         13.2         NA         161.0         NA           Chelonoidis         Chelonoidis chilensis         UF33618         186.0         18.60         25.0         14.7         NA         169.0         NA           Chelonoidis         Chelonoidis nigra         -         717.0         71.70         NA         NA         NA         NA         NA         162.0         NA           Chelonoidis         Chelonoidis chilensis         UF33617         169.0         16.90         22.8         14.6         NA         162.0         NA           Chelonoidis         Chelonoidis carbonaria         UF27384         242.0         24.20         31.7         15.5         NA         219.0         NA           Chelonoidis         Chelonoidis carbonaria         UF33597         253.0         25.30         31.7         15.3         NA         215.0         NA           Chelonoidis         Chelonoidis carbonaria         UF3369         226.0         25.90         68.0         43.6         NA  | Chelonoidis | Chelonoidis abingdonii   | -            | 980.0  | 98.00  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis         Chelonoidis chilensis         UF33618         186.0         18.60         25.0         14.7         NA         169.0         NA           Chelonoidis         Chelonoidis nigra         -         717.0         71.70         NA  | Chelonoidis | Chelonoidis denticulata  | -            | 333.4  | 33.34  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis         Chelonoidis nigra         -         717.0         71.70         NA   | Chelonoidis | Chelonoidis chilensis    | UF33604      | 169.0  | 16.90  | 21.5 | 13.2 | NA | 161.0 | NA | m  |
| Chelonoidis         Chelonoidis chilensis         UF33617         169.0         16.90         22.8         14.6         NA         162.0         NA           Chelonoidis         Chelonoidis carbonaria         UF27384         242.0         24.20         31.7         15.5         NA         219.0         NA           Chelonoidis         Chelonoidis carbonaria         UF33597         253.0         25.30         31.7         15.3         NA         215.0         NA           Chelonoidis         Chelonoidis nigra         USNM1 222494         595.0         59.50         68.0         43.6         NA         533.0         NA           Chelonoidis         Chelonoidis carbonaria         -         333.4         33.34         NA         NA <td>Chelonoidis</td> <td>Chelonoidis chilensis</td> <td>UF33618</td> <td>186.0</td> <td>18.60</td> <td>25.0</td> <td>14.7</td> <td>NA</td> <td>169.0</td> <td>NA</td> <td>m</td> | Chelonoidis | Chelonoidis chilensis    | UF33618      | 186.0  | 18.60  | 25.0 | 14.7 | NA | 169.0 | NA | m  |
| Chelonoidis         Chelonoidis carbonaria         UF27384         242.0         24.20         31.7         15.5         NA         219.0         NA           Chelonoidis         Chelonoidis carbonaria         UF33597         253.0         25.30         31.7         15.3         NA         215.0         NA           Chelonoidis         Chelonoidis nigra         USNM1 222494         595.0         59.50         68.0         43.6         NA         533.0         NA           Chelonoidis         Chelonoidis carbonaria         -         333.4         33.34         NA         NA         NA         NA         NA           Chelonoidis         Chelonoidis carbonaria         UF5259         226.0         22.60         28.7         12.9         NA         198.0         NA           Chelonoidis         Chelonoidis becki         -         1050.0         105.00         NA  | Chelonoidis | Chelonoidis nigra        | -            | 717.0  | 71.70  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis         Chelonoidis carbonaria         UF33597         253.0         25.30         31.7         15.3         NA         215.0         NA           Chelonoidis         Chelonoidis nigra         USNM1 222494         595.0         59.50         68.0         43.6         NA         533.0         NA           Chelonoidis         Chelonoidis carbonaria         -         333.4         33.34         NA         <   | Chelonoidis | Chelonoidis chilensis    | UF33617      | 169.0  | 16.90  | 22.8 | 14.6 | NA | 162.0 | NA | m  |
| Chelonoidis         Chelonoidis nigra         USNM1 222494         595.0         59.50         68.0         43.6         NA         533.0         NA           Chelonoidis         Chelonoidis carbonaria         -         333.4         33.34         NA         NA<   | Chelonoidis | Chelonoidis carbonaria   | UF27384      | 242.0  | 24.20  | 31.7 | 15.5 | NA | 219.0 | NA | m  |
| Chelonoidis         Chelonoidis carbonaria         -         333.4         33.34         NA  | Chelonoidis | Chelonoidis carbonaria   | UF33597      | 253.0  | 25.30  | 31.7 | 15.3 | NA | 215.0 | NA | m  |
| Chelonoidis         Chelonoidis carbonaria         UF5259         226.0         22.60         28.7         12.9         NA         198.0         NA           Chelonoidis         Chelonoidis becki         -         1050.0         105.00         NA  | Chelonoidis | Chelonoidis nigra        | USNM1 222494 | 595.0  | 59.50  | 68.0 | 43.6 | NA | 533.0 | NA | m  |
| Chelonoidis         Chelonoidis becki         -         1050.0         105.00         NA   | Chelonoidis | Chelonoidis carbonaria   | -            | 333.4  | 33.34  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis         Chelonoidis denticulata         UF33661         333.0         33.30         38.0         21.4         NA         305.0         NA           Chelonoidis         Chelonoidis denticulata         UF61931         317.0         31.70         41.2         18.5         NA         291.0         NA           Chelonoidis         Chelonoidis denticulata         UF33670         365.0         36.50         47.0         22.0         NA         326.0         NA           Chelonoidis         Chelonoidis chilensis         UF33603         183.0         18.30         23.4         14.5         NA         166.0         NA           Chelonoidis         Chelonoidis nigra         -         731.3         73.13         NA         NA         NA         NA         NA   | Chelonoidis | Chelonoidis carbonaria   | UF5259       | 226.0  | 22.60  | 28.7 | 12.9 | NA | 198.0 | NA | m  |
| Chelonoidis         Chelonoidis denticulata         UF61931         317.0         31.70         41.2         18.5         NA         291.0         NA           Chelonoidis         Chelonoidis denticulata         UF33670         365.0         36.50         47.0         22.0         NA         326.0         NA           Chelonoidis         Chelonoidis chilensis         UF33603         183.0         18.30         23.4         14.5         NA         166.0         NA           Chelonoidis         Chelonoidis nigra         -         731.3         73.13         NA         NA         NA         NA         NA   | Chelonoidis | Chelonoidis becki        | -            | 1050.0 | 105.00 | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis         Chelonoidis denticulata         UF33670         365.0         36.50         47.0         22.0         NA         326.0         NA           Chelonoidis         Chelonoidis chilensis         UF33603         183.0         18.30         23.4         14.5         NA         166.0         NA           Chelonoidis         Chelonoidis nigra         -         731.3         73.13         NA         NA         NA         NA         NA   | Chelonoidis | Chelonoidis denticulata  | UF33661      | 333.0  | 33.30  | 38.0 | 21.4 | NA | 305.0 | NA | m  |
| Chelonoidis Chelonoidis chilensis UF33603 183.0 18.30 23.4 14.5 NA 166.0 NA Chelonoidis Chelonoidis nigra - 731.3 73.13 NA NA NA NA NA NA  | Chelonoidis | Chelonoidis denticulata  | UF61931      | 317.0  | 31.70  | 41.2 | 18.5 | NA | 291.0 | NA | m  |
| Chelonoidis Chelonoidis nigra - 731.3 73.13 NA NA NA NA NA NA  | Chelonoidis | Chelonoidis denticulata  | UF33670      | 365.0  | 36.50  | 47.0 | 22.0 | NA | 326.0 | NA | m  |
|  | Chelonoidis | Chelonoidis chilensis    | UF33603      | 183.0  | 18.30  | 23.4 | 14.5 | NA | 166.0 | NA | m  |
| Chelonoidis Chelonoidis chilensis - 200.0 20.00 NA NA NA NA NA NA  | Chelonoidis | Chelonoidis nigra        | -            | 731.3  | 73.13  | NA   | NA   | NA | NA    | NA | m  |
|  | Chelonoidis | Chelonoidis chilensis    | -            | 200.0  | 20.00  | NA   | NA   | NA | NA    | NA | m  |

| Genus       | Taxon                    | CollNr  | SCL    | CCL    | SCW  | CCW  | СН | PL    | PW | es |
|-------------|--------------------------|---------|--------|--------|------|------|----|-------|----|----|
| Chelonoidis | Chelonoidis carbonaria   | UF48278 | 247.0  | 24.70  | 33.9 | 15.5 | NA | 214.0 | NA | m  |
| Chelonoidis | Chelonoidis carbonaria   | -       | 296.5  | 29.65  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis carbonaria   | -       | 290.0  | 29.00  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis carbonaria   | UF33596 | 189.0  | 18.90  | 24.7 | 12.1 | NA | 174.0 | NA | m  |
| Chelonoidis | Chelonoidis nigra        | -       | 745.7  | 74.57  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis chathamensis | -       | 890.0  | 89.00  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis denticulata  | UF19242 | 466.0  | 46.60  | 59.7 | 26.5 | NA | 410.0 | NA | m  |
| Chelonoidis | Chelonoidis denticulata  | UF23231 | 377.0  | 37.70  | 47.1 | 23.8 | NA | 334.0 | NA | m  |
| Chelonoidis | Chelonoidis denticulata  | -       | 820.0  | 82.00  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis duncanensis  | -       | 840.0  | 84.00  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis chilensis    | -       | 222.0  | 22.20  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis chilensis    | UF33600 | 157.0  | 15.70  | 20.8 | 11.9 | NA | 145.0 | NA | m  |
| Chelonoidis | Chelonoidis phantastica  | -       | 860.0  | 86.00  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis vicina       | -       | 1250.0 | 125.00 | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis hoodensis    | -       | 813.0  | 81.30  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis nigra        | -       | 1300.0 | 130.00 | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis darwini      | -       | 965.0  | 96.50  | NA   | NA   | NA | NA    | NA | m  |
| Chelonoidis | Chelonoidis chilensis    | -       | 450.0  | 45.00  | NA   | NA   | NA | NA    | NA | m  |

## length(unique(tidyCL\$Locality))

## [1] 193

length(unique(tidyCL\$Locality[which(tidyCL\$Age < 23.000)]))</pre>

## [1] 186

length(unique(FossilOccurrences\$Locality))

## [1] 647

length(unique(FossilOccurrences\$Locality[which(FossilOccurrences\$Clavailability=="yes")]))

## [1] 112




Figure 33: paleoTS, genera, Eurasia, insular

```
FossilOcMiocene <- FossilOccurrences %>%
  mutate(Age=(MA.min+Ma.max)/2) %>%
  filter(Age < 23.000)
length(unique(FossilOcMiocene$Locality))
## [1] 534
length(unique(FossilOcMiocene$Locality[which(FossilOccurrences$Clavailability=="yes")]))
## [1] 108
number of all fossil localities with body size data (body size data set) 193
number of fossil localities that match the relevant age 186
number of localities according to FosFarBase 647
number of FosFarBase localities for which body size was available 112
number of FosFarBase localities of relevant age 534
number of FosFarBase localities of relevant age for which body size data was available 106
Body size data set: number of data records 384
number of data records of relevant age 376
number of Countries where data records occurred54
number of measured SCLs 97
number of measured SCLs 33
number of estimated SCLs 254
number of SCLs measured from figure 38
number of SCLs estimated from PL 61
number of SCLs that were estimated by original authors 158
Occurrences: number of data records 770
number of data records of relevant age 641
number of data available body sizes 132
```

```
number of available body sizes of relevant age 126
```

## Extant:

number of extant data records 240

number of specimens from MFN collection 67

number of specimens fro literature 173

- ## [1] 384
- ## [1] 119
- ## [1] 384
- ## [1] 26
- ## [1] 144
- ## [1] 11
- ## [1] Ergilemys Testudo Cheirogaster Titanochelon Paleotestudo
- ## [6] Geochelone Centrochelys gen. "Hadrianus" Eurotestudo
- ## [11] Taraschelon
- ## 26 Levels: "Hadrianus" Aldabrachelys Caudochelys ... Titanochelon
- ## [1] 7
- ## **[1]** 2
- ## [1] Geochelone Chelonoidis
- ## 26 Levels: "Hadrianus" Aldabrachelys Caudochelys ... Titanochelon
- ## [1] 167
- ## [1] 15
- ## [1] Testudo Geochelone Ergilemys Aldabrachelys Megalochelys
- ## [6] Manouria Indotestudo gen. Cheirogaster Titanochelon
- ## [11] Paleotestudo Centrochelys "Hadrianus" Eurotestudo Taraschelon
- ## 26 Levels: "Hadrianus" Aldabrachelys Caudochelys ... Titanochelon

| Genus       | Africa.x | America | N-America | S-America | Asia.x | Europe.x | n |
|-------------|----------|---------|-----------|-----------|--------|----------|---|
| "Hadrianus" | -        | -       | -         | -         | -      | 1        | 1 |

| Genus          | Africa.x | America | N-America | S-America | Asia.x | Europe.x | n  |
|----------------|----------|---------|-----------|-----------|--------|----------|----|
| Aldabrachelys  | 4        | -       | -         | -         | 2      | -        | 2  |
| Caudochelys    | -        | 4       | 4         | -         | -      | -        | -  |
| Centrochelys   | 2        | _       | -         | -         | -      | 12       | 12 |
| Cheirogaster   | -        | -       | -         | -         | -      | 9        | 9  |
| Chelonoidis    | -        | 28      | -         | 6         | -      | -        | -  |
| Ergilemys      | -        | -       | -         | -         | 2      | 3        | 4  |
| Eurotestudo    | -        | -       | -         | -         | -      | 10       | 10 |
| gen.           | -        | -       | -         | -         | 1      | 7        | 8  |
| Geochelone     | 4        | 10      | 8         | 1         | 1      | 2        | 3  |
| Gopherus       | -        | 92      | 88        | -         | -      | -        | -  |
| Hesperotestudo | -        | 46      | 43        | -         | -      | -        | -  |
| Homopus        | 1        | -       | -         | -         | -      | -        | -  |
| Impregnochelys | 1        | -       | -         | -         | -      | -        | -  |
| Indotestudo    | -        | -       | -         | -         | 1      | -        | 1  |
| Kinixys        | 1        | -       | -         | -         | -      | -        | -  |
| Manouria       | -        | -       | -         | -         | 2      | -        | 2  |
| Megalochelys   | -        | -       | -         | -         | 12     | -        | 12 |
| Mesocherus     | 5        | -       | -         | -         | -      | -        | -  |
| Namibchersus   | 9        | -       | -         | -         | -      | -        | -  |
| Paleotestudo   | -        | -       | -         | -         | -      | 26       | 26 |
| Psammobates    | 1        | -       | -         | -         | -      | -        | -  |
| Stylemys       | -        | 1       | 1         | -         | -      | -        | -  |
| Taraschelon    | -        | -       | -         | -         | -      | 1        | 1  |
| Testudo        | 5        | 1       | 1         | -         | 4      | 51       | 54 |
| Titanochelon   | -        | -       | -         | -         | -      | 22       | 22 |