

[🔍 \(https://profile.intra.42.fr/searches\)](https://profile.intra.42.fr/searches)
[aelmeski \(https://projects.intra.42.fr/scale_teams/9382396/edit#\)](https://projects.intra.42.fr/scale_teams/9382396/edit#)
[\(https://profile.intra.42.fr/\)](https://profile.intra.42.fr/)

SCALE FOR PROJECT CALL ME MAYB (HTTPS://PROJECTS.INTRA.42.FR/PROJECTS ME-MAYBE)

You should evaluate 1 student in this team

Git repository

`git@vogsphere-v2-bg.1337.ma:vogsphere/intra-uuid-a9571177-1a30-`

Introduction

- Remain polite, courteous, respectful and constructive throughout the evaluation process. The well-being of the community depends on it.
- Identify with the person (or the group) evaluated the eventual dysfunctions of the work. Take the time to discuss and debate the problems you have identified.
- You must consider that there might be some difference in how your peers might have understood the project's instructions and the scope of its functionalities. Always keep an open mind and grade him/her as honestly as possible. The pedagogy is valid only and only if peer-evaluation is conducted seriously.

Guidelines

- Only grade the work that is in the student or group's GiT repository.
 - Double-check that the GiT repository belongs to the student or the group. Ensure that the work is for the relevant project and also check that "git clone" is used in an empty folder.
 - Check carefully that no malicious aliases was used to fool you and make you evaluate something other than the content of the official repository.
 - To avoid any surprises, carefully check that both the evaluating and the evaluated students have reviewed the possible scripts used to facilitate the grading.
 - If the evaluating student has not completed that particular project yet, it is mandatory for this student to read the entire subject prior to starting the defence.
 - Use the flags available on this scale to signal an empty repository, non-functioning program, a norm error, cheating etc. In these cases, the grading is over and the final grade is 0 (or -42 in case of cheating). However, with the exception of cheating, you are encouraged to continue to discuss your work (even if you have not finished it) in order to identify any issues that may have caused this failure and avoid repeating the same mistake in the future.
 - Remember that for the duration of the defence, no segfault, no other unexpected, premature, uncontrolled or unexpected termination of the program, else the final grade is 0. Use the appropriate flag.
- You should never have to edit any file except the configuration file if it exists. If you want to edit a file, take the time to explicit the reasons with the evaluated student and make sure both of you are okay with this.

- You must also verify the absence of memory leaks. Any memory allocated on the heap must be properly freed before the end of execution.
You are allowed to use any of the different tools available on the computer, such as leaks, valgrind, or e_fence. In case of memory leaks, tick the appropriate flag.

Attachments

- [moulinette.zip \(https://cdn.intra.42.fr/document/document/49290/moulinette.zip\)](https://cdn.intra.42.fr/document/document/49290/moulinette.zip)
- [subject.pdf \(https://cdn.intra.42.fr/pdf/pdf/204865/en.subject.pdf\)](https://cdn.intra.42.fr/pdf/pdf/204865/en.subject.pdf)
- [data.zip \(https://cdn.intra.42.fr/document/document/49291/data.zip\)](https://cdn.intra.42.fr/document/document/49291/data.zip)
- [llm_sdk.zip \(https://cdn.intra.42.fr/document/document/49292/llm_sdk.zip\)](https://cdn.intra.42.fr/document/document/49292/llm_sdk.zip)

Mandatory Part

Preliminaries

Check the following requirements:

- Only grade the work that is in the student's or group's Git repository.
- The project must be run using `uv run python -m src`
- All errors should be handled gracefully without crashing
- Verify that the output JSON follows the exact format specified
- Check that constrained decoding is implemented (not just prompting)
- Ensure near-perfect JSON validity (100% parseable output)

Yes

No

Project Structure and Dependencies

Verify the project setup:

- Run `uv sync` successfully
- Verify that `llm_sdk` is properly integrated
- Check that all classes use `pydantic` for validation
- Ensure the program can be run with `uv run python -m src`
- Verify `input/` directory structure is correct
- Check that `output/` directory is created during execution

Yes

No

Input File Handling

Test input file processing:

- Verify the program correctly reads `function_calling_tests.json`
- Verify the program correctly reads `functions_definition.json`
- Test with invalid JSON in input files (should handle gracefully)
- Test with missing input files (should provide clear error messages)
- Verify proper error handling without crashes

Yes

No

Output File Format

Verify output file correctness:

- Check that the output file is created (default: `data/output/function_calling_results.json`, or the with `--output`)
- Verify the file contains 100% valid and retrievable JSON (no syntax or parsing errors)
- Confirm that the JSON strictly follows the expected schema
- Check that each entry includes exactly: `prompt`, `fn_name`, and `args` keys
- Ensure all required arguments are present and match the defined schema
- Verify that argument types and allowed values comply with the function specifications (e.g., if restricted to predefined options)
- Confirm there are no extra keys, text, or prose outside the JSON structure

YesNo

Function Calling Accuracy

Evaluate function calling accuracy:

- Test with simple prompts (e.g., "add 2 and 3")
- Verify correct function selection (>90% accuracy expected)
- Check argument extraction accuracy (>90% expected)
- Test with ambiguous prompts
- Verify the system handles edge cases (empty strings, large numbers)

Does the solution achieve at least 90% accuracy on function selection?

YesNo

LLM SDK Usage

Verify proper LLM SDK usage:

- Check that encode and decode are used correctly
- Ensure no private methods or attributes are accessed
- Confirm the Qwen/Qwen3-0.6B model is used

YesNo

Error Handling and Robustness

Test error handling:

- Test with malformed input JSON
- Test with missing function definitions
- Test with prompts that don't match any function
- Verify clear error messages are provided
- Ensure the program never crashes unexpectedly

Does the program handle all error cases gracefully?

YesNo

Performance and Reliability

Evaluate performance:

- Check that all test prompts are processed in reasonable time (<5 minutes)
- Verify 100% of outputs are valid JSON (parseable)
- Check that the solution achieves >90% accuracy on provided tests
- Verify the system is reliable across multiple runs

Does the solution meet these performance criteria?

YesNo

Code Quality and Documentation

Review code quality:

- Check that code is well-organized and readable
- Verify proper use of pydantic for validation
- Check that README.md explains the algorithm clearly
- Verify README includes design decisions and challenges
- Check for proper type hints and documentation

Is the code quality and documentation satisfactory?

YesNo

Moulinette Evaluation

Run the moulinette evaluation:

Follow this instructions carefully:

1. Navigate to the moulinette directory

Intra Projects Call Me Maybe Edit

- 2. Run uv sync successfully
- 3. Run uv run python -m moulinette prepare_exercises --set private successfully
- 4. Run uv run python -m moulinette grade_student_answers --set private --stude<path> successfully
- 5. Verify the total score is greater than 0
- 6. Check that the evaluation completes without errors

Does the moulinette evaluation pass successfully?

Yes No

Bonus

Check for bonus features (optional, not required for passing):

- Support for multiple LLM models beyond Qwen/Qwen3-0.6B
- Recoding the tokinezer : Not using encode and decode methods in the main code, but using get_logits_from_input_ids and get_path_to_vocabulary_json.
- Advanced error recovery mechanisms
- Performance optimizations (caching, batching)
- Comprehensive test suite
- Visualization of the generation process
- Support for complex nested function arguments
- Public implementation of tokenizer encode and optional decode methods
- Demonstration of how encoding and decoding integrate with constrained decoding

Are there any notable bonus features implemented?

Rate it from 0 (failed) through 5 (excellent)



Ratings

Don't forget to check the flag corresponding to the defense

Ok		Outstanding project	
Empty work	Incomplete work	W Invalid compilation	Norme
Concerning situation		I Forbidden function	Can't support / expl

Conclusion

Leave a comment on this evaluation (2048 chars max)

Finish evaluation