| CG model with $d = 100$ and $n = m = 2 \cdot 10^4$ | | | | | | |
|--|---------------------------------|--------------------------------|---------------------------------------|---------------------------------|--------------------------------|-------|
| | μ -deformation | | | Σ_{ii} -deformation | | |
| Statistic | $\epsilon_{95\%\mathrm{CL}}$ | $\epsilon_{99\%\mathrm{CL}}$ | t (s) | $\epsilon_{95\%\mathrm{CL}}$ | $\epsilon_{99\%\mathrm{CL}}$ | t (s) |
| $t_{ m NPLM}$ | $0.01974^{+0.0058}_{-0.0068}$ | $0.0237^{+0.0053}_{-0.0056}$ | 26857 | $0.01047^{+0.003}_{-0.0039}$ | $0.01264^{+0.0027}_{-0.0032}$ | 29892 |
| $\Sigma_{i\neq j}$ -deformation | | | pow_+ -deformation | | | |
| Statistic | $\epsilon_{95\%\mathrm{CL}}$ | $\epsilon_{99\%\mathrm{CL}}$ | t (s) | $\epsilon_{95\%\mathrm{CL}}$ | $\epsilon_{99\%\mathrm{CL}}$ | t (s) |
| $t_{ m NPLM}$ | $0.01391^{+0.0035}_{-0.0045}$ | $0.01672^{+0.0029}_{-0.0036}$ | 31572 | $0.00207^{+0.00062}_{-0.00076}$ | $0.0025^{+0.00057}_{-0.00062}$ | 34782 |
| powdeformation | | | $\mathcal{N}	ext{-}	ext{deformation}$ | | | |
| Statistic | $\epsilon_{95\%\mathrm{CL}}$ | $\epsilon_{99\%\mathrm{CL}}$ | t (s) | $\epsilon_{95\%\mathrm{CL}}$ | $\epsilon_{99\%\mathrm{CL}}$ | t (s) |
| $t_{ m NPLM}$ | $0.00238^{+0.00069}_{-0.00083}$ | $0.0028^{+0.00065}_{-0.00069}$ | 32366 | $0.27791^{+0.051}_{-0.068}$ | $0.3185^{+0.038}_{-0.055}$ | 23561 |
| $\mathcal{U}	ext{-}	ext{deformation}$ | | | Timing | | | |
| Statistic | $\epsilon_{95\%	ext{CL}}$ | $\epsilon_{99\%\mathrm{CL}}$ | t (s) | t^{null} (s) | | |
| $t_{ m NPLM}$ | $0.48426^{+0.088}_{-0.11}$ | $0.5534_{-0.097}^{+0.057}$ | 21459 | 47489 | | |