

COSC 290 Discrete Structures

Lecture 7: Argument Checking

Prof. Michael Hay
Monday, Sep. 13, 2017
Colgate University

Plan for today

1. Entailment and tautologies
2. Proving a sentence is a tautology
3. Converting to CNF

1


Entailment and tautologies

Wumpus World

An logical agent would like to use its

KB = wumpus-world rules + observations

to safely navigate the world and gather the gold.




2

Example from Wumpus World

Let

- $\varphi_1 := b_{1,1} \iff (p_{1,2} \vee p_{2,1})$
("A square is breezy iff there is an adjacent pit.")
- $\varphi_2 := \neg b_{1,1}$ ("No breeze in [1,1]")
- $KB := \varphi_1 \wedge \varphi_2$
- $\alpha := \neg p_{1,2}$ ("[1,2] has no pit")



If $KB \models \alpha$, then agent is 100% certain that [1,2] is safe.

Credit: slides adapted from Russell & Norvig, *Artificial Intelligence: A Modern Approach*

3

(Recall from Lecture 6) Entailment

Entailment means that one thing *follows from* another:

$$KB \models \alpha$$

Knowledge base KB entails sentence α if and only if α is true in all worlds where KB is true.

Ex: the KB containing "the Patriots lost" entails "Either the Patriots lost or the Seahawks won."

Ex: the KB containing rules of algebra and the fact $x + y = 4$ entails $y = 4 - x$.

Credit: slides adapted from Russell & Norvig, *Artificial Intelligence: A Modern Approach*

4

(Recall from Lecture 6) Tautology

A proposition ψ is a tautology if it is true under every assignment of its variables. In other words, ψ is a tautology if $\psi \equiv \text{true}$.

Examples:

- $p \vee \neg p$
- $q \implies q$
- $p \wedge (p \implies q) \implies q$ (modus ponens)
- $(p \implies q) \wedge \neg q \implies \neg p$ (modus tollens)

5

Entailment and propositional logic

Let KB be a sentence in propositional logic.

Let α be a sentence in propositional logic.

The **deduction theorem** states that

$$KB \models \alpha \text{ if and only if } (KB \implies \alpha) \text{ is a tautology.}$$

6

The agent needs an **inference algorithm** to show that $(KB \implies \alpha)$ is a tautology.

Today's lecture: a look at algorithms for proving tautologies

Lab 2: implementing a specific algorithm

7

Ways to prove a sentence is a tautology

There are basically two ways to show $\psi \implies \varphi$ is a tautology:

1. Using a truth table.
 - Make a truth table with columns for ψ and φ .
 - Check that whenever ψ is true, φ is also true.
(What about when ψ is false?)
2. Using known logical equivalences.
 - Step-by-step approach, resembling a proof.
 - Start with this sentence $\psi \implies \varphi$ and gradually transform it into simpler but equivalent sentence until eventually the sentence reduces to *True*.

Today: we will focus on approach 2.

8

Proving a sentence is a tautology

Our Approach

1. Given sentence $S_1 := (\psi \implies \varphi)$, convert S_1 into an equivalent sentence S_2 where S_2 is in **conjunctive normal form**.
2. Check whether S_2 is a tautology. (This step is easy.)

9

Conjunctive Normal Form

A proposition is in **conjunctive normal form** (CNF) if it is the conjunction of one or more clauses where each clause is the disjunction of one or more *literals*.

A **literal** is an atomic proposition or the negation of an atomic proposition (i.e. it's either p or $\neg p$ for some variable p).

10

Poll

Which of these propositions is *not* in CNF?

- A) $\neg p$
- B) $p \vee q$
- C) $(p \vee q) \wedge (r \vee s)$
- D) $(p \wedge q) \vee (r \wedge \neg p)$
- E) More than one is *not* CNF / All are in CNF

(Definition restated here)

A proposition is in CNF if it is the conjunction of one or more clauses where each clause is the disjunction of one or more literals.

A literal is an atomic proposition or the negation of an atomic proposition (i.e. it's either p or $\neg p$ for some variable p).

11

Checking a CNF sentence for tautology

If S is a proposition in CNF. Then checking for a tautology is easy.

- S is a tautology if and only if each clause is a tautology.
- A clause from a CNF is a tautology if and only if it contains a literal and its opposite.

illustrate this on the board

12

Poll: is this CNF a tautology?

Consider

$$\varphi := (p \vee q \vee \neg p) \wedge (r \vee p \vee q \vee \neg q) \wedge \neg r$$

Is φ in CNF? Is φ a tautology?

- A) CNF: yes, tautology: yes
- B) CNF: yes, tautology: no
- C) CNF: no, tautology: yes
- D) CNF: no, tautology: no

13

Converting to CNF

Conversion process

Given φ not in CNF, we can convert to an equivalent proposition in CNF by following these steps:

1. Replace “unnecessary” operators like \iff , \implies , \oplus with a logically equivalent expression.
Result: φ has only $\{\vee, \wedge, \neg\}$ connectives.
2. Push negations down to obtain **negation normal form**.
Result: the *only* places where \neg appears in φ is on a literal.
3. Distribute Or over And.
Result: φ is in CNF.

Let's apply steps to: $(p \wedge (p \implies q)) \implies q$.

14

Replacelf

Last lecture we looked closely at operators \iff , \implies , \oplus and showed each operator is logically equivalent to some expression involving only $\{\vee, \wedge, \neg\}$.

Example: $\varphi \implies \psi \equiv \neg\varphi \vee \psi$

Let's think about how we could write a *recursive* algorithm for replacing every “if” statement (i.e., \implies operator).

Shown on board

15

Negation Normal Form

A sentence is in **negation normal form** if the negation connective is applied only to atomic propositions (i.e. variables) and not to more complex expressions. Furthermore, the only connectives allowed are \wedge , \vee , and \neg .

Yes: $(\neg p \wedge (\neg p \vee q)) \vee \neg q$

No: $\neg(p \wedge (\neg p \vee q)) \vee q$

16

Exercise: Negation Normal Form

Given

$$\varphi := \neg(p \wedge (\neg p \vee q)) \vee q$$

let's write it in negation-normal form by "pushing negations down."

Hint: double negation and De Morgan's laws are useful.

$\neg(\neg\alpha)$	\equiv	α	double-negation elimination
$\neg(\alpha \wedge \beta)$	\equiv	$(\neg\alpha \vee \neg\beta)$	De Morgan's law #1
$\neg(\alpha \vee \beta)$	\equiv	$(\neg\alpha \wedge \neg\beta)$	De Morgan's law #2

17

Distributing OR over AND

The last step is to distribute OR over AND

$$(\alpha \vee (\beta \wedge \gamma)) \equiv ((\alpha \vee \beta) \wedge (\alpha \vee \gamma)) \quad \text{distributivity of } \vee \text{ over } \wedge$$

Example shown on board.

18

Poll: thinking recursively

Imagine we have are defining a recursive function `DistOrOverAnd` that takes in a sentence φ that is in negation-normal form and returns a sentences in CNF. In other words, the function distributes ORs over ANDs.

Suppose

$$\varphi := \varphi_1 \vee \varphi_2$$

and we make recursive calls

$$\varphi_1 = \text{DistOrOverAnd}(\varphi_1)$$

and

$$\varphi_2 = \text{DistOrOverAnd}(\varphi_2)$$

Is $\varphi_1 \vee \varphi_2$ now in CNF?

- A) Yes
- B) Not necessarily

19