

# **U Network: The Decentralized Content Valuation & Publishing Platform**

## **Technical White Paper**

**version 0.2.0**

*Draft for open community review and subject to change.*

# Abstract

*U Network*<sup>1</sup> is the revolutionary content-value based prediction market platform and a content-incentive ecosystem driven by value. *U Community* is the first digital asset platform powered by *U Network*.

*U Network* leverages the blockchain technology to build a prediction market of user-generated content. By constructing a more effective pricing system for the generated content, users are motivated to discover and promote high-value contents by sharing it with other participants in the network. In particular, *U Community* is built on top of *U Network*, which consist of four types of participants: content creators, content explorer, community moderators and regular user. All these participants interact with each other and build the community. With the help of prediction market, content creators and explorers are encouraged to keep generating and discovering high-quality contents in *U Community*, therefore, offering plenty of value to regular users. Community moderators are periodically selected from regular users and entitled with important privilege(e.g., deleting improper contents) to maintain the normal operation of community. Moreover, a voting-based appeal mechanism is built to prevent abusing their privilege. As monetized incentive, regular users need to pay tokens of *U Network* to access valuable contents, while content creators, explorers and moderators will be rewarded with tokens for their services.

The goal of *U Network* is to build a decentralized user-generated-content blockchain platform where users are encouraged to create and explore valuable contents with monetized incentive. *U Community* will be the first application built on this platform with high-accessibility, high-scalability, and low latency.

**Keywords:** Digital Asset, Prediction Market, Blockchain, Monetized Incentive

---

<sup>1</sup>*U Network*: <http://www.u.network>

# Contents

<b>1</b>	<b>Introduction</b>	<b>7</b>
1.1	Background . . . . .	7
1.1.1	Information Overload . . . . .	7
1.1.2	Problems of Centralized Platforms . . . . .	8
1.2	Why <i>U Network</i> ? . . . . .	9
1.2.1	Mission of <i>U Network</i> . . . . .	9
1.2.2	Content-Value based Prediction Market . . . . .	10
<b>2</b>	<b><i>U Network</i> Platform Design</b>	<b>13</b>
2.1	Design Principle . . . . .	13
2.2	Economic Incentive Design . . . . .	14
2.2.1	Cost of Voting . . . . .	14
2.2.2	Author Reward . . . . .	15
2.2.3	Content Explorer Reward . . . . .	15
2.2.4	Other Contributor Rewards . . . . .	16
2.2.5	Delayed Settlement . . . . .	17
2.2.6	Downvote . . . . .	17
2.3	Functionality Design . . . . .	18
2.3.1	Information Valuation . . . . .	18
2.3.2	Incentive Community With <i>U Network</i> Token . . . . .	18
2.3.3	Revolutionary Economy Model . . . . .	19

<b>3</b>	<b><i>U Network Platform Implementation</i></b>	<b>21</b>
3.1	Requirements for Blockchain Platform . . . . .	21
3.2	Technical Architecture . . . . .	22
3.3	UBFT Consensus Protocol . . . . .	23
3.3.1	UBFT . . . . .	23
3.3.2	Terms Used . . . . .	25
3.3.3	Assumption of Protocol . . . . .	25
3.3.4	Security of Protocol . . . . .	26
3.3.5	Performance . . . . .	27
3.3.6	Governance of Protocol . . . . .	29
3.4	Transaction Prococol . . . . .	29
3.4.1	Transaction Definition . . . . .	29
3.4.2	Deterministic Sequential Execution . . . . .	30
3.5	Content Storage and Search . . . . .	30
3.5.1	Content Creation and Storage . . . . .	31
3.5.2	Content Search . . . . .	31
3.5.3	Improvements . . . . .	31
3.6	Token Incentive for Resources . . . . .	32
3.6.1	Storage Costs . . . . .	32
3.6.2	Bandwidth Costs . . . . .	32
3.6.3	Computation Costs . . . . .	32
<b>4</b>	<b><i>U Community - First Application in U Network Platform</i></b>	<b>33</b>
4.1	Service Design . . . . .	33
4.1.1	Topic Mechanism . . . . .	33
4.1.2	Follow and Subscribe . . . . .	33
4.1.3	Content Ranking . . . . .	33
4.2	Community Role Design . . . . .	35
4.2.1	Regular Users . . . . .	35
4.2.2	Content Creators . . . . .	36

4.2.3	Content Explorers . . . . .	36
4.2.4	Community Moderators . . . . .	36
4.3	Token Incentive Design . . . . .	37
4.3.1	Incentives for Content Creators, Explorers, and Moderators . .	37
4.3.2	Socialized Investment, Smart-contract based Co-investing . . .	38
4.3.3	Survey, Voting, Prediction Market . . . . .	38
4.3.4	Advertisement . . . . .	39
4.3.5	Gift . . . . .	39
4.3.6	Paid Subscription, Paid Q&A, Pay to Message . . . . .	39
<b>5</b>	<b>Future Direction and Roadmap</b>	<b>41</b>
5.1	Future U Network Evolution . . . . .	41
5.2	Future Application Use Case . . . . .	42
5.2.1	Communities for Valuable Digital Literature . . . . .	42
5.2.2	Communities for Digital Asset . . . . .	42
5.2.3	Communities for Knowledge Sharing . . . . .	42
5.2.4	Communities for Social Media . . . . .	43
5.2.5	Communities for Intelligent Property . . . . .	43
5.3	Roadmap . . . . .	43
<b>6</b>	<b>Conclusion</b>	<b>45</b>
<b>A</b>	<b>To-Do List</b>	<b>47</b>



# Chapter 1

## Introduction

### 1.1 Background

#### 1.1.1 Information Overload

In the age of information explosion, people are overwhelmed by the redundant content and data. As shown in the figure 1-1, volume of data has experienced exponential growth recently and this trend will continue in the next few years.


With the rapid growth of Internet, more information are generated and shared across the world with ever-faster speed, which causes several issues:

- **Low Quality Issue:** Many content creators generate large volume of contents without paying attention to quality, therefore, adding more superficial, distracting, or eye-catching contents with low quality. As such, audience can easily ignore high-value contents due to the interference of low-quality contents.
- **Copyright Issue:** Several content creators simply copy others' contents from the Internet and publish to their audience with/without modification, which is actually plagiarism and infringement. In current environment, it is really hard to trace back the original copyright ownership of one piece of content.

Therefore, it becomes urgent but extremely challenging to identify those high-value contents from vast amount of information and reward original owners with less effort.

**Data is growing at a 40 percent compound annual rate, reaching nearly 45 ZB by 2020**

**Data in zettabytes (ZB)**



Source: Oracle, 2012

Figure 1-1: Exponential Growth of Data Information

### 1.1.2 Problems of Centralized Platforms

Existing user-generated-content communities, such as Facebook, Youtube, Wikipedia and Twitter, usually have their own centralized authorities, which monitor and control the operation of the entire community. They have several drawbacks as following:

- **Biased Content Judgment:** those authorities have all privileges, such as promoting, recommending, and deleting contents. In this scenario, only those authorities have the rights to promote high-value contents, so they may generate biased judgment according to their own criteria. The regular audience in those communities have no opportunity to promote their valued contents.
- **Centralized Content Storage:** In those communities all user-generated-contents are stored in the centralized server or data center, which may cause service interrupt or outage when the centralized storage fails. Much worse, the contents may be damaged or even lost and no longer available to be accessed.
- **Unfair Distribution of Benefits:** Usually the communities takes most in-



come distribution from advertisement or audience payment, while content creators receive a very small piece or even no benefit at all.

Those drawbacks make existing communities less attractive to contents creators and audience, because they are not motivated to create and promote high-value contents.

## 1.2 Why *U Network* ?

The solution to those issues of existing user-generated-content platforms is *U Network*, which has following functionality:

1. **discovering high-quality content:** By leveraging a decentralized prediction market to assess the quality of a content, *U Network* provides an efficient way to find out high-quality information and avoids prejudice.
2. **reasonably distributing benefit:** *U Network* allocates monetized token rewards to the platform contributors with the help of content pricing mechanism. The contributors includes both content creator and any regular users who promote valuable contents with up-votes.
3. **decentralizing content storage:** *U Network* will support IPFS protocol (InterPlanetary File System[1]), a persistent internet file transfer protocol, or Genaro Network, a fault tolerant, tamper-resistant, permanent storage protocol. These decentralized storage solutions not only improve the reliability of data integrity but also guarantee the availability of contents using redundant copies across distributed server nodes.

### 1.2.1 Mission of *U Network*

The mission of *U Network* is to build a user-generated-contents community based on blockchain technology, which is a content-value based prediction market driven by quality and value of contents. This platform has following advantages compared with existing communities:

- content creators are motivated to generate more high-quality contents, because they receive monetized token rewards when their contents receive up-votes from more audience.
- all participants can receive token rewards when they promote high-value contents with up-vote. This is because contents with more up-votes will be assigned higher priority and become much easier to be accessed by audience.
- Each up-vote in *U Network* costs certain amount of tokens, which is similar to *Gas* in Ethereum network and represents the price of up-vote that users need to pay. This cost of up-vote becomes the income source of token rewards that distributed to contributors, and prevents malicious users gaming the up-vote mechanism for rewards.

As such, more valuable contents will be generated in this community and all participants are motivated to discover and promote those high-value contents.

From the theoretical point view, this motivation model is derived from “efficient-market hypothesis” [2]. The efficient-market was first introduced by Bachelier, who first recognized the efficiency of the market in selecting information. In short, the discounting of past, present, and future events have their reflections in the current market price. His theory assumes that investors in the market are rational and are looking for their self interest in maximizing their own profits, and each individual has an independent analysis of the value of a content. Therefore, it becomes feasible to leverage the wisdom of all participants in this community to set a price for each content, where the price serves as an accurate prediction of the true value.

### 1.2.2 Content-Value based Prediction Market

The key component of *U Network* and affiliated communities is the prediction market. In principle, prediction market[3] is a platform where people trades the outcome of events. In this prediction market, people receive profit if their predictions proved to be correct. The reward distribution follows a simple but fair and robust principle:

reward is transferred from inaccurate predictors to accurate ones. Knowing this rule, people would try their best effort to gather more information and make their best predictions to receive the rewards.

The construction of the *U Network* prediction market follows the similar idea. Users can up vote to promote a piece of content with the cost of some *U Network* tokens. If other audience think the current prediction underestimate the value of contents, they may up vote with more tokens. In this way, the cost of up-vote for high-quality contents keeps increasing, and accordingly the user who promote this content with up-vote can gain monetized token reward.

To sum up, *U Network* will be constructed to be a content-value driven platform powered by blockchain. It is revolutionary to use the content-value prediction market to motivate all participants to discover and promote high-quality contents using token incentives. Therefore, it becomes much easier to discover high-quality contents with great value in the user-generated-content community.



# Chapter 2

## *U Network* Platform Design

### 2.1 Design Principle

*U Network* follows two simple but critical principles in building an efficient content-value prediction market.

**Theorem 1** *There Ain't No Such Thing As A Free Lunch*

In an efficient market, there ain't no such thing as a free lunch<sup>1</sup>. One has to pay certain cost or price in order to gain profit. In *U Network*, any user needs to pay certain amount of *U Network* tokens to up-vote a piece of contents, and receive token rewards if the content prove to be high-quality with more value eventually.

Following this policy, any expected profit reward has to cost an initial price payment. The other advantage of this principle is to prevent malicious users gaming or cheating this market mechanism for profit.

**Theorem 2** *Principle of Fairness*

To build an efficient market, it is imperative to treat every participant to be equal. First of all, every participant in the market should be able to receive incentive rewards that are proportional to his/her contribution. It is similar to stock options in startup

---

<sup>1</sup>tanstaafl: <https://www.investopedia.com/terms/t/tanstaafl.asp>

companies where major contributors receive more stock rewards than others due to their significant contributions.

In addition, every “contribution” should be appreciated and valued equally. Any one who contribute time and effort to create, discover, and distribution high-value contents should be valued equally and receive rewards. Towards this end, when users pay tokens to up-vote the contents, *U Network* assigns portion of tokens to creators for rewarding their contribution, which further inspire them adding more high-quality contents. In the same time, users who promote these contents using tokens in their up-votes can also receive rewards for successfully discovering valuable contents.

As such, the *U Network* platform implements a mechanism that redistributes token income to both creators and up-voters. Moreover, users who discover valuable contents early receive higher expected rewards than those late. This mechanism encourages users to early discover high-quality contents, therefore, making valuable contents easier to stand out.

## 2.2 Economic Incentive Design

To create an efficient content-value driven prediction market, the most important component is the incentive mechanism. In this section, we further explain the economic incentive design in *U Network*.

### 2.2.1 Cost of Voting

In *U Network*, any up-vote would cost a small amount of tokens, but how to determine the amount of tokens for each vote (denoted as  $C$ )? The underlying principle is quite simple: early up-voter pay less cost than late up-voters, therefore, early up-voters receive higher expected rewards coming from the payment of late up-voters. As such, we define the cost of each up-vote as a function in the below:

$$C = p_0 + p * \log(N)$$

where  $C$  is the cost for current up-vote,  $p_0$  is the initial cost for the first up-voter,  $p$  is the reference basis cost and  $N$  is the total number of up-voters until now.

Clearly, this function determines the dynamic cost for each up-vote. With more up-voting for the content,  $N$  becomes larger and thus  $p * \log(N)$  and resulting  $C$  increases. Here, logarithm function is used to suppress unexpected increase of function value. Otherwise, the cost  $C$  becomes extremely high so no more users would like to up-vote. Then the incentive mechanism would fail.

### 2.2.2 Author Reward

According to the sequential order of upvoting, the cost of  $U$  *Network* tokens coming from all up-voters will be distributed to the creator and early up-voters. The formula of author reward is derived from harmonic series:

$$R = C * \sum_{k=1}^N (\lambda + 1) / (k + \lambda)$$

$N$  is the total number of upvotes within a given period of time.  $k$  is the rank of each up-vote.  $C$  is the cost for each up-vote.  $\lambda$  is a weight parameter: the larger  $\lambda$  determines more rewards that the author receives.

If  $\lambda = 0$ , all of the token payment from the *first* up-voter would be distributed to the author, while only half of the token payment from the *second* up-voter will be paid to the author.

If  $\lambda = 0.5$ , the *first* up-voter would contribute all token payment to the author, and the *second* up-voter would contribute 3/5 token payment to the author.

### 2.2.3 Content Explorer Reward

The up-voters who explore and promote high-quality contents with tokens will receive rewards for their contributions to the community. The reward formula for explorer  $R_r$  is below:

$$R_r = C * \sum_{k=r+1}^N 1/(k + \lambda)$$

$r$  is the rank of explorer or up-voters. If the total number of up-voters is fixed, the earlier up-votes receive higher expected rewards. This mechanism distributes more incentives to up-voters in the early stage, therefore, it encourages voters to discover valuable contents earlier.

According this formula, if  $\lambda = 0$ , the second up-voter would only contribute 1/2 tokens to the content author, while the remaining 1/2 tokens would be paid to the *first* up-voter. As such, the third up-voter would pay 1/3 token to each of content author, first up-voter, and the second up-voter. It's mathematically provable that the first 35% of up-voters have positive expected return.

$$R_r = C * \sum_{k=r+1}^N \frac{1}{k}$$

Simple arithmetic calculation proves that up-voter can expect positive expected return:

$$R_r \geq C \text{ if and only if } r \geq 0.35 * N$$

In this mechanism, the content author would take the largest piece of the income benefit. And early up-voters will have positive expected returns as an incentive reward for exploring quality content earlier.

## 2.2.4 Other Contributor Rewards

At this point, there is a question that may rise: "What if users do not have any *U Network* tokens? Can they still contribution to the community?"



The short answer is no, users without *U Network* token can still contribute time and attention instead of paying token for up-vote. Based on Principle No.1 (There Ain't No Such Thing As A Free Lunch), users can receive *U Network* points by spending time and energy in completing micro tasks for the community. For example, they may receive points by signing-in daily, referring friends and distributing the high-quality contents to other channels. These points can be converted into *U Network* tokens and thus used for voting.

To prevent malicious spam sign-up and web-bot attack, we impose a restriction: there is a dynamic hard-cap on how many points one single user can earn considering the community economy and user activities. As such, users are encouraged to create or promote valuable contents to earn *U Network* tokens without limit or cap.

### 2.2.5 Delayed Settlement

After each content is created, there is a period of time window in which the topic is open to critique from community users. If the content is eye-catching but violates the community policy (i.e., violent and sexual contents), the rewards to the author may be revoked or contributed to the *U Network* reward pool for public goods in the community. The length of the time-period is set to be 7-days but can be changed dynamically upon the agreement of the community users.

### 2.2.6 Downvote

Existing user-generated-content communities rarely have down-vote options. To fully distinguish valuable contents from low-quality ones, *U Network* allows users to down-vote contents and demote them correspondingly.

Similarly, "Down-vote" requires *U Network* tokens as well. The formula of down-vote reward  $R_d$  is similar to "Up-vote":

$$R_d = \hat{C} * \sum_{k=r+1}^N \frac{1}{k}$$

Where  $\hat{C}$  is the cost of down-vote:

$$\hat{C} = \hat{p}_0 + \hat{p} * \log(N)$$

Here,  $\hat{p}_0$  is the initial cost for the first down-voter,  $\hat{p}$  is the reference basis cost and  $N$  is the total number of down-voters until now.

If the contents receive more down-votes, the earlier down-voters receive higher expected rewards from the token payment of later down-voters. The distribution of token rewards to explorers is similar to that for up-vote, while the content creator receives no reward at all.

## 2.3 Functionality Design

### 2.3.1 Information Valuation

With the rapid development of information technology, it becomes hard to find valuable and reliable information from the Internet with less effort.

One important functionality is that *U Network* implements the content-valuation with prediction market and powered by blockchain technology. In this community, content creators and explorer can receive monetized token payment to promote high-quality contents, therefore, making it effortless to access valuable information.

### 2.3.2 Incentive Community With U Network Token

*U Network* dedicates to create a content-valuation platform which is driven by quality and value. Therefore, it is a must to properly reward contributors of high-quality contents. As such, creators should take most income benefit for their original contribution of valuable contents.

In the meantime, those valuable contents should be explored and promoted to more users in an effective approach. To this end, users who help to discover and

promote valuable contents should receive rewards.

As such, both authors and explorer of quality contents receive *U Network* tokens from up-voters as rewards.

### 2.3.3 Revolutionary Economy Model

Existing online communities honor Internet Celebrity Economy, where celebrity attracts the attention of Internet fans or users and the community receives all profit rewards through advertising income. For example, Facebook are the social networking platform that takes most of the advertisement cuts, 97% of their profits come from ads. In this scenario, the major beneficiaries are only the internet platform.

*U Network* aims to modify existing economic model, and distribute profit income to all participants of the community. It wipes out the middle-man, “the user-generated-content platform”, from the income distribution list and allows contents creators and audience to benefit from their contributions.

With the help of blockchain and smart contract, *U Network* provides a decentralized, reliable community for users to receive their benefit. When the valuable receive up-votes from users, both the creator and previous up-voters will automatically receive the partial token payment from the current up-voter which is defined inside smart contract. There is no need of human interference, therefore, making this token distribution process accurate and reliable.

To sum up, *U Network* is a content-valuation community driving by quality. *U Network* provides a reliable approach to incentive creators and explorers to keep adding and promoting high-quality contents.



# Chapter 3

## *U Network* Platform Implementation

To achieve high concurrency in *U Network* applications, we will develop a native *U Network* public chain, which is highly accessible and extensible, with low latency. We expect it to be able to confirm a transactions as fast as 6 seconds and could concurrently process up to 3000 transactions per second. We will support high-frequency micro payments in *U Network* public chain. And we will provide a easy-to-use smart contract interface.

### 3.1 Requirements for Blockchain Platform

In order to achieve high adoption among users, applications require a blockchain platform that is powerful enough to meet the following requirements:

- **high scalability:** In order to serve millions of users, a blockchain should scale up to hundreds of thousands transaction per second. As a successful traditional centralized online shopping platform, Alibaba, on the Singles Day in 2017, the peak number of its transactions per second reached 325,000 and payment transactions reached 250,000 [4]. An application on blockchain can only be as successful if the underlying blockchain infrastructure can support an equal scale.

- **easy accessibility:** To make applications on blockchain accessible to a broader group of people, a blockchain has to offer users more friendly UI/UX which can be easily navigated. Current UI exposing information on a blockchain is intimidating for a new user, e.g. <https://blockchain.info> for Bitcoin and <https://etherscan.io> for Ethereum. Only when a blockchain is friendly for all kinds of users, can applications built on it gain more adoption.
- **low latency:** A successful blockchain infrastructure should be able to confirm a transaction within a reasonable time period. It is hard to imagine an application will be widely used if it requires 10 minutes before confirming a transaction. Either getting a coffee at Starbucks or clicking an upvote on Facebook, these all requires a respond time within seconds. In fact, the effect of latency on business success is well studied: Amazon found every 100ms of latency cost them 1% in sales and Google found an extra 0.5 seconds in search page generation time dropped traffic by 20% [5].
- **deterministic execution:** A blockchain needs to maintain a unique order of all transactions. This is particularly important for *U Network*, since on *U Network* the sequence of users' upvotes determine the rewards each user can get.

## 3.2 Technical Architecture

The system architecture is shown in 3-1. There are three major components

1. ) Blockchain network verification node
2. ) Blockchain network service node
3. ) Web service node

Blockchain verification nodes and service nodes constitute the low level blockchain network. Verification nodes are used for verifying transactions and generating new




Figure 3-1: System Architecture

blocks. Service nodes are designed to provide higher level service, such as block explorer, transaction search and system information search. Inside community system, service nodes are subjected to the community web service nodes, which provides necessary API for joining the community with the blockchain. Community web service nodes are user-orientated web services. It's responsible for new user registration and posting new threads.

## 3.3 UBFT Consensus Protocol

### 3.3.1 UBFT

UBFT stands for *U network Byzantine Fault Tolerant* consensus algorithm, a novel consensus algorithm that combines the advantages of dPOS (Delegated Proof of Stake) algorithm and an improved Practical Byzantine Fault Tolerant (PBFT) algorithm[6]. UBFT has two voting mechanisms built inside to keep the network secure from malicious attacks at all levels, while allowing all participants of the network to contribute to the security and performance of the system.

The overall flow is shown in Figure 3-2. This algorithm have a fault tolerant rate up to  $1/3$ . Verification node is produced by voting. Only *U Network* token




Figure 3-2: UBFT Flow Chart



stakeholders have the right to vote. UBFT has following advantages:

1. ) There will be no soft-fork. One confirmation is enough for a transaction.
2. ) No mining is needed, energy friendly.
3. ) Adjustable block time. We expect the block time around 6 seconds.
4. ) Highly concurrent in comparison to traditional blockchain.
5. ) No delegates needed, while improving security and performance

### 3.3.2 Terms Used

*Nodes* are blockchain participants that are connected to each other by peer-to-peer network, they can be running on different hardwares and operating systems and talk to each other by *gossip protocol*, which is essentially a continuous broadcast protocol with signed content. Each *node* maintain a full record of the blockchain history. *SPV* clients are users with public address in the network, they can be running on a web browser, mobile phones, tablets, etc. *SPV* clients don't maintain full records of the whole blockchain but rather those related to themselves.

*Verifiers* are *nodes* that are elected by both other *nodes* and interested *SPV* clients to produce new blocks each *round*. There could be multiple *rounds* to produce a new block if consensus is not established in the first *round*.

### 3.3.3 Assumption of Protocol

It is of vital importance to keep a consensus protocol safe from malicious attack in a variety of forms, and yet a quantitative analysis on this matter is hard to define. To demonstrate and measure the safety of our protocol, we'll start by making a few assumptions.

1. ) The network is partially synchronous, that is, there exists an unknown upper limit to the message delay between nodes.

2. ) There are at most  $1/3$  of rogue nodes in the network.
3. ) Nodes in the network are self-interested and there's no limit as to what malicious attackers can do.

We make these three assumptions so that we are able to further define our protocol. Specifically, we are not, and cannot define a consensus protocol that is Byzantium Fault-Tolerant in an asynchronous setting, as indicated by the FLP Impossibility result. While we assume there exists an upper limit to the maximum delay time in the network, the protocol does not use the knowledge of its value. Compared to alternative protocols such as DPOS, which assumes a synchronous network, our protocol is more applicable in a setting where nodes are running on different hardware and there might be huge delays in between.

We also assume that there has to be at least  $2/3$  honest nodes in the system, as it's the theoretical limit of any BFT algorithm.

The third assumption implies that to establish a safe consensus protocol, a Nash equilibrium has to be established such that any deviation from the equilibrium leads to a net loss, which could be defined economically (such as Bitcoin) or through other means.

### 3.3.4 Security of Protocol

UBFT is a derived version of PBFT algorithm, therefore as long as there are more than  $2/3$  honest nodes in the system, it is considered secure. While the ability to tolerate at most  $1/3$  failed nodes seems like a degradation from POW's  $1/2$  allowance (such as Bitcoin), one should be aware that UBFT, like other PBFT algorithms, is able to tolerate **any failure** instead of only crash. This improvement is crucial to our overall system design since U Network is designed to be able to host a wide spectrum of applications, which may result in different failure modes. In simple terms, the overall structure of the protocol could be stated as following.

1. UBFT produces block at roughly 6 seconds per block.

2. Every time a block is to be produced, a node in the system is elected to be the producer, and only the producer will be able & required to generate a new block.
3. The producer is elected in a weighted round-robin fashion, with the weight being proportional to the amount of tokens deposited by each node and the votes they received from other nodes & SPV.
4. The block produced by the producer might not be recognized by 2/3 majority of the system, in which case another producer will be elected, until a new block is produced.
5. The liveness of the system is guaranteed by the economic incentives for the nodes to correctly generate new blocks.
6. The election mechanism makes it possible for end users to contribute to the security of the system and thus restricted the power of full nodes.

### 3.3.5 Performance

There are some popular metrics to evaluate the performance of a certain consensus protocol, to name a few, scalability, throughput and latency, etc.

In terms of scalability, it's more like a trade-off between scalability of adding new nodes and performance of transactions processing speed, as indicated by Vukolic M in one of his recent work [7]. According to Vukolic, PoW protocol has an advantage of relatively higher node scalability since PoW used entirely distributed identity management, which means each node can download the full blockchain data and start participating the protocol. This is why PoW has been adopted by many public blockchain and so-called permission-less blockchain where anybody is allowed to participate. This feature enables PoW based blockchains to involve thousands of maintaining nodes, which guaranteed its decentralization.

BFT and its derivatives, on the other hand, could only support a limited number of full nodes, practically less than 20. This is because the more nodes involved in the




Figure 3-3: BFT Performance vs. Scalability

BFT consensus stage, the more messages need to be transferred and slower can reach consensus. Thus BFT-based consensus can offer a good performance in a small group of replicas, which brings criticism of its centralization.

Based on the previous observation, UBFT tried to hit the sweet spot between the node scalability and performance. By carefully choosing the number of validation nodes, consensus can be reached in a considerable fast speed. At the same time, UBFT can also support thousands of transactions per second and matches the latency of network. In addition, the centralization could be avoided by adopting the delicate producer election process, which involve both the opinions from maintainers and platform users. By doing so, we tried to achieve an optimal balance between the scalability and the throughput performance, fit the demand of our applications and guarantee our decentralization philosophy.

### 3.3.6 Governance of Protocol

## 3.4 Transaction Protocol

### 3.4.1 Transaction Definition

In blockchain, transaction is defined as the change of ledger. It's a data structure compiled in binary that contains critical information like transaction type, transaction amount, sender address, and receiver address, time stamp, etc. All of these distinguish a transaction, and are used in both validating nodes and service nodes.

One major difference between *U Network* blockchain and other blockchains is that we aim to make transaction types extensible, thus making it forward-compatible to applications.

Due to various types of user-generated-content products, we especially emphasize the extensibility of the system, as the growth of the decentralized *U Network* could be booming one day. Therefore, by making transaction types extensible, we guaranteed the whole network is extensible without the need to change core internet protocol and consensus algorithm or storage structures.

The system will support following major transaction types based on different scenario:

1. )Asset register: used for coin mint
2. )Asset publish: allocate users digital assets
3. )Asset transfer: traditional UTXO transfer
4. )Smart contract deploy: deploy compiled smart contract byte code to block chain
5. )Smart contract message call: call deployed smart contract
6. )Asset lock down: asset owner can lock the blockchain height

### 3.4.2 Deterministic Sequential Execution

In order to defend against double-spent attack, all the pending transactions need to be confirmed sequentially in a deterministic way. Each validating node will have a pool of unconfirmed transactions. Given the efficiency of UBFT consensus algorithm, each verification node can verify up to 3000 transactions within 6 seconds of block time. To put it in another word, the blockchain can concurrently process 3000 transactions while keeping the transaction flow sequential.

As a significant component of *U Network*, voting is a form of transaction. Each vote can be considered as a micro-payment, which is time-stamped, and paid to a smart-contract address. Each time stamp is an unsigned 64 bit integer, and the value is assigned by the validating node. The smart contract can access the time stamp to assign the order-based U-Token rewards. To prevent the 'Time Travel' attack, each verification node will only accept transactions whose time stamps are in a valid range. Therefore no malicious user can modify the time stamp of the vote to cut in line.

## 3.5 Content Storage and Search

*U Network* internally leverages the IPFS (Inter Planetary File System [1]) for storing the content. IPFS is a distributed file system that seeks to connect all computing devices with the same system of files. In some ways, this is similar to the original aims of the Web, but IPFS is actually more similar to a single bittorrent swarm exchanging git objects. With IPFS, any content published in the IPFS network will be persisted forever, and accessed freely, easily and efficiently without being worried about the link expiration like HTTP.

Meanwhile, on top of the IPFS storage, an abstract layer will be implemented in *U Network* platform, to provide stable APIs to APP layers in service node, so it will easily plugin any other decentralized content storages, like Genero, into *U Network* platform.

### 3.5.1 Content Creation and Storage

Once a piece of content is created in the *U Network*, the content will be stored in IPFS and the hash to the content is returned, which will be used later for addressing.

In the *U Network*, the content address (the IPFS hash of the content) will be indexed in a smart contract. Every creation of a content will also result into a smart contract creation on the blockchain. The smart contract will have below states in the contract storage:

- The IPFS hash of the content.
- The content creator's address.
- A list of upvoters' addresses, in sequential order.
- A list of downvoters' addresses, in sequential order.
- *U Network* token balance. Voters' token balance used for voting will be transferred in and locked for delayed settlement. The settlement will be on demand performed per the settlement business rule, which is built-in in the smart contract.

### 3.5.2 Content Search

All the content created by *U Network* will be grouped in an IPFS directory. There will also be an indexing file, mapping any content hash to the corresponding smart contract address. With this design, the browser will easily load the contents and their associated voters info.

### 3.5.3 Improvements

A smart contract storing the content related info will be on the main blockchain initially. However, to achieve better scalability, *U Foundation* plans to incorporate the state channel mechanism into *U Network* platform at the next stage, like Aeternity.

The content smart contract will then be created in the state channels. It will gain the below benefits using state channel:

- Activities on different content will be processed in parallel, and confirmed immediately.
- It will keep the main blockchain efficient and clean.

## 3.6 Token Incentive for Resources

### 3.6.1 Storage Costs

As a content blockchain platform, we need a significant amount of storage to store user-generated contents. These contents can take a large amount of space, especially for multi-media contents like vedios or pictures. These contents need to be stored in distributed network on participant nodes. Nodes who contribute storage spaces will be rewarded based on how much space they are providing.

### 3.6.2 Bandwidth Costs

The contents in *U Network* will finally consumed by readers. To distribute contents to readers, network bandwidth will be consumed. To motivate paticipant nodes to relay contents to readers, we will account the bandwidth each relay nodes contribute and reward them with U Network tokens.

### 3.6.3 Computation Costs

All blockchain systems need nodes to verify transactions on top of it. *U Network* will reward all nodes participating verification of a transaction when a transaction is successfully added to the public ledger, thus all nodes have the incentive to become a legit verification node.



# Chapter 4

## *U Community* - First Application in U Network Platform

### 4.1 Service Design

#### 4.1.1 Topic Mechanism

*U Community* content is organized by topic mechanism, similar to XUE QIU[8], each digital asset will become a topic, under which aggregates user generated contents and platform generated content. Users can not only see market movements, news, announcements, but will also be able to see other users who have similar interests in any particular digital assets.

#### 4.1.2 Follow and Subscribe

*U Community* content distribution is based on the follow and subscribe. Users can follow a single digital asset, and each topic would show the most influential users. We will redirect users from digital currency page to a community of other users following the same currency.

#### 4.1.3 Content Ranking

note: need to discuss how to rank the order of the vote

$U$  Community constructs a content-value prediction market to make quality content stand out. Yet we still need to rank the stream of information base on the time ordering of the post. The ranking algorithm can be represented by the formula  $f(t_s, y, z)$

$$f(t_s, y, z) = \log_C z + \frac{y t_s}{45000}$$

$t_s$  denotes how latest the post is.

$$t_s = \text{Posted time} - \text{Wired-in timestamp.}$$

$$y \in \{-1, 0, 1\}$$

$$y = \begin{cases} 1 & \text{if } x > 0 \\ 0 & \text{if } x = 0 \\ -1 & \text{if } x < 0 \end{cases}$$

$x$  is the difference in the number of upvoters and downvoters

$$x = U - D$$

$U$  is the weighted sum of upvotes, while  $D$  is the weighted sum of downvotes.

$$U = \sum \text{weighted sum of upvotes}$$

$$D = \sum \text{weighted sum of downvotes}$$

The weight of each vote is calculated by taking the logarithm of total upvotes, adding it with the deposited *Sugar*  $t$ .  $U$  Community users can purchase *Sugar* and by locking the capital away, users can enjoy extra rights. Only locked *Sugar* are added to the extra voting power.

By reducing the liquidity of *Sugar*, the stakeholders' interests are tied with the community. This way, users are more cautious while voting because they would be acting in their self-interest. Arbitrary votes would jeopardize the utility and effect of the platform. Therefore, *Sugar* stakeholders are likely to make prudent judgment. They should be given more voting power when it comes content ranking.

Meanwhile, the logarithm operation prevents major stakeholders from having unchecked dictating powers. All of these combined with the number of upvotes one receives can objectively show the expertise of a user.

$$\text{User voting weight} = \max(0, \log_M r) + \max(0, \log_N t)$$

$M$  and  $N$  are two constants, subjects to changes by the community  $z$  is the larger one between  $|x|$  absolute value and 1.

$$z = \begin{cases} |x| & \text{if } |x| \geq 1 \\ 1 & \text{if } |x| < 1 \end{cases}$$

$C$  denotes cool-down constant. To make it clear, inside  $\log_C z$ ,  $C$  is the base. For example when  $C = 10$  it means  $z = 10$  can result in 1 point,  $z = 100$  will result in 2 points. To put it another way, the first ten voters share a similar weight with the following 90 voters, (and even 100th to 900th voters). It means that for a popular post, the weight is decreasing as the rank of voters is increasing. The larger the  $C$  is, the less of an effect a late upvote has. The unit of 45000 in the denominator is second, which equals to 12.5 hours. It means posts one day old would have 2 more points in ranking. In other words, posts one day older need to have 100X more votes to sustain the original ranking.

## 4.2 Community Role Design

$U$  Community is composed of regular users, content creators, content explorers, and community moderators.

### 4.2.1 Regular Users

Regular users can receive points by completing a given set of tasks. Also, they can transit into content creators by posting new content. And by discovering and upvoting topics, they can be content explorers. They can also be chosen as community moderator.

### 4.2.2 Content Creators

Content creators are core member in the development of the community. They will receive *Sugar* as rewards according to the quality of generated content.

### 4.2.3 Content Explorers

Content Explorers are users upvote a content after viewing it thoroughly. Content explorers can upvote topics to discover quality content for the community. If agreed by more users, one can receive *Sugar* as rewards.

### 4.2.4 Community Moderators

Community moderators are selected periodically from regular users. The probability of a user being selected is proportional to the *Sugar* one is staking. Meanwhile, being selected by the moderator will result in *Sugar* rewards. Community moderators ensure *U* Community is operating smoothly without turbulence, and have privilege in determining future movement of the community. One of the most important privilege of moderator is the ability to delete improper topics. To prevent abuse of such power, authors of deleted content can appeal. The appeal request would require a significant amount of *Sugar* deposit. Users in the community can vote on the incident. Each vote would cost small amount of *Sugar* to prevent spam voting. After appeal period, if more than half of participants supports the deletion, the appeal initiator would lose the deposit and the users who supported the appeal would also lose their *Sugar* spent in the voting process. Vice-versa.

The formula to assign rewards for the majority voter is calculated as follows.

$$p = (N * c - F) / N_w$$

$p$  is the reward for each users winning the appeal.  $N$  is the total number of the users voting for the appeal.  $c$  is the cost of casting a vote.  $F$  is the processing fee goes

to the platform.  $N_w$  is the number of majority. This formula ensures each voter will have to use her best judgment to analysis the situation to gain rewards at the end. Therefore preventing trolls casting arbitrary votes.

After the first appeal voting period there is a cool-down period, in which if either the appeal initiator or the community moderator is unsatisfied by the result. She can start a second round of appeal. The extra appeal would require exponentially more deposit than the previous one. If the latest appeal is different from the previous one, the reward allocation for the previous one is voided and the final rewards are allocated based on the latest appeal result.

This process is repeated until both party reach an agreement or either one is unwilling or unable to put down appeal deposit. Community moderators will automatically assign part of *Sugar* to users supporting them. However if the appeal overturns the original deletion, those *Sugar* would be rewarded to users who disapproved of the deletion.

## 4.3 Token Incentive Design

*Sugar* represents the right to use *U* Community and its related applications. It's the link between value and content and the link between users. *Sugar* is the value carrier of the *U* Community. The larger users *U* Community attracts, the more quality content is produced. *Sugar*, with limited total supply, would benefits all the *Sugar* stakeholders when the market demand increases. *U* Network users are not only customers of the platform, but also beneficiaries if the community thrives.

### 4.3.1 Incentives for Content Creators, Explorers, and Moderators

To match 'Content contribution' with 'reward incentives', in *U* Community content-based prediction market, both quality content creator and content explorer will receive *Sugar* as rewards. Each user can both 'upvote' and 'downvote' a post. Posts being

downvoted would be contained. Thus trolling content would not be spread across the network. There are two major sources of *Sugar* rewards for content creators and content explorers. One is user purchased *Sugar*, the other one is *Sugar* converted from reward points for completing community tasks. Those points are gradually released from the system, ‘content-reward pool’. There is a limit on the daily release. So all the contents have to contend with each other for the limited daily rewards. The ‘content-reward pool’ will shrink yearly. This policy is set to attract users at an early stage, and aims to develop a network effect to build user base.

The platform will charge 5% of commission for the reward assigned to content creators and explorers, to ensure the stability of the *U* Community economy model.

### 4.3.2 Socialized Investment, Smart-contract based Co-investing

Investors can choose to upload trading strategies and order history to *U* Network to make future decisions in an organized fashion. Also, seasoned investors can share their trading strategies with the whole community, and provide relevant technical or fundamental analysis. Other users can pay to view such content, and become a co-investor of such strategies. With the help of smart contracts, *U* Community provides a decentralized, reliable way for users to control their own assets, and automatically, completely imitates/clone professional investor’s strategy. If the following user made profit by doing so, the smart contract will carry part of the profit to the author of the original strategy. In the future, users can use *Sugar* to purchase *U* Community platform investment advice from trusted third party applications.

### 4.3.3 Survey, Voting, Prediction Market

*U* Community will provide a way for user to pay to do survey and vote to gain more insights into the information of blockchain assets. *U* Community will release products with built-in prediction market. *U* Community will support native prediction markets that are extensible, efficient and accurate.

#### 4.3.4 Advertisement

Good content deserves to be spread. Users can promote information to targeted readers. While spreading fake or irreverent content will be punished. Off site collaborators will also be able to publish advertisements inside *U* Community. However, the content will be strictly reviewed by the community moderators. All the revenue will contribute to the content-reward pool.

#### 4.3.5 Gift

Sending *Sugar* as a reward is an efficient way of interaction between community celebrities and fans. It's good community culture to pay reward to those who you have been receiving help from. Posts receiving higher rewards will have a higher exposure in the community. Users can pay *Sugar* to unlock extra features like medal and skins. 5% of the reward will go to 'content-reward pool'. The rest will be received by the beneficiaries.

#### 4.3.6 Paid Subscription, Paid Q&A, Pay to Message

Users can pay *Sugar* to request private interactions with influential professionals, and receive personalized advice. There are three forms of interaction: paid Subscription, paid Q&A, pay to message. Paid subscription provides a way for influential individuals to make monetary profit with their knowledge and influence. After receiving a given amount of upvotes, content creators can setup a private group or private channel to provide more insightful information to those who are willing to pay *Sugar* as an entry fee.

Users can also choose a more active way of interaction. After paying a certain amount of *Sugar*, users can ask specific questions to a specific individual. The answer can be set visible to the public or private, in which other parties need to pay to 'peek'. The payment is awarded proportionally to the initiator based on the quality. To filter unsolicited messages, users can set minimal payment that has to come with a private message. Money is an effective way to filter unworthy communication and

harassment. The platform takes 5% commission from paid subscription, paid Q&A, pay to message.



# Chapter 5

## Future Direction and Roadmap

### 5.1 Future U Network Evolution

As the exponential growth of information continues in the next few years, we believe *U Network* is the best solution to the problems of traditional user-generated-content communities. With the blockchain technology and economic incentive model, *U Network* constructs a content-valuation prediction market. It provides reasonable incentives to valuable-content creators, and motivates the regular user audience to explore and promote high-quality contents. Therefore, high-quality contents can easily stand out and all contributors receive their monetized rewards in the *U Network*.

Moreover, *U Network* construct an “user-generated-content public blockchain”, which serves as the framework and platform of future content-oriented communities and applications. In particular, *U Community* will be the first application using *U Network* platform which focuses on the content information of digital assets.

In the long term, *U Network* will fully utilize the distributed storage protocol to further improve the decentralized platform infrastructure, which emphasize on data integrity and user privacy. In addition, innovative consensus algorithm will be implemented to further expedite the transaction speed and enhance the reliability of transactions. Moreover, performance optimization will be proposed for decentralized search algorithm, therefore, making it more efficient to identify up-voters for valuable contents.

## 5.2 Future Application Use Case

In the era of information explosion, *U Network* opens the door to a huge market for user-generated contents. It is an revolutionary trend to empower creators, distributors and explorer of high-quality contents, who are the driving force of future valuable-content communities. Therefore, all existing communities and applications can be revolutionized using *U Network* in different industries.

### 5.2.1 Communities for Valuable Digital Literature

For communities with constantly updated series of literature contents, it's imperative to rate the published content and motivate the author to maintain the quality in the following release. By introducing *U Network* rating and rewarding system, top-selling authors can receive a long-term incentive and reasonable returns.

### 5.2.2 Communities for Digital Asset

More people include digital assets, such as crypto-currency[9, 10, 11], into their asset portfolio in the past decade. Those people need a community to gather reliable information, exchange opinions and learn from professionals. However, existing communities are notorious for fake information and fraudulence. Users find it very challenging to identify reliable and valuable information. As such, *U Network* provides the best solution as high-quality contents can be discovered easily and promoted to more audience.

### 5.2.3 Communities for Knowledge Sharing

There are some issues with existing knowledge-sharing communities like Quora and Zhihu: authors have no direct and reliable approach to convert their knowledge into monetized rewards. In this scenario, *U Network* can reward creators of valuable contents based on its rating and reward incentive mechanism.

### 5.2.4 Communities for Social Media

Existing social media communities such as blog and forum are important for regular Internet users to broadcast their own contents. With *U Network* framework, these communities can construct their own rating and reward mechanism. As such, contributors of valuable contents in these existing communities can receive profit rewards.

### 5.2.5 Communities for Intelligent Property

Current society respect the original ownership of intelligent property, such as music, video, and articles. Nearly all these contents need content rating mechanism to discover and recommend high-quality ones. These communities can easily integrate *U Network* framework and setup their own rating and reward system for specific intelligent property.

## 5.3 Roadmap

- Jun 2015 to now, *U Network* team has been focusing on technology contents which had attracted more than 4 million active users.
- Aug 2017, partnered with Huobi, we presented “From 0 to 1, learn blockchain technology in a comprehensive way”. Over 10,000 paid students have completed the program.
- Sept 2017, we launched “Smart Contract Development” education program. More than 180 blockchain developers had graduated from this program.
- Jan 2018, we had hold “Blockchain Connect” China-US blockchain summit in San Francisco.
- Aug 2018, *U Network* Testnet release
- Nov 2018, *U Network* Mainnet release
- Dec 2018, *U Community* Alpha version release.

- Feb 2019, *U Network* optimized Mainnet release
- May 2019, *U Community* Beta version release, supports co-investing functionality
- Aug 2019, Completing *U Network* Mainnet and developer tool kits,
- Dec 2019, Build *U Network* ecosystem, import *U Network* into existing UGC platforms.

# Chapter 6

## Conclusion

We have introduced *U network*, which is a revolutionary content-value based prediction market platform and a content-incentive community powered by blockchain technology. In this platform the valuable contents are encouraged to be created and discovered by all participants with the rewards of monetized tokens.

The long-term goal of *U Network* is to build a decentralized user-generated-content community, where high-quality contents can be created, discovered and promoted to more audience in an efficient approach. To motivate all participants, regular users needs to pay *U Network* token as cost in order to access high-quality contents, while other contributors will receive *U Network* tokens as an incentive. Both content creator and explorer can be rewarded for their different contributions. As such, the platform brings plenty of value to all participants.

In particular, *U Community* will be the first digital asset platform powered by *U network* blockchain technology. *U Network* team believes that more decentralized user-generated-content applications will be deployed on the *U Network* public blockchain in the near future. *U Network* will bring revolutionary changes to each different industry.



# Appendix A

## To-Do List

The *U Network* is an open-source project that can be found at “<https://github.com/U-Network/UNetwork>”. At the early stage of development, there are many tasks need to be finished. Partial work on the list is following:

### 1. Revision of Document:

- 1.1 Revise README document and composite a short version. It should clearly explain the fundamental blockchain system of *U Network*, provide summary of features, and point out future directions.
- 1.2 Remove docus/specification directory.
- 1.3 Add more documents regarding testing and deployment of *U Network*.

### 2. Coding Style Convention:

- 2.1 Current coding style is inconsistent. It is advisable to modify the entire code repository.
- 2.2 Suggested Golang coding standard:

*<https://github.com/golang/go/wiki/CodeReviewComments>*

### 3. Redundant Code Removal:

- 3.1 remove directories: cli/LevelDBQuery, cli/consensus, consensus/sbft, net/rpt\_test
- 3.2 remove files: account/account\_test.go, consensus/policy.go, consensus/policyLevel.go, core/transaction/txAttribute\_test.go

#### 4. Continuous Integration:

- 4.1 Use Travis CI to automatically compile and build after each check-in delivery.

#### 5. Bug Fix and Improvement:

- 5.1 move the hash generation of transaction into core/transaction/TransactionBuilder.go
- 5.2 enforce consistent address format of registered asset, such as prefix.
- 5.3 modify the redundant interface of RPC.



# Bibliography

- [1] Juan Benet. Ipfs - content addressed, versioned, p2p file system.
- [2] J. S. Jordan. On the efficient markets hypothesis. *Econometrica*, pages 1325–1343, 1983.
- [3] Justin Wolfers, Eric Zitzewitz, Justin Wolfers, and Eric Zitzewitz. Prediction markets. *J. Economic Perspectives*, pages 107–126, 2004.
- [4] Spencer Kimball. Alibaba sales surge \$5 billion in first 15 minutes on singles day.
- [5] Nati Shalom. Amazon found every 100ms of latency cost them 1% in sales.
- [6] Miguel Castro and Barbara Liskov. Practical byzantine fault tolerance. In *Proceedings of the Third Symposium on Operating Systems Design and Implementation*, OSDI '99, pages 173–186, Berkeley, CA, USA, 1999. USENIX Association.
- [7] Vukolić M. The quest for scalable blockchain fabric: Proof-of-work vs. bft replication. 2015.
- [8] XUEQIU. xueqiu.com.
- [9] Satoshi Nakamoto. Bitcoin: A peer-to-peer electronic cash system.
- [10] Vitalik Buterin. A next-generation smart contract and decentralized application platform.
- [11] Gavin Wood. Ethereum: a secure decentralised generalised transaction ledger.