# Get your dataset ready!

Using R and GIS

Rosa Félix

Gabriel Valença

Rafael Pereira

2024 - 09 - 04

# Table of contents

1	Intr	roduction	4
	1.1	Mobility data	4
		Why R and GIS	4
	1.2	Course objectives	6
		Introduce R Programming Basics	6
		Teach Data Manipulation Techniques	6
		Spatial Data Visualization	6
		Perform Basic Spatial Analysis	7
	1.3	Target audience	7
2	Cou	irse Structure	8
	2.1	Day 1	8
		Morning	8
		Afternoon	8
	2.2	Day 2	8
		Morning	8
		Afternoon	9
3	Det	ailed schedule (TBC)	10
4	Loc	ation	12
5	Res	ources	14
ı	Da	ay 1	15
6	Soft	tware	16
	6.1	R and RStudio	16
		6.1.1 R	16
		6.1.2 RStudio	16
		6.1.3 Rtools	17
		6.1.4 R packages	17
	6.2	Other software	17
		6.2.1 Java Development Kit 21	17
		6.2.2 Open Route Service	17

7	R basics	18
	7.1 Simple operations	18
	7.2 Practical exercise	20
II	Day 2	22
8	Introduction	23
Re	eferences	24

## 1 Introduction

This course aims to provide tools to deal with exploring and treating transportation datasets using R programming, an open-source and widely used tool for data analytics in urban mobility.

Additionally, this course provides guidance towards the use of reproducible methods to deal with large datasets that require manipulation and/or spatial analysis.

The course has a **hands-on** approach, where participants will learn the basics of **coding**, **data manipulation**, and **spatial analysis** for urban mobility and transportation.

### 1.1 Mobility data

There is an emerging increase in mobility data, through new forms of technology, which result in very large and diverse datasets.

Knowing how to get, treat and analyze complex datasets with the up-to-date technologies is extremely relevant for academia, policy makers and start-ups, since it allows them to:

- 1. acquire critical view on urban mobility based on data;
- 2. spatially identify locations in the city that require policy priorities;
- 3. and improve the efficiency of data analysis processes.

### Why R and GIS

Most academic programs focus on teaching modelling and deep analysis of data. However, there is a need to learn how to explore and prepare a dataset for modelling. The use of **programming and GIS** techniques have enormous advantages, including their flexibility; reproducibility; and transparency and understanding the step-by-step process.

The use of GIS techniques in transportation is, traditionally, not considered in transportation learning programs, despite being of enormous relevance when doing accessibility analysis or reeling with georreferenced transportation data, such as bike sharing route trips' datasets, origin-destination flows datasets, home/work locations, GTFS public transit data, and so on. There is a need to learn how to locate these open datasets, how to explore them and




Figure 1.1: E-Scooter trip data in Lisbon. How to deal with it?

how to integrate them into transportation and urban analysis. Additionally, the use of open source software and datasets allows researchers to perform methods that are reproducible and transparent.

#### **TLDR**

- Open-source tools widely used in data analytics and spatial analysis
- Flexibility and reproducibility in data manipulation and visualization
- Critical for urban mobility and transportation research, with spatial relevance
- Large transportation datasets are becoming increasingly common

### 1.2 Course objectives

### **Introduce R Programming Basics**

- Equip participants with foundational skills in R programming
- Emphasize reproducible research practices to ensure transparency and replicability in analyses

### **Teach Data Manipulation Techniques**

- Use key R packages for data cleaning, manipulation, and summarization of datasets
- Enable participants to efficiently handle large and complex transportation datasets

### **Spatial Data Visualization**

- Introduce methods for quick and effective spatial data visualization using R and GIS tools
- Provide hands-on experience with creating interactive maps and visualizations

### **Perform Basic Spatial Analysis**

- Teach participants how to perform spatial analysis of transportation datasets using GIS techniques with R
- Cover practical applications such as georeferencing data, accessibility analysis, and routing ODs
- Utilize real-world transportation data for practical, hands-on learning

## 1.3 Target audience

- Ph.D. candidates from DTN and other researchers
- Policy makers and practitioners in urban mobility
- Beginners to intermediate R users, no prior experience needed

## 2 Course Structure

The course consists of an in-person 2-day course, taking place during the EIT DTN Annual Meeting on the **19th and 20th September 2024**.

The first day will focus on learning the basics of R programming and how to treat and explore datasets. The second day will focus on analyzing spatial datasets, and routing origins to destinations.

### 2.1 Day 1

### Morning

- Introduction to **programming** techniques and **data structures**
- Introduction to R, and RStudio: software installation and main packages
- R base and basics: examples and exercises

### **Afternoon**

- Data manipulation: using the dplyr package to select, filter, left-join, group and summarize
- Introduction to GIS and spatial data: import and visualize vector data
- R markdown and interactive maps

## 2.2 Day 2

### Morning

- Desire lines from OD and transport zones
- Georeference coordinates: examples from surveys
- Accessibility analysis: from buffers to road networks

## Afternoon

- Routing with R: multimodal and intermodal ( $r5r\ demo$  Rafael Pereira)
- Group exercise

# 3 Detailed schedule (TBC)

Day 1	
9.30	Introductions and Presentation of the course contents
10.00	Introduction to programming techniques and data structures
10.30	Introduction to R and RStudio: hands-on to install software and main packages
11.00	Coffee $break$
11.15	(cont.)
11.30	R basics: examples and exercises
12.30	$Lunch\ break$
13.30	Data manipulation: examples and exercises (select, filter, left-join, subset, group and summarize, using dplyr package)
15.00	Introduction to GIS and spatial data: import and visualize vector data
15.30	$Coffee\ break$
15.45	(cont.)
16.15	View and export interactive maps
17.00	End of day 1

Day 2		
9.30	Desire-lines from OD pairs and transport zones: examples and exercises	
10.30	Georeferenced coordinates from survey responses: example and exercises	
11.00	$Coffee\ break$	
11.15	(cont.)	
11.30	Euclidean distance and buffers: example and exercises	
12.30	Lunch break	
13.30	Open Transportation data: where to find it (OSM and GTFS)	

Day 2	
14.30	Uni-modal and Inter-modal Routing with r5r
15.30	Accessibility analysis with r5r
16.00	$Coffee \ break$
16.15	Using you data: manipulation and spatial analysis methods and
16.45	further applications Survey and feedback from participants
17.00	End of day 2

## 4 Location

The course will take place at Campus Sterre, Building S8, room 2.4.

```
Campus_S8_coord = c(3.7105372, 51.0241258)
Campus_S8 = sf::st_sfc(sf::st_point(Campus_S8_coord)) # create point
Campus_S8 = sf::st_as_sf(Campus_S8, crs = 4326) # assign crs

mapview::mapview(Campus_S8, map.types = "OpenStreetMap") # quick map view
```



# **5** Resources

- You laptop, with any OS
- Github repository with all the materials (data, code and guidelines)
- Survey datasets, school locations and public transport operator datasets

Part I

Day 1

## 6 Software

In this chapter we will guide you through the installation of R and QGIS.

### 6.1 R and RStudio

You will need **R** installed on your computer (version 4.4.1 or higher) and also **RStudio**<sup>1</sup>.

#### 6.1.1 R

#### 6.1.2 RStudio

#### **6.1.2.1 Windows**

Download and open the executable file.

#### 6.1.2.2 Mac

Download and open the executable file.

#### 6.1.2.3 Ubuntu

You can look for QGIS in the Ubuntu Software Center or install it via the terminal.

```
sudo apt install gnupg software-properties-common
sudo mkdir -m755 -p /etc/apt/keyrings # not needed since apt version 2.4.0 like Debian 12
sudo wget -0 /etc/apt/keyrings/qgis-archive-keyring.gpg https://download.qgis.org/download
```

Add the QGIS repo for the latest stable QGIS (3.38.x Grenoble) to /etc/apt/sources.list.d/qgis.sources:

<sup>&</sup>lt;sup>1</sup>We will use RStudio, although if you already use other studio such as VScode, that's also fine.

Types: deb deb-src

URIs: https://qgis.org/ubuntugis-ltr

Suites: jammy

Architectures: amd64 Components: main

Signed-By: /etc/apt/keyrings/qgis-archive-keyring.gpg

```
sudo apt update
sudo apt install qgis qgis-plugin-grass saga
sudo apt install python3-qgis
```

### **6.1.3 Rtools**

### 6.1.4 R packages

### 6.2 Other software

### 6.2.1 Java Development Kit 21

You will need this to workl with the **r5r** package.

### 6.2.2 Open Route Service

Sign up for an account and create a token. Copy your API.

In QGIS Plugins  $\rightarrow$  Manage and install plugins  $\rightarrow$  Search for **ORS Tools**  $\rightarrow$  Install Open ORS Tools, provider, settings, and paste API key.

## 7 R basics

In this chapter we will introduce to the R basics and some exercises to get familiar to how R works.

## 7.1 Simple operations

• Math operations
# Sum

[1] 2

1+1

# Substraction 5-2

[1] 3

# Multiplication
2\*2

[1] 4

# Division
8/2

[1] 4

```
# Round the number
  round(3.14)
[1] 3
  round(3.14, 1) # The "1" indicates to round it up to 1 decimal digit.
[1] 3.1
  # You can use help ?round in the console to see the description of the function.
  • Basic shortpaths
  # Perform combinations
  c(1, 2, 3)
[1] 1 2 3
  c(1:3) # The ":" indicates a range between the first and second numbers.
[1] 1 2 3
  # Create a comment with ctrl + shift + r
  # Comments help you organize your code. The software will not run the comment.
  • Create a table:
    A simple table with the number of trips by car, PT, walking, and cycling in a hypothetical
    street segment at a certain period.
  # Define the variables
  modes <- c("car", "PT", "walking", "cycling") # you can use "=" or "<-"
  Trips = c(200, 50, 300, 150) # uppercase letters modify
```

# Join in table

```
table_example = data.frame(modes, Trips)

# Visualize the table by clicking on the "Data" in the "Environment" page.
# Or use the following function:
View(table_example)
```

### 7.2 Practical exercise

Import dataset with the number of trips between all municipalities in the Metropolitan Area of Lisbon, Portugal.

```
data = readRDS("data/TRIPSmode_mun.Rds")
```

Take a first look at the data

```
# Summary statistics
summary(data)
```

```
Origin_mun
                    Destination_mun
                                            Total
                                                               Walk
Length:315
                                                      7
                                                          Min.
                    Length:315
                                        Min.
                                               :
Class : character
                    Class : character
                                        1st Qu.:
                                                    330
                                                          1st Qu.:
Mode :character
                                                  1090
                    Mode :character
                                        Median :
                                                          Median:
                                                                        0
                                        Mean
                                               : 16825
                                                          Mean
                                                                    4033
                                        3rd Qu.: 5374
                                                          3rd Qu.:
                                        Max.
                                                                  :306289
                                               :875144
                                                          Max.
     Bike
                        Car
                                        PTransit
                                                             Other
Min.
           0.00
                                                                      0.0
     :
                   Min.
                                0
                                    Min.
                                            :
                                                  0.0
                                                         Min.
                                                         1st Qu.:
1st Qu.:
           0.00
                   1st Qu.:
                              263
                                     1st Qu.:
                                                  5.0
                                                                      0.0
Median :
           0.00
                   Median:
                              913
                                     Median:
                                                134.0
                                                         Median:
                                                                      0.0
Mean
          80.19
                             9956
                                               2602.6
                   Mean
                                     Mean
                                                         Mean
                                                                   152.4
3rd Qu.:
           0.00
                   3rd Qu.:
                             4408
                                     3rd Qu.:
                                                 975.5
                                                         3rd Qu.:
                                                                     62.5
Max.
       :5362.00
                          :349815
                                     Max.
                                            :202428.0
                   Max.
                                                         Max.
                                                                :11647.0
```

```
# First 10 values of each variable
head(data)
```

```
Origin_mun Destination_mun Total Walk Bike Car PTransit Other

1 Alcochete Alcochete 20478 6833 320 12484 833 7
```

```
2 Alcochete
                              567
                                          0 353
                                                         0
                                                             214
                     Almada
                                     0
3 Alcochete
                    Amadora
                              188
                                     0
                                          0 107
                                                        81
                                                               0
4 Alcochete
                   {\tt Barreiro}
                              867
                                     0
                                          0
                                              861
                                                         5
                                                               0
5 Alcochete
                    Cascais
                              114
                                     0
                                          0 114
                                                         0
                                                               0
6 Alcochete
                                    69
                                          0 1994
                                                               0
                     Lisboa 2840
                                                       775
```

```
# Take a look at the data
View(data)

# Check the number of rows (observations) and columns (variables)
nrow(data)
```

[1] 315

ncol(data)

[1] 8

Part II

Day 2

# 8 Introduction

This is a book created from markdown and executable code. See Knuth (1984) for additional discussion of literate programming.

## 8.1

## References

Knuth, Donald E. 1984. "Literate Programming." Comput. J. 27 (2): 97–111. https://doi.org/10.1093/comjnl/27.2.97.