Coding Standard Guidelines

Copyright (2025) Madeline and Laura, UC3M Students Software Development Group 16

Created on: 2025-02-05

Guided Exercise 1 Coding Standards

TABLE OF CONTENTS:

Structured Directory Organization	3
Modified Rules	4
Basic	4
Design	5
Format	8
Imports	9
Logging	9
Messages control	9
String	10
Screenshots for Pylint	11

Structured Directory Organization

G88.2024.TXX.GE1/	#Root directory of your project
— uc3m_money/	#Python package
initpy	# Package initialization file
- transaction_manager.py	#File for managing transactions
— transaction_request.py	# File for handling requests
- transaction_management_exception.py	# Custom exceptions
—docs/	# Documentation
CodingStandard.pdf	# Our coding standard document
Screenshots.pdf	#File for all of the screenshots of Pylint
main.py	# Main program entry point
—README.md	# Project overview or documentation
— test.json	# Test data or configuration file
gitignore	# Git ignore rules

Modified Rules

[BASIC]

→ Attributes should follow camelCase.

Changed rule:

```
# Naming style matching correct attribute names.
# MODIFIEDRULE
# attr-naming-style=snake_cases
attr-naming-style=camelCase
```

Accepted: totalNum

Rejected: totalnum

→ The minimum length for lines of functions/classes which require docstrings cannot be shorter than 5.

Changed rule:

```
# Minimum line length for functions/classes that require docstrings, shorter
# ones are exempt.
# MODIFIEDRULE
# docstring-min-length=-1
docstring-min-length=5
```

Accepted: def add(a, b):

"""Adds two numbers and returns the result."""

 $return \ a + b$

Rejected: *def f()*:

"""A function that does something."""

pass

→ Good variable names that should always be accepted are i, j and k.

Changed rule:

```
Accepted: for i in range(10)
                print(i)
Rejected: for in range(10)
                print("loop")
```

[DESIGN]

→ Max Branches for a function/method body should be less than or equal to 10.

```
Changed rule:
 # Maximum number of branch for function / method body.
 # MODIFIEDRULE
 # max-branches=12
 max-branches=10
Accepted: def is positive(n):
                 """Returns True if the number is positive, otherwise False."""
                if n > 0:
                  return True
                return False
Rejected: def analyze number(n):
                 """Analyzes a number based on multiple conditions."""
                if n < 0:
                   return "Negative"
                elif n == 0:
                   return "Zero"
                if n \% 2 == 0:
                  print("Even")
                else:
                  print("Odd")
                if n \% 3 == 0:
                  print("Divisible by 3")
                if n \% 5 == 0:
                  print("Divisible by 5")
```

```
if n % 7 == 0:
    print("Divisible by 7")
for i in range(3):
    if i % 2 == 0:
        print(f"{i} is even")
    else:
        print(f"{i} is odd")
if n > 100:
    print("Number is too large")
return "Done"
```

→ Max number of returns per function/method is less than or equal to 5 returns.

Changed rule:

```
Maximum number of return / yield for function / method body.
  max-returns=6
max-returns=5
Accepted: def easy funct(a: int):
                 """Prints num."""
                 if a == 2:
                   return True
                 return False
Rejected: def complex_function(n):
                 """Evaluates num."""
                 if n < 0: return "Negative"
                 if n == 0: return "Zero"
                 if 1 \le n \le 10: return "Small"
                 if 11 \le n \le 50: return "Medium"
                 if 51 \le n \le 100: return "Large"
                 if n > 100: return "Extra Large"
```

→ Methods should not exceed 60 lines of code excluding comments and blank lines.

Changed rule:

```
MODIFIEDRULE
  max-statements=50
max-statements=60
Accepted: def process_data(data):
                 """Processes a list of numbers and returns a dictionary with total, count and
                   average."""
                 if not data:
                   return {"error": "No data provided"}
                 total = 0
                 count = 0
                 for num in data: # Iterate through data
                    total += num
                   count += 1
                 average = total / count if count > 0 else 0
                 return { "total": total, "count": count, "average": average }
Rejected: def long function():
                 """Performs a complex operation on a dataset."""
                 result = []
                 #Loop through a large dataset
                 for i in range(100):
                    value = i * 2
                    result.append(value)
                 for i in range(100):
                    value = i * 3
                    result.append(value)
                 for i in range(100):
                   value = i * 4
                    result.append(value)
                 for i in range(100):
                    value = i * 5
```

result.append(value)

Maximum number of statements in function / method body.

```
for i in range(100):

value = i * 6

result.append(value)

total = sum(result) # Complex calculation done

count = len(result)

average = total / count if count > 0 else 0

return {"total": total, "count": count, "average": average}
```

[FORMAT]

→ 2 spaces indentation should be used for all code; not tab.

Changed rule:

```
# String used as indentation unit. This is usually " " (4 spaces) or "\t" (1 # tab).

# MODIFIEDRULE
# indent-string=' '

Accepted:

def hello():

if True:

print("Hello world!")

Rejected:

def hello():

if True:

print("Hello world!")
```

→ Maximum number of characters on a single line is less than or equal to 150 characters.

Changed rule:

```
# Maximum number of characters on a single line.
# MODIFIEDRULE
# max-line-length=100
max-line-length=150
```

Accepted: def calculate total(price, tax rate):

```
total = price + (price * tax_rate)
```

return total

Rejected: def calculate_total(price, tax_rate): return $price + (price * tax_rate) + (price * 0.05) + (price * 0.1) + (price * 0.2) + (price * 0.3) + (price * 0.4) + (price * 0.5)$

[IMPORTS]

→ "enchant" and "requests" should be treated as third-party libraries.

Changed rule:

```
# Force import order to recognize a module as part of a third party library.
# MODIFIEDRULE
# known-third-party=enchant
known-third-party=enchant, requests
```

Accepted: import requests

import enchant

Rejected: import enchant

import requests

[LOGGING]

→ When formatting a logging module, {}-formatting or str.format() should be used.

Changed rule:

```
# The type of string formatting that logging methods do. `old` means using %
# formatting, `new` is for `{}` formatting.
# MODIFIEDRULE
# logging-format-style=old
logging-format-style=new
```

Accepted: logging.info("User {} logged in at {}".format(username, timestamp))

Rejected: logging.info("User %s logged in at %s", username, timestamp)

[MESSAGES CONTROL]

→ "type-check" should be enabled to verify type-correctness within the code; "type-check" detects issues such as invalid assignments, using objects incorrectly, etc.

Changed rule:

```
# Enable the message, report, category or checker with the given id(s). You can
# either give multiple identifier separated by comma (,) or put this option
# multiple time (only on the command line, not in the configuration file where
# it should appear only once). See also the "--disable" option for examples.
# MODIFIEDRULE
# enable=
enable=typecheck
```

Accepted: enable=typecheck,unused-import

Rejected: enable=
enable=typecheck
enable=unused-import

[STRING]

→ "" type quotes and " type quotes should not be mixed together.

Changed rule:

This flag controls whether inconsistent-quotes generates a warning when the # character used as a quote delimiter is used inconsistently within a module. # MODIFIEDRULE # check-quote-consistency=no check-quote-consistency=yes

Accepted: name = "Alice" greeting = "Hello, world!"

Rejected: name = "Alice" greeting = 'Hello, world!'

Screenshots for Pylint

★ Running Pylint after rules have been modified, without correcting the code.

```
CLEMPONNY/Transaction/Imager_pyi-610: B0311 Bad indentation. Found 4 spaces, expected 2 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-610: B0311 Bad indentation. Found 8 spaces, expected 4 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-70: B0311 Bad indentation. Found 8 spaces, spaceted 2 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-70: B0311 Bad indentation. Found 8 spaces, spaceted 2 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-70: B0311 Bad indentation. Found 8 spaces, spaceted 3 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-71: B0311 Bad indentation. Found 8 spaces, expected 4 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-71: B0311 Bad indentation. Found 15 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-71: B0311 Bad indentation. Found 15 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-72: B0311 Bad indentation. Found 22 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-72: B0311 Bad indentation. Found 22 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-72: B0311 Bad indentation. Found 22 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-72: B0311 Bad indentation. Found 22 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-72: B0311 Bad indentation. Found 22 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-72: B0311 Bad indentation. Found 22 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-72: B0311 Bad indentation. Found 22 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-72: B0311 Bad indentation. Found 22 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-73: B0311 Bad indentation. Found 2 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-73: B0311 Bad indentation. Found 2 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-73: B0311 Bad indentation. Found 8 spaces, expected 6 (bnd-indentation)
CLEMPONNY/Transaction/Imager_pyi-73: B0
```

```
UC3MMoney\TransactionRequest.py:35:0: W0311: Bad indentation. Found 8 spaces, expected 4 (bad-indentation)
UC3MMoney\TransactionRequest.py:1:0: C0114: Missing module docstring (missing-module-docstring)
UC3MMoney\TransactionRequest.py:1:0: C0103: Module name "TransactionRequest" doesn't conform to snake_case naming style (invalid-name)
UC3MMoney\TransactionRequest.py:7:8: C0115: Missing class docstring (missing-class cotring)
UC3MMoney\TransactionRequest.py:7:8: C0103: Attribute name "__receptorNaMe" doesn't conform to '^_?[a-z][a-z0-9_]** pattern (invalid-name)
UC3MMoney\TransactionRequest.py:9:8: C0103: Attribute name "__TBANFOM" doesn't conform to '^_?[a-z][a-z0-9_]** pattern (invalid-name)
UC3MMoney\TransactionRequest.py:9:8: C0103: Attribute name "__TBANFOM" doesn't conform to '^_?[a-z][a-z0-9_]** pattern (invalid-name)
UC3MMoney\TransactionRequest.py:6:23: C0103: Attribute name "_timeStamp" doesn't conform to '^_?[a-z][a-z0-9_]** pattern (invalid-name)
UC3MMoney\TransactionRequest.py:6:23: C0103: Attribute name "TBANFAOM" doesn't conform to snake_case naming style (invalid-name)
UC3MMoney\TransactionRequest.py:6:23: C0103: Argument name "IBANTAOM" doesn't conform to snake_case naming style (invalid-name)
UC3MMoney\TransactionRequest.py:6:20: C0103: Argument name "RECEpTorName" doesn't conform to snake_case naming style (invalid-name)
UC3MMoney\TransactionRequest.py:17:4: C0103: Attribute name "receptorName" doesn't conform to '^_?[a-z][a-z0-9_]** pattern (invalid-name)
UC3MMoney\TransactionRequest.py:20:4: C0103: Attribute name "receptorName" doesn't conform to '^_?[a-z][a-z0-9_]* pattern (invalid-name)
UC3MMoney\TransactionRequest.py:21:4: C0103: Attribute name "IBAN_FROM" doesn't conform to '^_?[a-z][a-z0-9_]* pattern (invalid-name)
UC3MMoney\TransactionRequest.py:21:4: C0103: Attribute name "IBAN_FROM" doesn't conform to '^_?[a-z][a-z0-9_]* pattern (invalid-name)
UC3MMoney\TransactionRequest.py:31:4: C0103: Attribute name "IBAN_FROM" doesn't conform to '^_?[a-z][a-z0-9_]* pattern (invalid-name)
UC3MMon
```

```
main.py:39:0: W0311: Bad indentation. Found 4 spaces, expected 2 (bad-indentation)
main.py:40:0: W0311: Bad indentation. Found 4 spaces, expected 2 (bad-indentation)
main.py:41:0: W0311: Bad indentation. Found 4 spaces, expected 2 (bad-indentation)
main.py:41:0: W1405: Quotal delimiter ' is inconsistent with the rest of the file (inconsistent-quotes)
main.py:12:0: W1405: Quotal delimiter ' is inconsistent with the rest of the file (inconsistent-quotes)
main.py:20: W1405: Quotal delimiter ' is inconsistent with the rest of the file (inconsistent-quotes)
main.py:20: W1405: Quotal delimiter ' is inconsistent with the rest of the file (inconsistent)
main.py:23:0: W1405: Quotal delimiter ' is inconsistent with the rest of the file (inconsistent)
main.py:23:0: U1405: Quotal delimiter ' is inconsistent with the rest of the file (inconsistent)
main.py:25:0: C0103: Constant name "letters" doesn't conform to UPPER_CASE naming style (invalid-name)
main.py:5:0: C0103: Constant name "letters" doesn't conform to UPPER_CASE naming style (invalid-name)
main.py:9:0: C0103: Function name "Encode" doesn't conform to snake_case naming style (invalid-name)
main.py:19:0: C0103: Function name "Decode" doesn't conform to snake_case naming style (invalid-name)
main.py:30:0: C0116: Missing function or method docstring (missing-function-docstring)
main.py:34:4: C0103: Variable name "strRes" doesn't conform to snake_case naming style (invalid-name)
main.py:36:4: C0103: Variable name "EncodeRes" doesn't conform to snake_case naming style (invalid-name)
main.py:38:4: C0103: Variable name "EncodeRes" doesn't conform to snake_case naming style (invalid-name)
main.py:20: C0411: standard import "string" should be placed before first party import "UC3MMoney.TransactionManager" (wrong-import-order)

**Tour code has been rated at 0.00/10 (previous run: 0.00/10, +0.00)
```

★ Running Pylint after code has been corrected with the new implemented rules.