

# Non-Karakoram Glaciers Data Analysis

Ethan Briel      Param Gandhi      Eden Lange  
Char Tomlinson

Thursday 11<sup>th</sup> December, 2025



The data used in this notebook was already imported and saved into our `data` directory as shown in the EDA notebook `EDA.ipynb`. For this notebook we analyze the Sít' Kusá Glacier in Alaska and the Medvezhiy Glacier in Tajikistan and utilize the data in the `data/Other_Glaciers` directory.

```
%matplotlib inline
```

```
import glob
import xarray as xr
import rioxarray
import pandas as pd
import numpy as np
from datetime import datetime
import re
import matplotlib.pyplot as plt
import os
import matplotlib.gridspec as gridspec
import glaciers.glaciers as gl

A_geotiffs_ds = gl.geotiff_to_ds("data/Other_Glaciers/Alaska/*_vm*.tif")
T_geotiffs_ds = gl.geotiff_to_ds("data/Other_Glaciers/Tajikistan/*_vm*.tif")
```

Note: Variables beginning with 'A' such as `A_geotiff_ds` correspond to the Alaskan Glacier while variables beginning with 'T' correspond to the Tajikistan Glacier.

Like we did with our Karakoram data, we need to trim our Tajikistan dataset to match the time interval of our smallest dataset (Alaskan Glacier). This is an important step to ensure that our comparisons are fair and accurate.

```
start = pd.to_datetime("2020 -01 -15")
end = pd.to_datetime("2021 -10 -17")
```

```
T_geotiffs_ds = T_geotiffs_ds.where(
```

```

(T_geotiffs_ds.mid_time >= start) &
(T_geotiffs_ds.mid_time <= end),
drop=True)

A_mean_vx = A_geotiffs_ds.x_vel.mean(dim=['x','y'])
A_mean_vy = A_geotiffs_ds.y_vel.mean(dim=['x','y'])
A_mean_speed = A_geotiffs_ds.vel_magnitude.mean(dim=['x','y'])

A_summary_df = pd.DataFrame({
    'time': A_geotiffs_ds.time.values,
    'midpoint': A_geotiffs_ds.mid_time.values,
    'mean_vx': A_mean_vx.values,
    'mean_vy': A_mean_vy.values,
    'mean_vel_magnitude': A_mean_speed.values})

T_mean_vx = T_geotiffs_ds.x_vel.mean(dim=['x','y'])
T_mean_vy = T_geotiffs_ds.y_vel.mean(dim=['x','y'])
T_mean_speed = T_geotiffs_ds.vel_magnitude.mean(dim=['x','y'])

T_summary_df = pd.DataFrame({
    'time': T_geotiffs_ds.time.values,
    'midpoint': T_geotiffs_ds.mid_time.values,
    'mean_vx': T_mean_vx.values,
    'mean_vy': T_mean_vy.values,
    'mean_vel_magnitude': T_mean_speed.values})


fig, ax = plt.subplots(1, 2, figsize=(12,5), sharey=True)

ax[0].axhline(y=A_geotiffs_ds['vel_magnitude'].mean(), color='darkred', linewidth=1, label='Mean')
ax[0].axhline(y=A_geotiffs_ds['vel_magnitude'].median(), color='orange', linewidth=1, label='Median')
ax[0].plot(A_summary_df['midpoint'], A_summary_df['mean_vel_magnitude'])
ax[0].set_ylabel('Mean Velocity Magnitude')
ax[0].set_xlabel('Date')
ax[0].legend()
ax[0].tick_params(axis='x', rotation=45)
ax[0].set_title('Alaskan Glacier')

ax[1].axhline(y=T_geotiffs_ds['vel_magnitude'].mean(), color='darkred', linewidth=1, label='Mean')
ax[1].axhline(y=T_geotiffs_ds['vel_magnitude'].median(), color='orange', linewidth=1, label='Median')
ax[1].plot(T_summary_df['midpoint'], T_summary_df['mean_vel_magnitude'])
ax[1].set_ylabel('')
ax[1].set_xlabel('Date')
ax[1].legend()
ax[1].tick_params(axis='x', rotation=45)
ax[1].set_title('Tajikistan Glacier')

```

```
plt.suptitle("Non -Karakoram Glaciers Mean Velocity Magnitudes Over Time", fontsize=13)
plt.subplots_adjust(wspace=0.05)
plt.savefig("figures/NK_meanmag_chart.png", dpi=300, bbox_inches='tight')
plt.show()
```



```
fig, ax = plt.subplots(2, 2, figsize=(12,10), sharex=True, sharey=True)
```

```
ax[0,0].axhline(color='black', linewidth=1)
ax[0,0].plot(A_summary_df['midpoint'], A_summary_df['mean_vy'])
ax[0,0].set_ylabel('Mean VY')
ax[0,0].set_title('Alaska Mean Y -Direction Velocity Over Time')
```

```
ax[1,0].axhline(color='black', linewidth=1)
ax[1,0].plot(A_summary_df['midpoint'], A_summary_df['mean_vx'])
ax[1,0].set_ylabel('Mean VX')
ax[1,0].set_title('Alaska Mean X -Direction Velocity Over Time')
ax[1,0].set_xlabel('Date')
```

```
ax[0,1].axhline(color='black', linewidth=1)
ax[0,1].plot(T_summary_df['midpoint'], T_summary_df['mean_vy'])
ax[0,1].set_ylabel('')
ax[0,1].set_title('Tajikistan Mean Y -Direction Velocity Over Time')
```

```
ax[1,1].axhline(color='black', linewidth=1)
ax[1,1].plot(T_summary_df['midpoint'], T_summary_df['mean_vx'])
ax[1,1].set_ylabel('')
ax[1,1].set_title('Tajikistan Mean X -Direction Velocity Over Time')
ax[1,1].set_xlabel('Date')
```

```
for a in ax.ravel():
    a.tick_params(axis='x', rotation=45)
```

```
plt.suptitle("Non -Karakoram Glaciers Mean X & Y Velocity Magnitudes Over Time", fontsize=16)
```

```
plt.tight_layout()
plt.savefig("figures/NK_meanXY_chart.png")
plt.show()
```



```
A_monthly = A_geotiffs_ds.groupby("mid_time.month").mean()

A_monthly_mean_vx = A_monthly.x_vel.mean(dim=['x','y'])
A_monthly_mean_vy = A_monthly.y_vel.mean(dim=['x','y'])
A_monthly_mean_speed = A_monthly.vel_magnitude.mean(dim=['x','y'])

A_monthly_summary = pd.DataFrame({
    'month': A_monthly.month.values,
    'monthly_mean_vx': A_monthly_mean_vx.values,
    'monthly_mean_vy': A_monthly_mean_vy.values,
    'monthly_mean_vel_magnitude': A_monthly_mean_speed.values})

T_monthly = T_geotiffs_ds.groupby("mid_time.month").mean()

T_monthly_mean_vx = T_monthly.x_vel.mean(dim=['x','y'])
T_monthly_mean_vy = T_monthly.y_vel.mean(dim=['x','y'])
T_monthly_mean_speed = T_monthly.vel_magnitude.mean(dim=['x','y'])

T_monthly_summary = pd.DataFrame({
    'month': T_monthly.month.values,
    'monthly_mean_vx': T_monthly_mean_vx.values,
    'monthly_mean_vy': T_monthly_mean_vy.values,
    'monthly_mean_vel_magnitude': T_monthly_mean_speed.values})
```

```


fig, ax = plt.subplots(1, 2, figsize=(12,5), sharey=True)

ax[0].plot(A_monthly_summary['month'], A_monthly_summary['monthly_mean_vel_magnitude'])
ax[0].set_ylabel('Mean Velocity Magnitude')
ax[0].set_xlabel('Month')
ax[0].set_title('Alaskan Glacier')

ax[1].plot(T_monthly_summary['month'], T_monthly_summary['monthly_mean_vel_magnitude'])
ax[1].set_ylabel('')
ax[1].set_xlabel('Month')
ax[1].set_title('Tajikistan Glacier')

plt.suptitle("Seasonality of Non -Karakoram Glaciers Mean Velocity Magnitudes", fontsize=15)
plt.subplots_adjust(wspace=0.05)
plt.savefig("figures/NK_seasonality_chart.png")
plt.show()

```



```

A_mean_vx_map = A_geotiffs_ds.x_vel.mean(dim='time')
A_mean_vy_map = A_geotiffs_ds.y_vel.mean(dim='time')
A_mean_speed_map = A_geotiffs_ds.vel_magnitude.mean(dim='time')

T_mean_vx_map = T_geotiffs_ds.x_vel.mean(dim='time')
T_mean_vy_map = T_geotiffs_ds.y_vel.mean(dim='time')
T_mean_speed_map = T_geotiffs_ds.vel_magnitude.mean(dim='time')

fig = plt.figure(figsize=(15.2, 6.5))
gs = gridspec.GridSpec(1, 2, width_ratios=[1.25, 1])

ax0 = fig.add_subplot(gs[0])
ax1 = fig.add_subplot(gs[1])

p=A_mean_speed_map.plot(vmax=1500, ax=ax0)
p.colorbar.set_label("")

T_mean_speed_map.plot(vmax=1500, ax=ax1, add_colorbar=False)


```

```

ax0.set_title("Alaskan Glacier")
ax1.set_title("Tajikistan Glacier")
ax1.set_ylabel("")

plt.suptitle("Non -Karakoram Glaciers Cumulative Mean Velocity Magnitude Maps", fontsize=16)
plt.subplots_adjust(wspace=0.07)
plt.savefig("figures/NK_meanmag_map.png")
plt.show()

```



```

A_trend_map = A_geotiffs_ds.vel_magnitude.polyfit(dim="mid_time", deg=1)
A_slope_map = A_trend_map.polyfit_coefficients.sel(degree=0)
A_slope_map = A_slope_map * 365

T_trend_map = T_geotiffs_ds.vel_magnitude.polyfit(dim="mid_time", deg=1)
T_slope_map = T_trend_map.polyfit_coefficients.sel(degree=0)
T_slope_map = T_slope_map * 365

/home/jovyan/.local/share/envs/glacier -env/lib/python3.12/site -packages/xarray/core/nputil
warn_on_deficient_rank(rank, x.shape[1])

fig = plt.figure(figsize=(15, 6.5))
gs = gridspec.GridSpec(1, 2, width_ratios=[1.25, 1])


ax0 = fig.add_subplot(gs[0])
ax1 = fig.add_subplot(gs[1])

p=A_slope_map.plot(ax=ax0, cmap='RdBu', vmin= -2500000, vmax=2500000)
p.colorbar.set_label("")
T_slope_map.plot(ax=ax1, cmap='RdBu', vmin= -2500000, vmax=2500000, add_colorbar=False)

ax0.set_title("Alaskan Glacier")
ax1.set_title("Tajikistan Glacier")
ax1.set_ylabel("")

```

```
plt.suptitle("Non -Karakoram Glaciers Acceleration Trends (m/yr2)", fontsize=16)
plt.subplots_adjust(wspace=0.05)
plt.savefig("figures/NK_acceleration_map.png")
plt.show()
```



This figure shows the non-Karakoram glaciers' acceleration; the blue(positive) indicates acceleration while the red(negative) indicates deceleration.

```
A_vals = A_slope_map.values.flatten()
A_vals = A_vals[~np.isnan(A_vals)]

A_neg = np.sum(A_vals < 0)
A_pos = np.sum(A_vals > 0)

A_pct_neg = A_neg / A_vals.size * 100
A_pct_pos = A_pos / A_vals.size * 100

print("Alaska %Neg:", A_pct_neg)
print("Alaska %Pos:", A_pct_pos)

Alaska %Neg: 77.85167416004711
Alaska %Pos: 22.148325839952886

T_vals = T_slope_map.values.flatten()
T_vals = T_vals[~np.isnan(T_vals)]

T_neg = np.sum(T_vals < 0)
T_pos = np.sum(T_vals > 0)

T_pct_neg = T_neg / T_vals.size * 100
T_pct_pos = T_pos / T_vals.size * 100

print("Tajikistan %Neg:", T_pct_neg)
print("Tajikistan %Pos:", T_pct_pos)

Tajikistan %Neg: 22.75132275132275
Tajikistan %Pos: 77.24867724867724
```

Based on the plot and the outputs above we can see extremeley contrasting results between the two; while most of the Alaskan data is decelerating, the glacier itself is visibly accelerating. The results for Tajikistan data are much harder to interpret but we can see an overall trend of acceleration in the region.