




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor



Red_AreaScalingFactor



B530-A-% rCV




The graph displays the daily count of COVID-19 cases in the United States. The x-axis is labeled with months: Nov, Dec, Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a grid extending up to 100,000. A vertical dashed red line is positioned at the beginning of the data series in early December. The data shows high volatility in late December and early January, with a peak near 100,000 cases. After a period of relative stability and low case counts through February, there is a sharp spike in late February/early March, reaching approximately 80,000 cases, followed by a decline and then a gradual increase towards the end of the period shown.


The graph illustrates the impact of the COVID-19 lockdown in the Netherlands. Before the lockdown (late November), the number of daily cases was high, fluctuating between approximately 2,000 and 10,000. Following the lockdown, there was a significant and sustained reduction in cases, with daily counts dropping to near zero. A major exception occurred in early March, when cases spiked again to over 10,000, likely due to a second wave of the virus. After this spike, the number of cases remained low and stable through April.

The graph displays the daily count of COVID-19 cases in the United States. The data begins in early December with a low number of cases. There is a period of relative stability with minor fluctuations until late February. A significant surge begins in late February, reaching a peak of nearly 100,000 cases in early March. Following this peak, the number of cases declines sharply, remaining at a low level through April, with a small secondary increase in late April.


R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

