




V450-A




V530-A




V710-A




B530-A




B695-A




Y590-A




Y610-A




Y670-A




Y780-A




R660-A




R780-A




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




V450-A_Gain




V530-A_Gain




V710-A_Gain




B530-A_Gain




B695-A_Gain




Y590-A_Gain




Y610-A_Gain




Y670-A_Gain




Y780-A_Gain




R660-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Violet_LaserDelay




Blue_LaserDelay




Yellow_LaserDelay




Red_LaserDelay




Violet_AreaScalingFactor




Blue_AreaScalingFactor




Yellow_AreaScalingFactor




Red_AreaScalingFactor




V450-A-% rCV




V530-A-% rCV



V710-A-% rCV




B530-A-% rCV




The graph displays the daily number of new COVID-19 cases in the United States from January 1 to April 1, 2020. The x-axis represents time, with labels for Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, with a grid extending to 100,000. The data shows a period of low case counts in January, followed by a significant increase starting in late February. A major peak occurs in early March, reaching nearly 100,000 cases. Following this peak, the number of cases declines sharply, with a notable dip in late March and a slight recovery in early April.

The graph displays the daily count of COVID-19 cases in the United States. The x-axis represents time from December 2019 to April 2020, with major ticks for Jan, Feb, Mar, and Apr. The y-axis represents the number of cases, ranging from 0 to 1,000,000. The data shows a period of low activity in December, followed by a rapid ascent in January. A significant peak occurs in early March, reaching nearly 1,000,000 cases. Following this peak, there is a period of fluctuation with a secondary rise in mid-March, followed by a general downward trend towards the end of April.


Y670-A-% rCV




Y780-A-% rCV




R660-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

