




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain



R780-A_Gain



FSC-A_Gain




The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis is marked with the months of January, February, March, and April. The y-axis represents the number of cases, with a grid line at 100,000. The data points show a steady increase in cases over time, with a slight dip in early February followed by a sharp rise in late February and March.


Month	Difference (Observed - Expected)
Jan	0.000
Feb	0.000
Mar	0.000

Days since start of outbreak	Deaths
10	28.728
20	28.728
30	28.728


Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV



B695-A-% rCV



B780-A-% rCV




The graph illustrates the daily reported COVID-19 cases in the United States. The y-axis is labeled 'Number of cases' and ranges from 0 to 100,000 in increments of 20,000. The x-axis shows the months of January, February, March, and April. The data points are connected by a line, showing a sharp rise in cases starting in late February, peaking in early March at approximately 100,000 cases, followed by a rapid decline and then a period of relative stability around 20,000 cases through April.

The graph displays the daily number of COVID-19 cases in the Netherlands. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a scale from 0 to 1000. The data shows a period of low case counts (mostly below 100) from early January to late February. Starting in late February, there is a rapid increase in cases, reaching a peak of approximately 1000 cases in early March. Following the peak, the number of cases begins to decline, returning to levels below 100 by mid-March, and remaining low through April.


The graph displays the daily count of COVID-19 cases in the United States from January 1, 2020, to April 1, 2020. The x-axis represents time, with labels for February and March. The y-axis represents the number of cases, with a scale from 0 to 100,000. The data shows a period of low case counts (below 10,000) from January through early February. Starting in late February, there is a significant upward trend, with cases rising sharply to a peak of approximately 100,000 in early March. Following this peak, the number of cases drops sharply to around 10,000 by mid-March and then remains relatively stable, fluctuating between 5,000 and 15,000 through April.

Date	Number of Cases (Approximate)
Jan 1	5,000
Jan 15	5,000
Jan 30	10,000
Feb 1	12,000
Feb 15	10,000
Feb 25	15,000
Mar 1	100,000
Mar 15	10,000
Mar 30	10,000
Apr 1	10,000


FSC-H-% rCV




FSC-W-% rCV



SSC-A-% rCV



SSC-H-% rCV



SSC-W-% rCV

