




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV




R780-A-% rCV




FSC-A-% rCV




FSC-H-% rCV



FSC-W-% rCV



SSC-A-% rCV



The graph displays the daily count of COVID-19 cases in the United States. The data begins in early December 2019, indicated by a red dashed line. The case count remains relatively low, generally below 100,000, through February. A massive spike occurs in early March, with cases peaking at approximately 950,000. Following this peak, the case count drops sharply to around 100,000 and then shows a gradual upward trend through April, reaching about 200,000 cases by the end of the period shown.

The graph displays the daily count of COVID-19 cases in the Netherlands. The x-axis is labeled with months: Dec, Jan, Feb, Mar, and Apr. The y-axis has major ticks at 0, 5, 10, 15, and 20. A red dashed vertical line is positioned at approximately March 11, 2020. The data points are connected by a solid black line. The number of cases starts around 14 in late December, drops to near zero by early January, and remains low until late February. After the red dashed line, there is a significant spike to over 20 cases in early March, followed by a sharp decline and then a period of relative stability with minor fluctuations between 2 and 8 cases through April.