




B530-A




B585-A




B695-A




B780-A




R670-A




R780-A




Blue_LaserDelay




Red_LaserDelay




FSC-A




FSC-H




FSC-W




SSC-A




SSC-H




SSC-W




B530-A_Gain




B585-A_Gain




B695-A_Gain




B780-A_Gain




R670-A_Gain




R780-A_Gain




FSC-A_Gain




SSC-A_Gain




Blue_LaserDelay




Red_LaserDelay




Blue_AreaScalingFactor




Red_AreaScalingFactor




B530-A-% rCV




B585-A-% rCV




B695-A-% rCV




B780-A-% rCV




R670-A-% rCV



R780-A-% rCV



FSC-A-% rCV



The graph displays the daily number of COVID-19 cases in the Netherlands from October to April. The y-axis is labeled with values 0, 5, 10, and 15. The x-axis is labeled with months: Oct, Jan, and Apr. A red dashed vertical line is positioned at the end of March, indicating the first lockdown. The data shows a period of fluctuating case counts between October and March, with a major peak of approximately 12 cases in late March, just before the lockdown. Following the lockdown, the number of cases drops sharply to near zero, with a significant spike to about 15 cases in late March, followed by a rapid decline and a period of low case counts through April.

The graph displays the daily count of COVID-19 cases in the United States. The y-axis is labeled with values 7.5, 10.0, 12.5, and 15.0. The x-axis is labeled with months: Oct, Jan, and Apr. A red dashed vertical line is positioned at approximately January 20, 2020. The data shows a period of low case counts (below 7.5) from late October to early November. This is followed by a period of increasing case counts, peaking at approximately 14.5 cases in early January. After this peak, the case counts drop sharply to around 7.5 by mid-January and remain relatively stable until late February. A second, smaller peak occurs in late March, reaching approximately 15.0 cases, followed by a decline and then a slight increase again in April.

The graph displays the daily count of COVID-19 cases in the United States. The data shows a period of low case counts from October through late December. A sharp increase occurs in early January, peaking at approximately 95,000 cases. Following this peak, the case counts drop significantly and remain relatively low and stable through April, with only minor fluctuations.

The graph displays the daily number of COVID-19 cases in the United States. The y-axis is labeled with values 0, 10, 15, and 20. The x-axis is labeled with months: Oct, Jan, and Apr. A red dashed vertical line is positioned at the beginning of November 2020. The data shows a period of fluctuating case numbers between October and November, followed by a sharp increase to a peak of approximately 20 cases in late November. After this peak, there is a rapid decline, with cases remaining relatively low and stable through April 2021.